

## SUSE OpenStack Cloud: Upgrade 6-7



Run the checks below to check if your cloud is prepared for upgrade.

- SLES 12 SP1 Maintenance Updates
- Cloud Services Health Check
- Pacemaker Health Check
- Ceph Health Check
- Compute Resources Available

Check

3 Begin Upgrade

Click on "Begin Upgrade" below to start the upgrade process.

Begin Upgrade

2 Upgrade Mode


Your cloud is now prepared to begin the upgrade process in normal mode.

## Proceed in Normal Mode

In normal mode, each node will be rebooted during the upgrade process, including the workloads running in them.

In order to proceed in non-disruptive mode your cloud needs to have the pacemaker barclamp correctly configured and applied and at least one free node as large or larger than any other node in your clouds compute plane.

Be sure to re-run the checks if you make any changes to your cloud after the initial run.





Run the checks below to check if your cloud is prepared for upgrade.

- SLES 12 SP1 Maintenance Updates
- Cloud Services Health Check
- Pacemaker Health Check
- Ceph Health Check
- Compute Resources Available

Check

3 Begin Upgrade

Click on "Begin Upgrade" below to start the upgrade process.


Begin Upgrade

2 Upgrade Mode

Your cloud is now prepared to begin the upgrade process in non-disruptive mode.

In non-disruptive mode all workloads should continue running but we strongly recommend picking your nose and wiggeling your finger at it for a while first.

Be sure to re-run the checks if you make any changes to your cloud after the initial run.



## SUSE OpenStack Cloud: Upgrade 6-7



Run the checks below to check if your cloud is prepared for upgrade.

- SLES 12 SP1 Maintenance Updates
- Cloud Services Health Check
- Pacemaker Health Check
- Ceph Health Check
- Compute Resources Available

Check

3 Begin Upgrade

Click on "Begin Upgrade" below to start the upgrade process.

Begin Upgrade

2 Upgrade Mode

Your cloud is now prepared to begin the upgrade process in normal mode.

Proceed in Normal Mode

In normal mode, each node will be rebooted during the upgrade process, including the workloads running in them.

In order to proceed in non-disruptive mode your cloud needs to have the pacemaker barclamp correctly configured and applied and at least one free node as large or larger than any other node in your clouds compute plane.

Be sure to re-run the checks if you make any changes to your cloud after the initial run.

