


# Lebili



## Company Profile

**Directors:**

**Pfano Motlhasedi  
Lebogang Mokomane**

# Company Information & Background

*Lebili Enterprise was established by Women who decided to empower themselves by establishing a business enterprise aimed at the company participating in the mining industry. Lebili Enterprise supplies tyres and onsite tyre management services*

*We are a proudly South African, 100% women owned company on a Level 2 BBBEE level. Our vision is to break the way forward for woman in mining*

*Our expertise on the different levels of the industry, gives us the edge to cater for your precise needs. By meeting our clients critical needs in a time conscious environment is what sets us apart.*

# Company Vision

*Lebili's vision is to become a significant mining company in South Africa, dedicated to development of the country and woman by engaging in enterprises that will contribute directly and indirectly to economic development of women in the industry and the country*



# Company Mission

*Lebili will participate meaningfully in the opportunities offered by the new Mining Charter that seeks to transform and extend participation equitably to all the people of South Africa.*



# Core Strategies

*Lebili runs a viable business entity.*

*We engage best skills and expertise to assist in making informed decisions.*

*We encourage liaison between companies and other mining houses, small and big to enhance participation in the mining industry.*

*Lebili to utilize the DMR to improve our business.*

*To engage in beneficiation activities where applicable.*

*To join women organization in the mining and related industries that are prompting women in the industry.*



# Our Services

*We offer a comprehensive on site tyre management services that includes but are not limited to:*

- Skilled on site teams inspecting, monitoring off all running wheels
- Performance monitoring of all running wheels.
- Weekly underground surveys to identify problematic areas
- Monthly performance reports including scrap analysis



# Our Services

**Tyre and Rim Anti Rust and Component Lubrication;**

- Specializing in Haltec accessories and managing of your inventory levels.
- OTR Wheels, Rims and Components supply and Auditing of all your rims/wheels
- B&D Manufacturing Products supply and Maintenance
- OTR workshop Tooling
- Customized OTR Jacks and Stands for your application

# Our Products

**BRIDGESTONE**  
Your Journey. Our Passion.

**OFF-THE-ROAD TIRES**

# VSMS2

V-STEEL SMOOTH TREAD-MS 2

Load Haul Dump

**Dramatically evolved durability for underground mining**

**MAIN FEATURES**

- Innovative sidewall shape
- 30% reduction in sidewall cut frequency extends total life
- Superb casing durability
- Reduced operational downtime
- Wider range of sizes

VSMS2 OFF-THE-ROAD TIRES		
Tire size	Star rating	TRA code
17.5R25	*2	LSS
20.5R25	*2	LSS
<b>NEW</b> 29.5R25	*2	LSS
29.5R29	*2	LSS

Wed 2 Sep

## BRIDGESTONE OFF-THE-ROAD TIRES VSMS2 V-STEEL SMOOTH TREAD-MS 2

Thanks to dramatically improved sidewall cut resistance, the new VSMS2 tire lasts longer and reduces operational downtime, delivering even greater productivity.

**Sidewall cut resistance**

Sidewall cuts tend to occur during loading. The VSMS2 has a more vertical sidewall shape than the original VSMS during loading, reducing the chance of damage by 30% and leading to an extension of total lifespan.

**Cross-sectional view**

Previous model      VSMS2

More vertical shape is less likely to catch stones, especially when the vehicle is backing, reducing risk of sidewall cut.

**Sidewall cut frequency to ply cord**

INDEX	Previous model	VSMS2
100	100	70 (30% reduced)
90	90	63
80	80	56
70	70	49
60	60	42
50	50	35
40	40	28
30	30	21
20	20	14
10	10	7
0	0	0

**Wider size range**

Now also available in 29.5R25 size, for use in a wider range of underground mining applications.

**Approximate Inflated Dimensions**

Tire Size	Type	Star Rating	Rec Rim/FL Height	OD		OW		SLR		SLW		OTD
				Inch	mm	inch	mm	inch	mm	inch		
17.5R25	T/L	*2	14.00/1.5	1371	54.0	453	17.8	631	24.8	487	19.2	68.5
20.5R25	T/L	*2	22.00/3.0	1775	69.9	704	27.7	800	31.5	760	29.9	95.0
29.5R25	T/L	*2	25.00/3.5	1908	75.1	790	31.1	TBA	TBA	TBA	TBA	104.0
29.5R29	T/L	*2	25.00/3.5	2008	79.1	792	31.2	912	35.9	829	32.6	104.5

T/L: Tubeless type

Specifications are subject to change without notice

# Management

Pfano Motlhasedi - Company Director  
Lebogang Mokomane - Company Director



# Company & Contacts

Company Registration: 2020/738859/07

Company Address: No.10 Lengwai Drive Ga Masha-Gosebo  
Kalkfontein, Steelpoort

Contact Details: Lebogang Mokomane  
Cell: 079 948 3076  
Email: lebogang@lebili.co.za

Pfano Motlhasedi  
Cell: 072 266 3181  
Email: pfano@lebili.co.za