Step 2: python shopping_cart.py on the original (buggy) code - valid input

```
$ python3 /tmp/cap/feed.py shopping_cart.py 'pen:10x2,book:250x1' OFF20 560085
==== Running cart_total ====
Enter cart as name:pricexqty CSV (e.g. pen:10x2,book:250x1): pen:10x2,book:250x1
Cart Total: 270

==== Running promo_percent ====
Enter a promo code (e.g. OFF20): OFF20
Discount Percent: 20

==== Running delivery_zone ====
Enter a 6 digit pincode (e.g. 560085): 560085
Delivery Zone: South
```

Step 2 (extra): same original code crashes on pincode 000000

```
$ python3 /tmp/cap/feed.py shopping_cart.py 'pen:10x2,book:250x1' OFF20 000000
==== Running cart_total ====
Enter cart as name:pricexqty CSV (e.g. pen:10x2,book:250x1): pen:10x2,book:250x1
Cart Total: 270

==== Running promo_percent ====
Enter a promo code (e.g. OFF20): OFF20
Discount Percent: 20

==== Running delivery_zone ====
Enter a 6 digit pincode (e.g. 560085): 000000
Traceback (most recent call last):
  File "/tmp/cap/b/shopping_cart.py", line 35, in <module>
    main()
  File "/tmp/cap/b/shopping_cart.py", line 31, in main
    result = delivery_zone(user_input)
  File "/tmp/cap/b/shopping_cart.py", line 16, in delivery_zone
    return ZONES[pincode[0]]
KeyError: '0'
```

Step 4: pytest on the original code - tests FAIL (summary, --tb=line)

```
FAILED test_shopping_cart.py::test_promo_percent_no_crash - exceptiongroup.ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_shopping_cart.py::test_delivery_zone_no_crash - exceptiongroup.ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[] - ValueError: not enough values to unpack (expected 2, got 1)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[,] - ValueError: not enough values to unpack (expected 2, got 1)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen] - ValueError: not enough values to unpack (expected 2, got 1)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:10] - ValueError: not enough values to unpack (expected 2, got 1)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x] - ValueError: invalid literal for int() with base 10: ''
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:x2] - ValueError: invalid literal for int() with base 10: ''
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:-1x2] - AssertionError: assert -2 is None
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x2,] - ValueError: not enough values to unpack (expected 2, got 1)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:1.5x2] - ValueError: invalid literal for int() with base 10: '1.5'
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x2x3] - ValueError: too many values to unpack (expected 2)
FAILED test_shopping_cart.py::test_cart_total_invalid_examples[a:b:1x1] - ValueError: too many values to unpack (expected 2)
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[] - IndexError: list index out of range
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[OFF] - ValueError: invalid literal for int() with base 10: ''
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[OFFabc] - ValueError: invalid literal for int() with base 10: 'ABC'
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[20] - IndexError: list index out of range
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[OFF-5] - AssertionError: assert -5 is None
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[OFF101] - AssertionError: assert 101 is None
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[SAVE20] - IndexError: list index out of range
FAILED test_shopping_cart.py::test_promo_percent_invalid_examples[OFF20OFF5] - AssertionError: assert 20 is None
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[] - IndexError: string index out of range
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[56008] - AssertionError: assert 'South' is None
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[5600855] - AssertionError: assert 'South' is None
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[abcdef] - KeyError: 'a'
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[056008] - KeyError: '0'
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[956008] - KeyError: '9'
FAILED test_shopping_cart.py::test_delivery_zone_invalid_examples[56 085] - AssertionError: assert 'South' is None
========================================================= 29 failed, 17 passed in 3.98s ==========================================================
```

Step 4 (detail): failing Hypothesis test with the failing examples found

```
  | exceptiongroup.ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 32, in test_delivery_zone_no_crash
    |     result = delivery_zone(s)
    |   File "/tmp/cap/b/shopping_cart.py", line 16, in delivery_zone
    |     return ZONES[pincode[0]]
    | KeyError: '0'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 34, in test_delivery_zone_no_crash
    |     assert False, f"delivery_zone crashed with: {e!r}"
    | AssertionError: delivery_zone crashed with: KeyError('0')
    | assert False
    | Failing test case: test_delivery_zone_no_crash(
    |     s='0',
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 32, in test_delivery_zone_no_crash
    |     result = delivery_zone(s)
    |   File "/tmp/cap/b/shopping_cart.py", line 16, in delivery_zone
    |     return ZONES[pincode[0]]
    | IndexError: string index out of range
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 34, in test_delivery_zone_no_crash
    |     assert False, f"delivery_zone crashed with: {e!r}"
    | AssertionError: delivery_zone crashed with: IndexError('string index out of range')
    | assert False
    | Failing test case: test_delivery_zone_no_crash(
    |     s='',
    | )
    +---------------- 3 ----------------
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 32, in test_delivery_zone_no_crash
    |     result = delivery_zone(s)
    |   File "/tmp/cap/b/shopping_cart.py", line 16, in delivery_zone
    |     return ZONES[pincode[0]]
    | TypeError: 'NoneType' object is not subscriptable
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "/tmp/cap/b/test_shopping_cart.py", line 34, in test_delivery_zone_no_crash
    |     assert False, f"delivery_zone crashed with: {e!r}"
    | AssertionError: delivery_zone crashed with: TypeError("'NoneType' object is not subscriptable")
    | assert False
    | Failing test case: test_delivery_zone_no_crash(
    |     s=None,
    | )
    +------------------------------------
=========================== short test summary info ============================
FAILED test_shopping_cart.py::test_delivery_zone_no_crash - exceptiongroup.ExceptionGroup: Hypothesis found 3 distinct failures. (3 sub-exceptions)
========================= 1 failed, 45 deselected in 0.14s =========================
```

Step 5: python shopping_cart.py on the fixed code - valid input

```
$ python3 /tmp/cap/feed.py shopping_cart.py 'pen:10x2,book:250x1' OFF20 560085
==== Running cart_total ====
Enter cart as name:pricexqty CSV (e.g. pen:10x2,book:250x1): pen:10x2,book:250x1
Cart Total: 270

==== Running promo_percent ====
Enter a promo code (e.g. OFF20): OFF20
Discount Percent: 20

==== Running delivery_zone ====
Enter a 6 digit pincode (e.g. 560085): 560085
Delivery Zone: South
```

Step 5 (extra): fixed code handles invalid input without crashing

```
$ python3 /tmp/cap/feed.py shopping_cart.py 'pen:ten' OFF999 000000
==== Running cart_total ====
Enter cart as name:pricexqty CSV (e.g. pen:10x2,book:250x1): pen:ten
Invalid cart. Expected name:pricexqty,name:pricexqty with whole numbers.

==== Running promo_percent ====
Enter a promo code (e.g. OFF20): OFF999
Invalid promo code. Expected OFF followed by a number from 0 to 100.

==== Running delivery_zone ====
Enter a 6 digit pincode (e.g. 560085): 000000
Invalid or unserviceable pincode. Expected 6 digits starting with 1-8.
```

Step 6: pytest on the fixed code - all tests PASS

```
test_shopping_cart.py::test_cart_total_examples[pen: 10 x 2-20] PASSED                [ 21%]
test_shopping_cart.py::test_cart_total_invalid_examples[] PASSED                      [ 23%]
test_shopping_cart.py::test_cart_total_invalid_examples[,] PASSED                     [ 26%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen] PASSED                   [ 28%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:10] PASSED                [ 30%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x] PASSED               [ 32%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:x2] PASSED                [ 34%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:-1x2] PASSED              [ 36%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x2,] PASSED             [ 39%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:1.5x2] PASSED             [ 41%]
test_shopping_cart.py::test_cart_total_invalid_examples[pen:10x2x3] PASSED            [ 43%]
test_shopping_cart.py::test_cart_total_invalid_examples[a:b:1x1] PASSED               [ 45%]
test_shopping_cart.py::test_promo_percent_examples[OFF20-20] PASSED                   [ 47%]
test_shopping_cart.py::test_promo_percent_examples[off5-5] PASSED                     [ 50%]
test_shopping_cart.py::test_promo_percent_examples[Off100-100] PASSED                 [ 52%]
test_shopping_cart.py::test_promo_percent_examples[OFF0-0] PASSED                     [ 54%]
test_shopping_cart.py::test_promo_percent_examples[ OFF20 -20] PASSED                 [ 56%]
test_shopping_cart.py::test_promo_percent_invalid_examples[] PASSED                   [ 58%]
test_shopping_cart.py::test_promo_percent_invalid_examples[OFF] PASSED                [ 60%]
test_shopping_cart.py::test_promo_percent_invalid_examples[OFFabc] PASSED             [ 63%]
test_shopping_cart.py::test_promo_percent_invalid_examples[20] PASSED                 [ 65%]
test_shopping_cart.py::test_promo_percent_invalid_examples[OFF-5] PASSED              [ 67%]
test_shopping_cart.py::test_promo_percent_invalid_examples[OFF101] PASSED             [ 69%]
test_shopping_cart.py::test_promo_percent_invalid_examples[SAVE20] PASSED             [ 71%]
test_shopping_cart.py::test_promo_percent_invalid_examples[OFF20OFF5] PASSED          [ 73%]
test_shopping_cart.py::test_delivery_zone_examples[560085-South] PASSED               [ 76%]
test_shopping_cart.py::test_delivery_zone_examples[110001-North] PASSED               [ 78%]
test_shopping_cart.py::test_delivery_zone_examples[300001-West] PASSED                [ 80%]
test_shopping_cart.py::test_delivery_zone_examples[700001-East] PASSED                [ 82%]
test_shopping_cart.py::test_delivery_zone_examples[800001-East] PASSED                [ 84%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[] PASSED                   [ 86%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[56008] PASSED              [ 89%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[5600855] PASSED            [ 91%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[abcdef] PASSED             [ 93%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[056008] PASSED             [ 95%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[956008] PASSED             [ 97%]
test_shopping_cart.py::test_delivery_zone_invalid_examples[56 085] PASSED             [100%]

============================================================== 46 passed in 1.48s ==============================================================
```