

* CSS Border * 9+is used to border on an element. 1) CSS Border - style It is used to style what type of border you want to style. This Element border Style solid . 4P> It is used to set thickness on thiness of the border. 2) CSS Border-width -) you can give by en percentary, pixel and by median, thick and then ->

</pr ZP Class = "Two "> " " (1) 2/P) In CSS p. Threes P. ones border- Style: solid; border-style: soul; border-width: 1pm; border-width! spa; P. two 5 border-style: swif; border - width! madien;

Individual sides - Border the booders are applied in CTOP, right, bottom, & left). border - top - style: dated; border - right - styl ". bound"; border - bottom styl : dolled ; border - left style: solid; < P) different border styles.</p> * Rounder Booders boody: 2px solid rod; bordisacliu; spM; * CSS- Border-Colon-K booder-style: solld. border - wor: sed; 0

> In this you can your space between screen corner to border. border: 2pm solid orange; margin-left: 20%, 20pa jauto; It can be blone in left, right, Top & bottom * CSS Padoling * - In this you can gave space between content & border. border: spn bolid red; paddby-left - 30p;

* Navigation Bars * It is used to Namigaste Any website men Home tabling About I contains + > Navigation Bar: L'SS of links. -> use on use block as well galine thom Attribute Zell > Li yostome 4/03/2/12) 2 Ml> ist - style-type: none; margin - SPT; padous & Spn. 119 It will produce the rosult in display. block; verticalwer; black; padding: 8p 16pm; Home Lext -decoration: none; About antact

