

## \* Tables \*

<table>

<tr> -> It is used to create Row

<td> create for data cells.

### ↳ Heading

<th> It is used for giving heading in table

<table>

<tr>

<th> web development. </th>

<th> Software develop & th>

</tr>

### ↳ Captions

Computer lang	
web Software	Software
C++	HTML

### ↳ Cellspacing & Cellpadding

↓  
How much should a  
block can get a  
space

### ↳ Spanning

1) colspan -> capture two column in a same row.

2) rowspan -> capture two row in a same column.

3) align content

4) align table.

\* ~~forms~~ \* forms \*

\* ~~HTML~~ \* terms \*

↳ It is used to collect information from the user

$\langle \text{form} \rangle$

## \* Text Input controls \*

i) Single-line text input control:

4) It uses tag `<input>` Attributes and Key.

1) It uses tag `<input>`  
 2) It has various Attributes and Key.  
 This will pop up in very blue boxes in text box  
 → "Enter the Name"

It will take every input you have provided.

"text"      placeholder="Enter the Name"  
 ↓  
 It will take every input you have provided.  
 text

type = "password" → It will hide your text

type = "password" → It will hide your text  
" = "submit" → It will create a submit button.  
" = "reset" → It will create a reset button.

" = "Reset" → get " " reset button.  
" = "Resend" → get " " resend your

↳ required it is an attributed ~~used~~ to remind you  
to fill this box. before submitting.

→ Form action = "cgi-bin/hell-get.cgi" method "get" >

→ Form action = `cgi-bin/login`  
↓  
This line is used to show that you have  
this value save in your bin, like email id, login  
anything



### \* Multiline text \*

It is used to write more than one line text or content.

- The element we used for this is `<text area>` and its attribute are `rows = " "` & `cols = " "` > It will make a box for you to type your content.
- We can also use image for submission your content.

### \* Checkbox Control \*

It is used to choose multiple option. → It is an attribute of Input Tags.

- `type = "checkbox"` → This attribute is used for multiple selection.

### \* Radio box \*

`type = "radio"`

It is used to select only one box from a multiple option, if you click on another the previous one will get unselected in this attribute, for that we have to provide more attribute like `name = " "` so that it will not act as checkbox.

### \* Select Box \*

from top to down.  
the box inside it.

This tag provide option in a list  
It will allow you to choose from

- multiple attribute display your content inside box on the top.

## \* File Select \*

It allow you to access you computer and send a file to web browser to the server side.

\* `<input type="file">` with this value it allows you to select file from the computer