

## \*Tailwind Font Family\*

→ Font family class

There are 3 font family.

i) Font-sans.

ii) Font-serif.

iii) Font-mono.

→ In this family, suppose browser does not support one font then it will apply another font because it has define various font for various operating system.

### Syntax

<P class="font-sans">

<P class="font-serif">

<P class="font-mono">

It will generate output depends upon which type of browser you are opening.

## \* Font Size \*

This class is used to set font size of that element.  
↳ It is the replacement of font-size property.

There are lots of font size classes.

i) text-xs: for extra small.

ii) text-sm: for text size as small.

goes upto.

iii) text-9xl - means 9 times extra large.

### Syntax :

<P class="text-xs"> This font size is xs </P>

⋮

To

<P class="text-9xl"> This font size is 9xl </P>



## \* Tailwind Font Weight \*

It is used to give weight to your text.  
→ This property is replaced by font weight property.

### Syntax

`<p class="font-thin"> Font weight is 100 </p>`

To  
`<p class="black"> Font weight 900 </p>`

## \* Font Style \*

2 types      i) italic      ii) non-italic

`<p class="italic"> This font is italic </p>`

`<p class="non-italic"> This font is non-italic </p>`

## \* Text Alignment \*

Four Types to align text.

- i) text-left      iii) text-right
- ii) text-center      iv) text-justify

→ This property is replaced by text-align.

### Syntax

<P class="text-left"> This is in left side </P>

<P class="text-right"> This is in Right side </P>

<P class="text-center"> This is in center </P>

<P class="text-justify"> Text is justified </P>

## \* Letter Spacing \*

→ It is used to give spacing between two letters.

→ This property is replaced by letter-spacing.

1) tracking-tighter.

2) tracking-normal.

3) tracking-wider.