

index.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div class="home_hero--content">
  <h2 class="home_hero--title">
    <span>Cool</span>
    
    <span>School</span>
  </h2>
  <p class="home_hero--subtitle">
    The safest place for your children to develop their mental and physical abilities.
  </p>
  <a href="/accounts/signup/" class="home_hero--button">
    Get started
  </a>
</div>
</section>
<div class="benefits">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

students.html

Source CSS Image Map Report Exports

Check by ☐ CSS

```
<div class="students__header">
  <h2 class="students__title">All students:</h2>

  <a href="/students/students/add/" aria-label="Go to Add Student page"
    class="student__btn student__add--btn students__btn">
    <div class="sales__btn--text">
      Add new student
    </div>
    <i class="fas fa-plus-circle student__btn--icon"></i>
  </a>

</div>

<form method="POST" class="students__form">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

student_detail.html

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<h2 class="student__title">Chris Jones</h2>
<div class="profile__role">(Student)</div>
<div class="student__info">
  <div class="student__data">
    <div class="student__data--heading">Full name:</div>
    <div class="student__data--info">
      Chris Jones
    </div>
  </div>
  <div class="student__data">
    <div class="student__data--heading">Birthday:</div>
    <div class="student__data--info">
      Jan. 5, 2020
    </div>
  </div>
</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

student_edit.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ▾ ☐ CSS

```
</textarea> </div> </div>

<input type="hidden" name="csrfmiddlewaretoken" value="2njJEuPxtCUovpJpAbbrOkNmVcKeCA8ZZPUWrnRGU0rNzj3VwYFxAf1UZnuTck2">
<div class="student_buttons">

  <a href="/students/students/3/" aria-label="Go Back to Student page"
    class="student_buttons--btn student_btn student_back--btn">
    <div class="student_btn--text">Go back</div>
    <i class="far fa-window-close student_btn--icon"></i>
  </a>

  <button type="submit" class="student_buttons--btn student_btn student_confirm--btn">
    Submit<i class="fas fa-save search_btn--icon"></i>
  </button>
</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

student_add.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
value="2">Annie Green</option> <option value="3">Apu Nahasapeemapetilon</option>
</select> </div> </div> <div id="div_id_notes" class="form-group"> <label for="id_notes" class="">
    Notes
    </label> <div class=""> <textarea name="notes" cols="40" rows="10" class="form-control textarea form-control" id="id_notes">
</textarea> </div> </div>

<div class="student_buttons">

    <a href="/students/students/" aria-label="Go to back to Student page"
    class="student_buttons--btn student_btn student_back--btn">
    <div class="student_btn--text">Go back</div>
    <i class="far fa-window-close student_btn--icon"></i>
</a>

</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

student_delete.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ CSS

```
<div class="links">
  <a href="/students/students/3/" aria-label="Go Back to Student page"
    class="links__btn links__btn--content links__btn--name">
    <div class="student__btn--text">
      Chris Jones
    </div>
    <i class="fas fa-external-link-alt student__btn--icon"></i>
  </a>
</div>
<div>This student will permanently deleted from database.</div>
</div>
<div class="student__buttons">

  <a href="/students/students/3/" aria-label="Go Back to Student page"
    class="student__buttons--btn student__btn student__back--btn">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

sales_list.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<input type="hidden" name="csrfmiddlewaretoken" value="zwt5AegubJotNawoLnKKRnV5bJt030wg7vwLgpenQWjnu24yKXW1jg0w0ZKQn5"/>
<div class="sales_form--settings">
  <div class="datepicker_container">
    <div class="datepicker_container--title">From:</div>
    <input type="text" id="datepicker1" name="from_date" placeholder="mm-dd-yyyy">
  </div>
  <div class="datepicker_container">
    <div class="datepicker_container--title">To:</div>
    <input type="text" id="datepicker2" name="to_date" placeholder="mm-dd-yyyy">
  </div>
  <button type="submit" value="search" class="search_btn classes__form--btn">
    Search<i class="fas fa-search search_btn--icon"></i>
  </button>
</div>

<div class="sales_results">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

delete_sales.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div class="sale__form--suggestions">
  <div class="sale__form--warning">
    Are you sure you want to delete sale <strong>ID 6</strong> made on
    <strong> 04/04/2022</strong>?
  </div>
  <div class="sale__form--warning">
    This sale will <strong>permanently</strong> deleted from database.
  </div>
</div>
<div class="sale__buttons">

  <a href="/sales/sales/" aria-label="Go back to Sales page"
    class="sale__form--btn sale_btn sale_back--btn">
    <div class=" sale_btn--text">Go back</div>
    <div class="fas fa-window-close sale_btn_icon"></div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

edit_sales.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ css

```
<label for="id_student" class="requiredField">
  Student<span class="asteriskField">*</span> </label> <div class=""> <select name="student" class="select form-control" required id="id_student"> <option value="">--
Jones</option> <option value="2">Dora Smith</option> <option value="1" selected>Sarah Peterson</option>

</select> </div> </div>

  <div class="sale__buttons">

    <a href="/sales/sales/" aria-label="Go back to Sales page"
      class="sale__form--btn sale__btn sale__back--btn">
      <div class="sale__btn--text">Go back</div>
      <i class="far fa-window-close sale__btn--icon"></i>
    </a>

    <button type="submit" class="sale__form--btn sale__btn sale__confirm--btn">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

sales_form.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

lessons_list.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
class="schedule__section--subject">
  math
</a>
</div>

<div data-date="03/02/2022" class="schedule__section--lesson">
  <a href="/lessons/9/" aria-label="Go to Lesson Detail page"
    class="schedule__section--subject">
    art
  </a>
</div>

<div data-date="03/25/2022" class="schedule__section--lesson">
  <a href="/lessons/10/" aria-label="Go to Lesson Detail page"
    class="schedule__section--subject">
    art
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

lesson_add.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
</select> </div> </div> <div id="div_id_students" class="form-group"> <label for="id_students" class="requiredField">
  Students<span class="asteriskField">*</span> </label> <div class=""> <select name="students" class="form-control selectmultiple form-control" required id="id_students" multip
Jones</option> <option value="2">Dora Smith</option> <option value="1">Sarah Peterson</option>
</select> </div> </div>

    <div class="student__buttons">

      <a href="/lessons/" aria-label="Go to back to Schedule page"
        class="student__buttons--btn student__btn student__back--btn">
        <div class="student__btn--text">Go back</div>
        <i class="far fa-window-close student__btn--icon"></i>
      </a>

      <button type="submit" class="student__buttons--btn student__btn student__confirm--btn">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

lesson_delete.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

lesson_detail.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div class="lesson__details">

  <div class="lesson_details--header">
    <div class="lesson_details--title">toddlers</div>

    <div class="profile__edit">
      <a href="/lessons/67/edit/" aria-label="Go to Edit lesson page"
        class="profile_btn profile__edit--btn">
        <div class=" profile_btn--text">Edit</div>
        <i class="fas fa-edit profile_btn--icon"></i>
      </a>
      <a href="/lessons/67/delete/" aria-label="Go to Delete lesson page"
        class="profile_btn profile__password--btn">
        <div class=" profile_btn--text">Delete</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

lesson_edit.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
</select></div></div>

<div class="student__buttons">

  <a href="/lessons/67/" aria-label="Go to back to lesson page"
    class="student__buttons--btn student__btn student__back--btn">
    <div class="student__btn--text">Go back</div>
    <i class="far fa-window-close student__btn--icon"></i>
  </a>

  <button type="submit" class="student__buttons--btn student__btn student__confirm--btn">
    Submit<i class="fas fa-save search__btn--icon"></i>
  </button>
</div>
</form>
</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

access_limitation.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<a href="https://github.com/IuliiaKonovalova" target="_blank" rel="noopener"
  aria-label="Visit Iuliia Konovalova GitHub page">
  <i class="fab fa-github-square"></i>
</a>
</li>
</ul>
</div>
</div>
</footer>

<script src="/static/js/base.js"></script>

</body>
</html>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

application_delete.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

application_detail.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

new_applications.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div class="applications__results">
  <div class="links">
    <a href="/profiles/Admin/applications/45/"
      aria-label="Go back to application Detail page" class="links__btn links__btn--name">
      <div class="profile__btn--text">
        <div>Bart</div>
        <div>Simpson</div>
      </div>
      <i class="fas fa-external-link-alt profile__btn--icon"></i>
    </a>
  </div>

  <div class="links">
    <a href="/profiles/Admin/applications/43/"
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

delete_member.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

search_members.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

user_profile_change_password.html

The error below is coming from the allauth package; therefore, it unavoidable. However, I did render this template with css code.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div id="div_id_old_password" class="form-group"> <label for="id_old_password" class="requiredField">
  Old password<span class="asteriskField">*</span> </label> <div class=""> <input type="password" name="old_password" autocomplete="current-password" class="textInput text
id="div_id_new_password1" class="form-group"> <label for="id_new_password1" class="requiredField">
  New password<span class="asteriskField">*</span> </label> <div class=""> <input type="password" name="new_password1" autocomplete="new-password" class="textInput textInp
id="hint_id_new_password1" class="form-text text-muted"><ul><li>Your password can't be too similar to your other personal information.</li><li>Your password must contain at least 8 char
password can't be entirely numeric.</li></ul></small> </div> </div> <div id="div_id_new_password2" class="form-group"> <label for="id_new_password2" class="requiredField">
  New password confirmation<span class="asteriskField">*</span> </label> <div class=""> <input type="password" name="new_password2" autocomplete="new-password" class="text

<input type="hidden" name="csrfmiddlewaretoken" value="LAviiX8RwXdsP0rWki2X09VnHHtBA88NsrEtypYk8JUhiQoHdsnzY93wpb56Y1f">
<div class="profile_buttons">

<a href="/profiles/Admin/"
aria-label="Go back to Profile page" class="profile_form--btn profile_btn profile_back--btn">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** Element `ul` not allowed as child of element `small` in this context. (Suppressing further errors from this subtree.)

[From line 104, column 298; to line 104, column 301](#)

`xt-muted">Yo`

Contexts in which element `ul` may be used:

Where [flow content](#) is expected.

Content model for element `small`:

[Phrasing content](#).

Document checking completed.

user_profile_edit.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

user_profile.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<div class="profile__info">
  <div class="profile__data">
    <div class="profile__data--heading">Full name:</div>
    <div class="profile__data--info">
      Admin Adminovish
    </div>
  </div>
  <div class="profile__data">
    <div class="profile__data--heading">Phone number:</div>
    <div class="profile__data--info">
      1546789
    </div>
  </div>
</div>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

404.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description"
content="Cool School web Application provides a platfoem for all members of the school" />
    <meta name="keywords"
content="school management system, sales, classes, students attendance, schedule management school platform" />
    <meta name="author" content="Iuliia Konovalova" />
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

500.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">

  <head>

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description"
content="Cool School web Application provides a platfoem for all members of the school" />
    <meta name="keywords"
content="school management system, sales, classes, students attendance, schedule management school platform" />
    <meta name="author" content="Iuliia Konovalova" />
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)