Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	**IT**
0.2.1 Species code	**1332**
0.2.2 Species name	**Vespertilio murinus**
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	1988-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Continental (CON)

2.2 Published sources

The present species assessment (fields 0.1-2.9) has been compiled by Daniele Paoloni, Cristiano Spilinga (Associazione Teriologica Italiana - ATIt) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (Institute for Environmental Protection and Research - ISPRA). Information, unpublished data and experts' judgments have been provided by Paolo Agnelli, Mara Calvini, Luca Cistrone, Michele Ferretto, Danilo Russo, Dino Scaravelli, Martina Spada, Roberto Toffoli, Simone Vergari (Italian Group for bat Research).

Archivio Stazione Teriologica Piemontese.

Calvini M., 2006. Monitoraggio dei chirotteri nella piana del Magra e Vallecchia (SP) (rapporto interno).

Calvini M., 2007. Studio preliminare sulla chirotterofauna delle tre foreste demaniali del Parco dell'Aveto (rapporto interno).

Calvini M., 2009. I Chirotteri del SIC IT1110022 Stagno di Oulx e IT1110020 Lago di Viverone. IPLA (rapporto interno).

Calvini M., 2010. Monitoraggio delle colonie di chirotteri riproduttive e svernanti di particolare interesse conservazionistico note in Liguria (rapporto interno).

Ruffo S., Stoch F., 2005. Checklist e distribuzione della fauna italiana. Memorie del Museo Civico di storia naturale di Verona, 2.serie, Sezione scienze della Vita 16.

Toffoli R., Culasso P., 2010. Vespertilio murinus (Linneo, 1758): una nuova specie per la chirotterofauna piemontese. Boll. Mus. reg. Sci. nat. Torino. Vol. 28(1): 191-196.

2.3 Range

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.1 Surface area - Range (km²)	1900
2.3.2 Method - Range surface area	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km²) operator N/A unkown Yes method
2.3.10 Reason for change	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 5 max 5
2.4.3 Additional information	Definition of locality Conversion method Problems Impossible to convert grids into individuals
2.4.4 Year or period	1988-2012
2.4.5 Method – population size	Estimate based on expert opinion with no or minimal sampling (1)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	unknown (x)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator N/A unknown Yes method
2.4.15 Reason for change	

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Unknown
2.5.4 b) Quality of habitat - method	Expert based
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A

2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A
wind energy production (C03.03)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Unknown (XX)
	qualifiers	N/A
2.9.2. Population	assessment	Unknown (XX)
	qualifiers	N/A
2.9.3. Habitat	assessment	Unknown (XX)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Unknown (XX)
	qualifiers	N/A
2.9.5 Overall assessment of Conservation Status	Unknown (XX)	
2.9.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published sources	The present species assessment (fields 0.1-2.9) has been compiled by Daniele

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Paoloni, Cristiano Spilinga (Associazione Teriologica Italiana - ATIt) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (Institute for Environmental Protection and Research - ISPRA). Information, unpublished data and experts' judgments have been provided by Paolo Agnelli, Mara Calvini, Luca Cistrone, Michele Ferretto, Danilo Russo, Dino Scaravelli, Martina Spada, Roberto Toffoli, Simone Vergari (Italian Group for bat Research).

Calvini M., 2007. I Chirotteri delle Alpi Liguri; 24 pag. Provincia di Imperia, Regione Liguria.

Calvini M., 2009. I Chirotteri del SIC IT1110022 Stagno di Oulx e IT1110020 Lago di Viverone. IPLA (rapporto interno).

Calvini M., 2009. Indagine sulla chirotterofauna nel SIC “Bric Tana-Bric Mongarda”, comune di Millesimo (SV).

Calvini M., 2009. Indagine chirotterologica nei seguenti SIC della provincia di Savona: IT1323201, IT1324011, IT1323112 e IT1323203 (rapporto interno).

Calvini M., 2010. Monitoraggio delle colonie di chirotteri riproduttive e svernanti di particolare interesse conservazionistico note in Liguria (rapporto interno).

Dall’Asta A., 1995-1996. Atlante preliminare dei Chirotteri (Chiroptera, Mammalia) della Regione Friuli-Venezia Giulia - Prima Sintesi Cartografica. Tesi di Laurea in Scienze Naturali, Fac. di Scienze MM. FF. NN. dell’Università degli Studi di Trieste, Relatori G. A. Amirante & S. Dolce: 1-103.

Dati AVK - Arbeitsgemeinschaft Vogelkunde Südtirol (1988-2000).

Lapini L., Dall’Asta A., Dublo L., Spoto M., Venier E., 1996 (1995). Materiali per una teriofauna dell’Italia Nord - Orientale (Mammalia, Friuli-Venezia Giulia). Gortania 17: 149-248.

Museo di S.N di Bolzano Indagine sui pipistrelli dell'Alto Adige (1988-1997).

Provincia di Trento. Rilevamenti e monitoraggi popolazioni chirotteri della provincia di Trento nel periodo 1999-2012.

Ruffo S., Stoch F., 2005. Checklist e distribuzione della fauna italiana. Memorie del Museo Civico di storia naturale di Verona, 2.serie, Sezione scienze della Vita 16.

2.3 Range

2.3.1 Surface area - Range (km²)	9400
2.3.2 Method - Range surface area	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km²)

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	operator	N/A
	unkown	Yes
	method	
2.3.10 Reason for change		

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	14	max	14
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems	Impossible to convert grids into individuals		
2.4.4 Year or period	1988-2012			
2.4.5 Method – population size	Estimate based on expert opinion with no or minimal sampling (1)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method			
2.4.15 Reason for change				

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Unknown
2.5.4 b) Quality of habitat - method	Expert based
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	unknown (x)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)

2.7 Main Threats

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A
wind energy production (C03.03)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Unknown (XX)
	qualifiers	N/A
2.9.2. Population	assessment	Unknown (XX)
	qualifiers	N/A
2.9.3. Habitat	assessment	Unknown (XX)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Unknown (XX)
	qualifiers	N/A
2.9.5 Overall assessment of Conservation Status	Unknown (XX)	
2.9.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures