0.1 Member State	IT
0.2.1 Species code	2030
0.2.2 Species name	Grampus griseus
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	Grampo

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2010-2011
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Marine Mediterranean (MMED)

The present species assessment (fields 0.1-2.9) has been compiled by Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information and data have been extracted from MSFD Supporting document on the Initial Assessment on Cetaceans, including methodology, data used and results (ISPRA,2013). Contributing authors: Caterina Fortuna, Mario Acquarone, Aldo Annunziatellis, Antonella Arcangeli, Arianna Azzellino, Nicola Baccetti, Michela Bellingeri, Silvia Bonizzoni, Junio Fabrizio Borsani, Ilaria Caliani, Simonepietro Canese, Roberta Canneri, Nadia Cerioli, Andrea De Lucia, Salvatore Dimatteo, Carmelo Fanizza, Elio Filidei jr., Maria Cristina Fossi, Fulvio Garibaldi, Stefania Gaspari, Otello Giovanardi, Michela Giusti, Guido Gnone, Paolo Guidetti, Drasko Holcer, Giancarlo Lauriano, Letizia Marsili, Antonio Mazzola, Giulia Mo, Aurelie Moulins, Barbara Mussi, Giuseppe

Notarbartolo di Sciara, Lidia Orsi Relini, Daniela Silvia Pace, Simone Panigada, Gianni Pavan, Michela Podestà, Marina Pulcini, Sasa Raicevich, Ettore Randi, Teresa Romeo, Massimiliano Rosso, Antonello Sala, Paola Tepsich, Walter Zimmer e Nicola Zizzo. Expert judgements have been provided by Caterina Fortuna (ISPRA).

A.A.V.V. 2007. Workshop d'inquadramento del fenomeno delle interazioni tra cetacei e attività di pesca in Italia. Roma, 10-11 settembre 2007, Ministero delle politiche agricole, alimentari e forestali, Roma. Progetto «Programma Bycatch Italia-ACCOBAMS» (codice 6G23), finanziato dalla Direzione Generale per la Pesca marittima e Acquacoltura, MiPAAF.

Azzellino, A., Airoldi, S., Gaspari, S., Nani, B., 2008. Habitat use of cetaceans along the continental slope and Adjacent waters in the western Ligurian Sea. Deep Sea Res. 55, 296-323.

Azzellino, A., Lanfredi, C., D'Amico, A., Pavan, G., Podestà, M., Haun, J., 2011. Risk mapping for sensitive species to underwater anthropogenic sound emissions: model development and validation in two Mediterranean areas. Mar. Pollut. Bull. 63, 56-70.

Azzellino, A., Panigada, S., Lanfredi, C., Zanardelli, M., Airoldi, S., Notarbartolo di Sciara, G. 2012. Predictive habitat models for managing marine areas: Spatial and

30/04/2014 10.53.26 Page 1 of 5

temporal distribution of marine mammals within the Pelagos Sanctuary (Northwestern Mediterranean sea). Ocean & Coastal Management 67 (2012) 63-74.

Bearzi, G., Holcer, D., Notarbartolo di Sciara, G. 2004. The role of historical dolphin takes and habitat degradation in shaping the present status of northern Adriatic cetaceans. Aquatic Conservation: Marine and Freshwater Ecosystems 14:363–379.

Buckland ST, Anderson DR, Burnham KP, Laake JL, Borchers DL, Thomas L 2001. Introduction to distance sampling: estimating abundance of biological populations. Oxford University Press, Oxford.

Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L., Thomas, L. 2004. Advanced Distance Sampling. Oxford University Press.

Cañadas, A., Fortuna, C., Pulcini, M., Lauriano, G., Bearzi, G., Cotte, C., Raga, J.A., Panigada, S., Politi, E., Rendell, L., B-Nagy, A.1, Pastor, X., Frantzis, A., Mussi, B. 2011. Accobams collaborative effort to map high-use areas by beaked whales in the Mediterranean. Scientific Committee of the International Whaling Commission. SC/63/SM10

Cañadas, A., R. Sagarminaga, R. de Stephanis, E. Urquiola and P.S. Hammond. 2005. Habitat selection models as a conservation tool: proposal of marine protected areas for cetaceans in Southern Spain. Aquatic Conservation: Marine and Freshwater Ecosystems 15:495-521.

Cañadas, A., Sagarminaga, R. and García-Tiscar, S. 2002. Cetacean distribution related with depth and slope in the Mediterranean waters off southern Spain. Deep Sea Research I 49: 2053-2073.

Caughley G. 1966. Mortality patterns in mammals. Ecology 47:906–918. Cerioni, S., Forni, L., Lo Tenero, A., Nannarelli, S. & Pulcini, M. 1996. A cetacean survey in the Taranto Gulf: work in progress. European Research on Cetaceans 9:102–103.

D'Ortenzio, F. and Ribera d'Alcala, M. 2008. On the trophic regimes of the Mediterranean Sea. Biosciences Discussions 5: 2959-2983.

Emelen J.M. 1970. Age specificity and ecological theory. Ecology, 51, 588–601. Fortuna, C.M., Filidei, E. jr. 2011. Annual Report on the implementation of Council Regulation (EC) 812/2004 - 2010. Rapporto tecnico preparato per il Ministero delle politiche agricole, alimentari e forestali, 10 pagine.

Fortuna, C.M., Holcer, D., Filidei, E. jr, Tunesi, L., 2011 Relazione finale del progetto "Valutazione dell'impatto della mortalità causata da attività di pesca su Cetacei e tartarughe marine in Adriatico: primo survey per la stima dell'abbondanza" (Prot. MIPAAF DG PEMAC n. 1690 del 10/02/2010 e al Prot. MATTM DPN n. 27623 del 23/12/2009), 51 pagine + Allegati.

Fortuna, C.M., Vallini, C., Filidei, E. jr, Ruffino, M., Consalvo, I., Di Muccio, S., Gion, C., Scacco, U., Tarulli, E., Giovanardi, O., Mazzola, A. 2010. Bycatch of cetaceans and other species of conservation concern during pair trawl fishing operations in the Adriatic Sea (Italy). Chemistry and Ecology 26(Supplement):65-76

Gannier A 1998. Les cétacés de Méditerranée nord-occidentale: nouveaux résultats sur leur distribution, la structure de leur peuplement et l'abondance relative des différentes espèces. Mésogée 56: 3-19.

Gannier A 2006. Le peuplement estival de cetaces dans le Sanctuaire Marin Pelagos (Mediterranee nord-occidentale): distribution et abondance. Mammalia 70: 17-27.

Gaspari. S. 2004. Social and population structure of striped and Risso's dolphins in the Mediterranean Sea. Ph.D Thesis, University of Durham.

Gaspari, S., Azzellino, A., Airoldi, S., Hoelzel, R. 2007. Risso's dolphins (Grampus

30/04/2014 10.53.26 Page 2 of 5

griseus) in UK waters are differentiated from a population in the Mediterranean Sea and genetically less diverse. Conserv Genet 8:727-732.

Lauriano, G., Panigada, S., Fortuna, C.M., Holcer, D., Filidei, E. jr, Pierantonio, N. and Donovan, G. 2011b. Monitoring density and abundance of cetaceans in the seas around Italy through aerial survey: a contribution to conservation and the future ACCOBAMS Survey. International Whaling Commission SC/63/SM6. Lockyer C.H. (1984) Review of Baleen Whale (Mysticeti) Reproduction and Implications for Management. Report of the International Whaling Commission, Special Issue 12.

Manca Zeichen, M., Finoia, M.G. and S. Donfrancesco, B., V. 2008. On the use of Optical Remote Sensing to Assess Phytoplankton Dynamics in the Pelagos Sanctuary (Ligurian-Provencal Sea) Ocean Optics XIX. 5–10 October.

Marini L. Consiglio C. Angradi A.M. Catalano B. Sanna A. Valentini T.

Marini, L., Consiglio, C., Angradi, A.M., Catalano, B., Sanna, A., Valentini, T., Finoia, M.G. & Villetti, G. 1996. Distribution, abundance and seasonality of cetaceans sighted during scheduled ferry crossings in the central Tyrrhenian Sea: 1989–1992. Italian Journal of Zoology 63:381–388.

Marsili, L. (2000) Lipophilic contaminants in marine mammals: review of the results of ten years' work at the Department of environmental biology, Siena University (Italy). International Journal of Environmental Pollution 13:416–452. Mo G., Agnesi S., Di Nora T., Tunesi L. 2007. Mediterranean monk seal sightings in Italy through interviews: validating the information (1998-2006). Comm. Int. Mer Medit., 38: 542.

Orsi Relini L. 2000. The Cetacean Sanctuary in the Ligurian Sea: a further reason. Biol. Mar. Mediterr., 7 (3): 117-126.

Panigada, S., Lauriano, G., Burt, L., Pierantonio, N., Donovan, G. 2011. Monitoring winter and summer abundance of cetaceans in the Pelagos Sanctuary (Northwestern Mediterranean Sea) through aerial surveys. Plos one 6(7): e22878. Doi:10.1371/journalpone.0022878

Politi, E., Bearzi, M., Notarbartolo di Sciara, G., Cussino, E. & Gnone, G. 1992. Distribution and frequency of cetaceans in the waters adjacent to the Greek Ionian Islands. European Research on Cetaceans 6:75–78

RAC/SPA. 1998. Report of the Meeting of Experts on the Implementation of the Action Plans for Marine Mammals (Monk seal and Cetaceans) adopted within MAP. UNEP(OCA)/MED WG. 146/5, Tunis, annex 5, pp:55-57.

Zanardelli, M., Airoldi, S., Beaubrun, P., Bérubé, M., Borsani, J.F., Gannier, A., Guinet, C., Hammond, P., Jahoda, M., Lauriano, G., Notarbartolo di Sciara, G., Panigada, S. 2011. Long-term photo-identification study of fin whales in the Pelagos Sanctuary (NW Mediterranean). European Research on Cetaceans, 25.

2.3 Range

2.3.1 Surface area - Range (km²)

2.3.2 Method - Range surface area

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

270000

Estimate based on partial data with some extrapolation and/or modelling (2) 2000-2011

unknown (x)

min max

N/A

min max

area (km²)

operator N/A unkown Yes

method Expert opinion

30/04/2014 10.53.26 Page 3 of 5

2.3.10 Reason for change	Use of different me	thod	
2.4 Population			
2.4.1 Population size (individuals or agreed exception)	Unit N/A min	max	
2.4.2 Population size (other than individuals)	Unit number of min 925	map 10x10 km grid cel	lls (grids10x10)
2.4.3 Additional information	Definition of locality Conversion method Problems	,	
 2.4.4 Year or period 2.4.5 Method – population size 2.4.6 Short-term trend period 2.4.7 Short term trend direction 	2010-2011 Estimate based on p 2000-2011 unknown (x)	partial data with some e	extrapolation and/or modelling (2)
2.4.8 Short-term trend magnitude2.4.9 Short-term trend method2.4.10 Long-term trend period2.4.11 Long term trend direction	min Absent data (0) N/A	max	confidence interval
2.4.12 Long-term trend magnitude 2.4.13 Long-term trend method 2.4.14 Favourable reference population	min N/A number operator N/A unknown Yes	max	confidence interval
	method		
2.4.15 Reason for change	Use of different me	thod	
 2.5 Habitat for the Species 2.5.1 Surface area - Habitat (km²) 2.5.2 Year or period 			
2.5.4 a) Quality of habitat	Absent data (0) Unknown		
2.5.4 b) Quality of habitat - method2.5.5 Short term trend period2.5.6 Short term trend direction	Unknown N/A		
 2.5.7 Long-term trend period 2.5.8 Long term trend direction 2.5.9 Area of suitable habitat (km²) 2.5.10 Reason for change 	N/A		
2.6 Main Pressures			
Pressure		ranking	pollution qualifier(s)
netting (F02.01.02)		high importance (H)	N/A

30/04/2014 10.53.26 Page 4 of 5

low importance (L)

mainly based on expert judgement and other data (2)

N/A

N/A

marine macro-pollution (i.e. plastic bags, styrofoam) (H03.03) medium importance (M)

Marine water pollution (H03)

2.6.1 Method used – pressures

2.7 Main Threats

Threat		ranking	pollution qualifier(s)
netting (F02.01.02)		high importance (H)	N/A
marine macro-pollution (i.e. plastic bags, styrofoam) (H03.03)		medium importance (M)	N/A
Marine water pollution (H03)		low importance (L)	N/A
2.7.1 Method used – threats	expert opinion (1)		
2.8 Complementary Information			
2.8.1 Justification of % thresholds for trends			
2.8.2 Other relevant Information			
2.8.3 Trans-boundary assessment			
2.9 Conclusions (assessment of con	servation status at e	nd of reporting period)	
2.9.1 Range	assessment Unknow qualifiers N/A	rn (XX)	
2.9.2. Population	assessment Unknow qualifiers N/A	rn (XX)	
2.9.3. Habitat	assessment Unknow qualifiers N/A	rn (XX)	
2.9.4. Future prospects	assessment Unknow qualifiers N/A	rn (XX)	
2.9.5 Overall assessment of Conservation Status	Unknown (XX)		
2.9.5 Overall trend in	N/A		

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

Conservation Status

3.1.1 Population Size

Unit
N/A
min
max
3.1.2 Method used
N/A
3.1.3 Trend of population size within
N/A

3.2 Conversation Measures

30/04/2014 10.53.26 Page 5 of 5

Notes

Species name: Crampus as	viceus (2020) Pegian codes NANAED	
Species name: Grampus gr	riseus (2030) Region code: MMED	
Field label	Note	User
2.4.7 Short term trend direction	There are not sufficient data to infer trends.	ISPRA __ AUNA
2.3.4 Range Trend	There are not sufficient data to infer trends.	ISPRA_ AUNA

30/04/2014 10.53.14 Page 1