Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	**IT**
0.2.1 Species code	**1927**
0.2.2 Species name	**Stephanopachys substriatus**
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Alpine (ALP)

2.2 Published sources

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf ot the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Paolo Audisio (Rome).

Distribution data for the following grid cells have been inserted by the Ministry of Environment:
10kmE442N254 e 10kmE440N255.

Campanaro A., Bardiani M., Spada L., Carnevali L., Montalto F., Antonini G., Mason F., Audisio P., 2011. Linee Guida per il monitoraggio e la conservazione dell'entomofauna saproxilica/ Guidelines for monitoring and conservation of saproxylic insects. Cierre Grafica, Verona, 8 pp. + CD-ROM.
Trizzino M. et al., 2013. Gli artropodi italiani inseriti negli Allegati II e IV della Direttiva Habitat: biologia, ecologia, riconoscimento e monitoraggio. Corpo Forestale dello Stato, Centro Nazionale per lo Studio e la Conservazione della Biodiversità Forestale Bosco Fontana di Verona, Conservazione Habitat Invertebrati, 7 (in press).

2.3 Range

2.3.1 Surface area - Range (km²)	300	
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	N/A
	unkown	Yes
	method	

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.10 Reason for change	Use of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	3	max	3
2.4.3 Additional information	Definition of locality			
	Conversion method	not available		
	Problems	it is impossible to convert grids into individuals		
2.4.4 Year or period	2007-2012			
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method	Expert opinion		
2.4.15 Reason for change				

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
forestry clearance (B02.02)	high importance (H)	N/A
removal of dead and dying trees (B02.04)	high importance (H)	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)

2.7 Main Threats

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Threat	ranking	pollution qualifier(s)
forestry clearance (B02.02)	high importance (H)	N/A
removal of dead and dying trees (B02.04)	high importance (H)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	Few data are present in Italy for this species due to the lack of monitoring efforts.
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Unknown (XX)
	qualifiers	N/A
2.9.2. Population	assessment	Unknown (XX)
	qualifiers	N/A
2.9.3. Habitat	assessment	Favourable (FV)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Unknown (XX)
	qualifiers	N/A
2.9.5 Overall assessment of Conservation Status	Unknown (XX)	
2.9.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	Absent data (0)		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Measures needed, but not implemented (1.2)		()		

Notes

Species name: Stephanopachys substriatus (1927)

Field label	Note	User
1.1.1 Distribution Map	Cell grid 10kmE410N250 is an old report (1986)	ISPRA_AUNA

_F