

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	IT
0.2.1 Species code	1014
0.2.2 Species name	Vertigo angustior
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

#### Mediterranean (MED)

### 2.2 Published sources

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Marco Bodon (Genova).

Ruffo S., Stoch F. (eds.), 2006 - Checklist and distribuito of the Italian fauna. 10,000 terrestri and inland waters species. Memorie del Museo Civico di Storia Naturale di Verona, 2.serie, Sezione Scienze della Vita, 17: 307 pp. + CD-ROM

### 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	10400
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unkown No method Expert opinion
2.3.10 Reason for change	Use of different method

### 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 59 max 59
2.4.3 Additional information	Definition of locality

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	Conversion method	not available
	Problems	it is impossible to convert grids into individuals
2.4.4 Year or period	2007-2012	
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.4.6 Short-term trend period	2001-2012	
2.4.7 Short term trend direction	stable (0)	
2.4.8 Short-term trend magnitude	min	max confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)	
2.4.10 Long-term trend period		
2.4.11 Long term trend direction	N/A	
2.4.12 Long-term trend magnitude	min	max confidence interval
2.4.13 Long-term trend method	N/A	
2.4.14 Favourable reference population	number	
	operator	approximately equal to (≈)
	unknown	No
	method	Expert opinion
2.4.15 Reason for change	Use of different method	

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	decrease (-)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )	
2.5.10 Reason for change	Genuine Use of different method

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Landfill, land reclamation and drying out, general (J02.01)	high importance (H)	N/A
2.6.1 Method used – pressures	based only on expert judgements (1)	

## 2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Landfill, land reclamation and drying out, general (J02.01)	high importance (H)	N/A
2.7.1 Method used – threats	expert opinion (1)	

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends
2.8.2 Other relevant Information
2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Inadequate (U1) qualifiers declining (-)
2.9.4. Future prospects	assessment Inadequate (U1) qualifiers unknown (x)
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size	Unit N/A min max
3.1.2 Method used	Absent data (0)
3.1.3 Trend of population size within	N/A

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Restoring/improving the hydrological regime (4.2)	One-off	low importance (L)	Inside	Enhance
Establish protected areas/sites (6.1)	Administrative	medium importance (M)	Inside	Maintain Enhance Long term

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

### 2.2 Published sources

#### Continental (CON)

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Marco Bodon (Genova).

Distribution data for the following grid cells have been removed by the Ministry of Environment: 10kmE413N244 10kmE416N241

Nardi G., 2006. Contributo alla conoscenza del genere *Vertigo* (Gastropoda: Pulmonata: Vertiginidae) in Provincia di Brescia (Lombardia orientale). Boll. Malacol., 42(1-4): 17-23.

Banche dati del Museo Friulano di Storia Naturale di Udine.

Stoch F. (cur.), 2003. Monitoraggio della componente faunistica dei Biotopi Naturali del Friuli Venezia Giulia.

Relazione finale, inedita, del Museo Friulano di Storia Naturale di Udine consegnata all'Azienda dei Parchi e

delle Foreste della Regione Autonoma Friuli Venezia Giulia in base a convenzione.

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

MUSEO CIVICO DI STORIA NATURALE DI TRIESTE, 2009. Monitoraggio delle specie di mammiferi, anfibi, rettili, pesci e invertebrati elencate nelle schede SIC: IT3310005 Torbiera di Sequals, IT3310008 Magredi di Tauriano, IT3310009 Magredi del Cellina, IT3310010 Risorgive del Vinchiaruzzo, IT3340006 Carso triestino e goriziano e ZPS: IT3341002 Aree carsiche della Venezia Giulia. Relazione interna su incarico della Regione Aut. Friuli Venezia Giulia, Direzione Centrale risorse rurali, agroalimentari e forestali, Servizio caccia, pesca e ambienti naturali.

## 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	11600
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unknown No method Expert opinion
2.3.10 Reason for change	Use of different method

## 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 64 max 64
2.4.3 Additional information	Definition of locality Conversion method not available Problems it is impossible to convert grids into individuals
2.4.4 Year or period	2007-2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	stable (0)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	method	Expert opinion
2.4.15 Reason for change	Use of different method	

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	decrease (-)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )	
2.5.10 Reason for change	Genuine Use of different method

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Landfill, land reclamation and drying out, general (J02.01)	high importance (H)	N/A
surface water abstractions for agriculture (J02.06.01)	medium importance (M)	N/A
management of aquatic and bank vegetation for drainage purposes (J02.10)	medium importance (M)	N/A
reduction or loss of specific habitat features (J03.01)	medium importance (M)	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)
-------------------------------	-------------------------------------

## 2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Landfill, land reclamation and drying out, general (J02.01)	high importance (H)	N/A
surface water abstractions for agriculture (J02.06.01)	medium importance (M)	N/A
management of aquatic and bank vegetation for drainage purposes (J02.10)	medium importance (M)	N/A
reduction or loss of specific habitat features (J03.01)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)
-----------------------------	--------------------

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Inadequate (U1) qualifiers unknown (x)

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.9.4. Future prospects	assessment Favourable (FV) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size	Unit N/A min max
3.1.2 Method used	Absent data (0)
3.1.3 Trend of population size within	N/A

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Maintaining grasslands and other open habitats (2.1)	Legal	high importance (H)	Both	Unknown Not evaluated
Other wetland-related measures (4.0)	Administrative Recurrent	high importance (H)	Inside	Unknown Not evaluated
Legal protection of habitats and species (6.3)	Legal	high importance (H)	Both	Unknown Not evaluated

## 2. Biogeographical Or Marine Level

2.1 Biogeographical Region
2.2 Published sources

### Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Marco Bodon (Genova).

Kiss Y., Kopf T., 2009. Die Vertigo-Arten (Mollusca: Gastropoda: Vertiginidae) des Anhang 2 der FFH Richtlinie in Südtirol – eine Pilotstudie. Gredleriana, 9: 135 - 170.

Kiss Y., Kopf T., 2010. Die Vertigo-Arten (Gastropoda: Vertiginidae) des Anhang II der FFH Richtlinie in Südtirol:

2. Erhebungsjahr (2009). Gredleriana, 10: 187 - 208.

Kiss Y., Kopf T., 2010. Steckbriefe zu den Vertigo-Arten (Gastropoda: Vertiginidae) des Anhang II der FFH Richtlinie in Südtirol (Italien). Gredleriana, 10: 163 - 186. Banche dati del Museo Friulano di Storia Naturale di Udine.

Stoch F. (cur.), 2003. Monitoraggio della componente faunistica dei Biotopi Naturali del Friuli Venezia Giulia.

Relazione finale, inedita, del Museo Friulano di Storia Naturale di Udine consegnata all'Azienda dei Parchi e

delle Foreste della Regione Autonoma Friuli Venezia Giulia in base a convenzione. MUSEO CIVICO DI STORIA NATURALE DI TRIESTE, 2009. Monitoraggio delle specie di mammiferi, anfibi, rettili,

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

pesci e invertebrati elencate nelle schede SIC: IT3310005 Torbiera di Sequals, IT3310008 Magredi di Tauriano, IT3310009 Magredi del Cellina, IT3310010 Risorgive del Vinchiaruzzo, IT3340006 Carso triestino e goriziano e ZPS: IT3341002 Aree carsiche della Venezia Giulia. Relazione interna su incarico della Regione Aut. Friuli Venezia Giulia, Direzione Centrale risorse rurali, agroalimentari e forestali, Servizio caccia, pesca e ambienti naturali.

## 2.3 Range

2.3.1 Surface area - Range (km <sup>2</sup> )	8900
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unknown No method Expert opinion
2.3.10 Reason for change	Use of different method

## 2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 51 max 51
2.4.3 Additional information	Definition of locality Conversion method not available Problems it is impossible to convert grids into individuals
2.4.4 Year or period	2007-2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	stable (0)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Estimate based on expert opinion with no or minimal sampling (1)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No method Expert opinion
2.4.15 Reason for change	Use of different method

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## 2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km <sup>2</sup> )	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km <sup>2</sup> )	
2.5.10 Reason for change	Use of different method

## 2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
intensive grazing (A04.01)	medium importance (M)	N/A
forest replanting (B02.01)	medium importance (M)	N/A
acidification (natural) (K02.04)	medium importance (M)	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)
-------------------------------	-------------------------------------

## 2.7 Main Threats

Threat	ranking	pollution qualifier(s)
intensive grazing (A04.01)	medium importance (M)	N/A
forest replanting (B02.01)	medium importance (M)	N/A
acidification (natural) (K02.04)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)
-----------------------------	--------------------

## 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

## 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Favourable (FV) qualifiers N/A
2.9.4. Future prospects	assessment Favourable (FV) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Favourable (FV)
2.9.5 Overall trend in Conservation Status	N/A



# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## 3. Natura 2000 coverage and conservation measures - Annex II species

### 3.1 Population

3.1.1 Population Size	Unit	N/A
	min	max
3.1.2 Method used	Absent data (0)	
3.1.3 Trend of population size within	N/A	

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Legal protection of habitats and species (6.3)	Legal	medium importance (M)	Both	Not evaluated