0.1 Member State	IT
0.2.1 Species code	1413
0.2.2 Species name	Lycopodium spp.
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

#### 1. National Level

#### **1.1 Maps**

1.1.1 Distribution Map	No
1.1.1a Sensitive species	No
1.1.2 Method used - map	Absent data (0)
1.1.3 Year or period	
1.1.4 Additional map	No
1.1.5 Range map	No

#### 2. Biogeographical Or Marine Level

#### 2.1 Biogeographical Region

#### 2.2 Published sources

#### Mediterranean (MED)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

GONNELLI V., ZOCCOLA A., GREMOLI G., AGOSTINI N., BIGIARINI S., NORCINI F., ALTERINI A., PANTERI C., 2002 - Conferma della presenza di Lycopodium clavatum L. nel Parco Nazionale delle Foreste Casentinesi. Monte Falterona e Campigna (Appennino Tosco-Romagnolo) e nuovi dati distributivi in Toscana. Quad. Studi Nat. Romagna, 16: 11-14.

MARCHETTI D., 2004 - Le Pteridofite d'Italia. Ann. Mus. Civ. Rovereto, Sez.: Arch., St., Sc. Nat., 19 (2003): 71-231.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

RAYNAL J., 1966 - Lycopodium annotinum L. dans les Alpes-Maritimes et sa répartition en France. Bull. Soc. Bot. France, 113: 402-406.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013 - Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. TOGNI I., 2002 - Segnalazioni floristiche: 29 - Lycopodium clavatum Linnaeus (Pteridophyta Lycopodiaceae). Quad. Studi Nat. Romagna, 16: 105.

#### 2.3 Range

02/04/2014 10:39:57 Page 1 of 9

2.3.1 Surface area - Range (km²) 2.3.2 Method - Range surface area	Absent data (0)		
2.3.3 Short-term trend period	Absent data (0)		
2.3.4 Short-term trend direction	N/A		
2.3.5 Short-term trend magnitude	min	max	
2.3.6 Long-term trend period			
2.3.7 Long-term trend direction	N/A		
2.3.8 Long-term trend magnitude	min	max	
2.3.9 Favourable reference range	area (km²)		
	operator	N/A	
	unkown	Yes	
2.2.40 December shapes	method		
2.3.10 Reason for change			
2.4 Population			
2.4.1 Population size	Unit N/A		
(individuals or agreed exception)	min	max	
2.4.2 Population size	Unit N/A		
(other than individuals)	min	max	
2.4.3 Additional information	Definition of locality		
	Conversion method		
	Problems		
2.4.4 Year or period	Troblems		
2.4.5 Method – population size	Absent data (0)		
2.4.6 Short-term trend period	Alosent data (o)		
2.4.7 Short term trend direction	N/A		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Absent data (0)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference	number		
population	operator N/A		
	unknown Yes		
	method		
2.4.15 Reason for change			
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km²)			
2.5.2 Year or period			
2.5.3 Method used - habitat	Absent data (0)		
2.5.4 a) Quality of habitat	Unknown		
2.5.4 b) Quality of habitat - method	absent data		
2.5.5 Short term trend period	N1 / A		

02/04/2014 10:39:57 Page 2 of 9

N/A

N/A

2.5.6 Short term trend direction2.5.7 Long-term trend period2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)2.5.10 Reason for change

2.6 Main Pressures
--------------------

Pressure	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A

2.6.1 Method used – pressures N/A

#### 2.7 Main Threats

2.7 Wall Hilleats		
Threat	ranking	pollution qualifier(s)
Unknown threat or pressure (U)	()	N/A

2.7.1 Method used – threats N/A

#### 2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

#### 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Unknown (XX) qualifiers N/A

2.9.2. Population assessment Unknown (XX)

qualifiers N/A

2.9.3. Habitat assessment Unknown (XX)

qualifiers N/A

2.9.4. Future prospects assessment Unknown (XX)

qualifiers N/A

Unknown (XX)

N/A

2.9.5 Overall assessment of

**Conservation Status** 

2.9.5 Overall trend in

**Conservation Status** 

### 3. Natura 2000 coverage and conservation measures - Annex II species

#### 3.1 Population

3.1.1 Population Size Unit N/A

min max

3.1.2 Method used N/A

N/A

3.1.3 Trend of population size within

#### 3.2 Conversation Measures

#### 2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

#### Continental (CON)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and

02/04/2014 10:39:57 Page 3 of 9

Research - ISPRA).

BONALBERTI C., PERONI A., PERONI G., 1993 - Lycopodium issleri (Rouy) Domin in provincia di Trento ed altre note pteridologiche. Stud. Trent. Sci. Nat., Acta Biol. 68 (1991): 181-188.

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

GONNELLI V., ZOCCOLA A., GREMOLI G., AGOSTINI N., BIGIARINI S., NORCINI F., ALTERINI A., PANTERI C., 2002 - Conferma della presenza di Lycopodium clavatum L. nel Parco Nazionale delle Foreste Casentinesi. Monte Falterona e Campigna (Appennino Tosco-Romagnolo) e nuovi dati distributivi in Toscana. Quad. Studi Nat. Romagna, 16: 11-14.

MARCHETTI D., 2004 - Le Pteridofite d'Italia. Ann. Mus. Civ. Rovereto, Sez.: Arch., St., Sc. Nat., 19 (2003): 71-231.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

RAYNAL J., 1966 - Lycopodium annotinum L. dans les Alpes-Maritimes et sa répartition en France. Bull. Soc. Bot. France, 113: 402-406.

REGIONE LIGURIA, 2008 - Carta della Biodiversità (www.ambienteinliguria.it.). ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013 - Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. TOGNI I., 2002 - Segnalazioni floristiche: 29 - Lycopodium clavatum Linnaeus (Pteridophyta Lycopodiaceae). Quad. Studi Nat. Romagna, 16: 105.

#### 2.3 Range

2.3.1 Surface area - Range (km²)

2.3.2 Method - Range surface area

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

Absent data (0)

N/A

min max

N/A

min max

area (km²)

operator N/A unkown Yes

method

#### 2.3.10 Reason for change

#### 2.4 Population

2.4.1 Population size (individuals or agreed exception)

Unit N/A

min max

02/04/2014 10:39:57 Page 4 of 9

2.4.2 Population size (other than individuals)	Unit N/A	may	
2.4.3 Additional information	min	max	
2.4.3 Additional information	Definition of locality		
	Conversion method		
2.4.4.	Problems		
2.4.4 Year or period	Al t - d- t- (O)		
2.4.5 Method – population size	Absent data (0)		
2.4.6 Short-term trend period 2.4.7 Short term trend direction	N/A		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend magnitude	Absent data (0)	IIIdX	confidence interval
2.4.10 Long-term trend period	7 1000111 0000 (0)		
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference	number		
population	operator N/A		
	unknown Yes		
	method		
2.4.15 Reason for change			
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km²)			
2.5.2 Year or period			
2.5.3 Method used - habitat	Absent data (0)		
2.5.4 a) Quality of habitat	Unknown		
2.5.4 b) Quality of habitat - method	absent data		
2.5.5 Short term trend period	NI / A		
2.5.6 Short term trend direction	N/A		
2.5.7 Long-term trend period 2.5.8 Long term trend direction	N/A		
2.5.9 Area of suitable habitat (km²)	N/A		
2.5.10 Reason for change			
2.6 Main Pressures			
Pressure		ranking	pollution qualifier(s)
Unknown threat or pressure (U)		()	N/A
	N/A		
2.6.1 Method used – pressures	,,,		
2.6.1 Method used – pressures			
2.7 Main Threats		ranking	nollution qualifier(s)
<b>2.7 Main Threats</b> Threat		ranking	pollution qualifier(s)
2.7 Main Threats Threat Unknown threat or pressure (U)		ranking ()	pollution qualifier(s) N/A
2.7 Main Threats Threat Unknown threat or pressure (U) 2.7.1 Method used – threats	N/A		
2.7 Main Threats Threat Unknown threat or pressure (U)	N/A		

02/04/2014 10:39:57 Page 5 of 9

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

#### 2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Unknown (XX)

qualifiers N/A

Unknown (XX)

2.9.5 Overall assessment of

Conservation Status

2.9.4. Future prospects

2.9.2. Population

2.9.3. Habitat

2.9.5 Overall trend in Conservation Status

N/A

#### 3. Natura 2000 coverage and conservation measures - Annex II species

#### 3.1 Population

3.1.1 Population Size Unit N/A

min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures

#### 2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

#### Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

AESCHIMANN D., LAUBER K., MOSER D.M., THEURILLAT J.P., 2004 - Flora Alpina. Vol. I-III. Zanichelli, Bologna.

BONA E., 2003 - Flora pteridologica del bresciano e della Valle di Scalve. Primo contributo: Lycopodiceae e Selaginellaceae.

BONA E., MARTINI F., NIKLFELD H., PROSSER F., 2004. Atlante corologico delle pteridofite nell'Italia nordorientale. Ed. Osiride.

BONA E., MARTINI F., NIKLFELD H., PROSSER F. (eds.), 2005 - Atlante corologico delle Pteridofite nell'Italia nordorientale. Distribution Atlas of the Pteridophytes of North-Eastern Italy. XCVI

BONALBERTI C., PERONI A., PERONI G., 1993 - Lycopodium issleri (Rouy) Domin in provincia di Trento ed altre note pteridologiche. Stud. Trent. Sci. Nat., Acta Biol. 68 (1991): 181-188.

BONALBERTI C., PERONI A., PERONI G., 1995 - Contributo alla conoscenza della flora pteridologica della provincia di Sondrio (NW Italia). Boll. Soc. Tic. Sci. Natur. 83(1-2), Lugano: 121-180.

BOVIO M., BROGLIO M., 2007 - La flora del Parco Naturale Mont Avic. Aosta, Libreria Saint-Etienne Ed., pag. 24-25.

02/04/2014 10:39:57 Page 6 of 9

139 pp.

BOVIO M., CATTIN G., MARRA D., 1999 - Segnalazioni Floristiche Valdostane: 205-207. 205. Lycopodium clavatum L. (Lycopodiaceae); 206. Eriophorum vaginatum L. (Cyperaceae); 207. Orchis cruenta Mueller (Orchidaceae). In: Bovio M. (ed.), Segnalazioni floristiche valdostane. Rev. Valdôt. Hist. Nat., 53: 154-155. CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma. CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino.

FAB, 1999. Notiziaro floristico Flora Alpina Bergamasca, n. 15. FAB, 2004. Notiziaro floristico Flora Alpina Bergamasca, n. 26.

FALGHERI G., MARCHESI E., 2002 - Da Alino alle Casere del Sornadello. Notiziario Floristico del Gruppo Flora Alpina Bergamasca, 21: 7-9. FERRANTI R., FIOLETTI L., 2000 - Nuovo contributo alla conoscenza della flora della Provincia di Sondrio e del Piano di Spagna (Lombardia, Italia Settentrionale). Atti Mus. Civ. Stor. Nat. Morbegno 11:3-26. FERRARINI E., CIAMPOLINI F., PICHI SERMOLLI R.E.G., MARCHETTI D., 1986 - Iconographia Palynologica Pteridophytorum Italiae. Webbia, 40 (1): 1-202.

MACCHI P., 2005. La flora della provincia di Varese. Provincia di Varese Edizioni. MARCHETTI D., 2004 - Le Pteridofite d'Italia. Ann. Mus. Civ. Rovereto, Sez.: Arch., St., Sc. Nat., 19 (2003): 71-231.

MUSEO DI SCIENZE NATURALI DI BOLZANO, 2012. Cartografia floristica della Provincia di Bolzano.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

PROSSER F., 2001 - Lista Rossa della Flora del Trentino: Pteridofite e
Fanerogame. Mus. Civico di Rovereto. Edizioni Osiride, Rovereto. 109 pp.

PROSSER F., BERTOLLI A., 2012 - Cartografia floristica della Provincia di Trento Museo Civico di Rovereto.

RAYNAL J., 1966 - Lycopodium annotinum L. dans les Alpes-Maritimes et sa répartition en France. Bull. Soc. Bot. France, 113: 402-406.

REINALTER R. 2004 - Zur Flora der Sedimentgebiete im Umkreis der Sudrätischen Alpen, Livignasco, Bormiese, Engadin'Ota (Schweiz - Italien). Denkschriften der Schweizerischen Akademie der Naturwissenschaften, Bd. 105. Birkhäuse, Basel/Boston.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013 - Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. SOSTER M., 2001 - Identikit delle Felci d'Italia. Guida al riconoscimento delle Pteridofite italiane. Valsesia Editrice. 304 pp.

TRIBSCH A., SCHÖNSWETTER P., 1999 - Lycopodium clavatum ssp. monostachyon (L. lagopus) in den Ostalpen. Verh. Zool.-Bot. Ges. Österreich, 136: 235-248.

WILHALM T., NIKFELD H., GUTERMANN W., 2006 – Katalog der Gefäßpflanzen Südtirols. Veröffentlichungen des Naturmuseums Südtirol, nr. 3, 218 pp.

2.3 Range

02/04/2014 10:39:57 Page 7 of 9

2.3.1 Surface area - Range (km²) 2.3.2 Method - Range surface area 2.3.3 Short-term trend period 2.3.4 Short-term trend direction 2.3.5 Short-term trend magnitude 2.3.6 Long-term trend period 2.3.7 Long-term trend direction 2.3.8 Long-term trend magnitude 2.3.9 Favourable reference range	Absent data (0)  N/A min  N/A min area (km²) operator unkown method	max max N/A Yes	
2.4 Population	I lada and		
2.4.1 Population size (individuals or agreed exception)	Unit N/A min	max	
2.4.2 Population size	Unit N/A		
(other than individuals)	min	max	
2.4.3 Additional information	Definition of locality		
	Conversion method Problems		
2.4.4 Year or period			
2.4.5 Method – population size	Absent data (0)		
2.4.6 Short-term trend period			
2.4.7 Short term trend direction	N/A		
2.4.8 Short-term trend magnitude 2.4.9 Short-term trend method 2.4.10 Long term trend period	min Absent data (0)	max	confidence interval
<ul><li>2.4.10 Long-term trend period</li><li>2.4.11 Long term trend direction</li></ul>	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference	number		
population	operator N/A unknown Yes		
	method		
2.4.15 Reason for change			
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km²)			
<ul><li>2.5.2 Year or period</li><li>2.5.3 Method used - habitat</li></ul>	Absent data (0)		
2.5.4 a) Quality of habitat	Unknown		
2.5.4 b) Quality of habitat - method	absent data		
0.5.5.61			

02/04/2014 10:39:57 Page 8 of 9

N/A

N/A

2.5.5 Short term trend period2.5.6 Short term trend direction

2.5.7 Long-term trend period2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)2.5.10 Reason for change

**Conservation Status** 

2.6 Main Pressures			
Pressure	ranking	pollution qualifier(s)	
Unknown threat or pressure (U)	()	N/A	
2.6.1 Method used – pressures	N/A		
2.7 Main Threats			
Threat	ranking	pollution qualifier(s)	
Unknown threat or pressure (U)	()	N/A	
2.7.1 Method used – threats	N/A		
2.8 Complementary Information			
<ul><li>2.8.1 Justification of % thresholds for trends</li><li>2.8.2 Other relevant Information</li></ul>			
2.8.3 Trans-boundary assessment			
2.9 Conclusions (assessment of co	onservation status at end of reporting	period)	
2.9.1 Range	assessment Unknown (XX) qualifiers N/A		
2.9.2. Population	assessment Unknown (XX) qualifiers N/A assessment Unknown (XX) qualifiers N/A		
2.9.3. Habitat			
2.9.4. Future prospects	assessment Unknown (XX) qualifiers N/A		
2.9.5 Overall assessment of Conservation Status	Unknown (XX)		
2.9.5 Overall trend in	N/A		

#### 3. Natura 2000 coverage and conservation measures - Annex II species

# 3.1 Population 3.1.1 Population Size Unit N/A min max 3.1.2 Method used 3.1.3 Trend of population size within N/A 3.2 Conversation Measures

02/04/2014 10:39:57 Page 9 of 9

## Notes

Field label Note User

02/04/2014 10:40:17 Page 1 of 1