

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	IT
0.2.1 Species code	1034
0.2.2 Species name	Hirudo medicinalis
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2007-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	Mediterranean (MED)
2.2 Published sources	The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Fabio Stoch (Rome). Collection A. Minelli, Università di Padova Collection F. Stoch, Rome (confirmed by A. Minelli, Padova)

2.3 Range

2.3.1 Surface area - Range (km ²)	3400
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method Expert opinion
2.3.10 Reason for change	Use of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 16 max 16
2.4.3 Additional information	Definition of locality Conversion method not available

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

	Problems	it is impossible to convert grids into individuals	
2.4.4 Year or period	2007-2012		
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.6 Short-term trend period	2001-2012		
2.4.7 Short term trend direction	unknown (x)		
2.4.8 Short-term trend magnitude	min	max	confidence interval
2.4.9 Short-term trend method	Absent data (0)		
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number		
	operator	N/A	
	unknown	Yes	
	method	Expert opinion	
2.4.15 Reason for change			

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	decrease (-)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	
2.5.10 Reason for change	Genuine Use of different method

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	high importance (H)	N/A
2.6.1 Method used – pressures	based only on expert judgements (1)	

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	high importance (H)	N/A
droughts and less precipitations (M01.02)	medium importance (M)	N/A
2.7.1 Method used – threats	expert opinion (1)	

2.8 Complementary Information

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range assessment Favourable (FV)
qualifiers N/A

2.9.2. Population assessment Unknown (XX)
qualifiers N/A

2.9.3. Habitat assessment Inadequate (U1)
qualifiers declining (-)

2.9.4. Future prospects assessment Unknown (XX)
qualifiers N/A

2.9.5 Overall assessment of Conservation Status Inadequate (U1)

2.9.5 Overall trend in Conservation Status unknown (x)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size Unit N/A
min max

3.1.2 Method used N/A

3.1.3 Trend of population size within N/A

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Continental (CON)

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi, Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Fabio Stoch (Rome).

Stoch F., 2011. Monitoraggio e individuazione di misure di conservazione per la fauna acquatica (invertebrati e anfibi) degli habitat igrofili ed idrofili del SIC IT3340006 "Carso Triestino e Goriziano" e della ZPS IT3341002 "Aree carsiche della Venezia Giulia". Regione Autonoma FVG.

2.3 Range

2.3.1 Surface area - Range (km²) 2400

2.3.2 Method - Range surface area Estimate based on partial data with some extrapolation and/or modelling (2)

2.3.3 Short-term trend period 2001-2012

2.3.4 Short-term trend direction stable (0)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km ²)	
	operator	approximately equal to (≈)
	unknown	No
	method	Expert opinion

2.3.10 Reason for change	Use of different method
--------------------------	-------------------------

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	10	max	10
2.4.3 Additional information	Definition of locality			
	Conversion method	not available		
	Problems	it is impossible to convert grids into individuals		
2.4.4 Year or period	2007-2012			
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Absent data (0)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	N/A		
	unknown	Yes		
	method	Expert opinion		
2.4.15 Reason for change				

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	decrease (-)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	
2.5.10 Reason for change	Genuine Use of different method

2.6 Main Pressures

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Pressure	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	high importance (H)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	high importance (H)	N/A

2.6.1 Method used – pressures based only on expert judgements (1)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	high importance (H)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	high importance (H)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Unknown (XX) qualifiers N/A
2.9.3. Habitat	assessment Inadequate (U1) qualifiers declining (-)
2.9.4. Future prospects	assessment Unknown (XX) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit N/A min max
3.1.2 Method used	N/A
3.1.3 Trend of population size within	N/A

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Fabio Stoch (on behalf of the Comitato Scientifico per la Fauna d'Italia) and Anna Alonzi,

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Piero Genovesi, Francesca Ronchi (ISPRA). Information, unpublished data and expert judgements have been provided by Fabio Stoch (Rome).

Collection A. Minelli, Università di Padova
Banche dati Naturalistiche Regione Piemonte + Banca dati IPLA

2.3 Range

2.3.1 Surface area - Range (km ²)	600
2.3.2 Method - Range surface area	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	unknown (x)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator N/A unknown Yes method Expert opinion
2.3.10 Reason for change	Use of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 4 max 4
2.4.3 Additional information	Definition of locality Conversion method not available Problems it is impossible to convert grids into individuals
2.4.4 Year or period	2007-2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	unknown (x)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Absent data (0)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator N/A unknown Yes method Expert opinion
2.4.15 Reason for change	

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)
2.5.2 Year or period

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Moderate
2.5.4 b) Quality of habitat - method	Expert opinion
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	
2.5.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	high importance (H)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	medium importance (M)	N/A

2.6.1 Method used – pressures	based only on expert judgements (1)
-------------------------------	-------------------------------------

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
abandonment of pastoral systems, lack of grazing (A04.03)	high importance (H)	N/A
infilling of ditches, dykes, ponds, pools, marshes or pits (J02.01.03)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)
-----------------------------	--------------------

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information	Lacking of recent data on this species; a monitoring plan has not been implemented
----------------------------------	--

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Inadequate (U1) qualifiers unknown (x)
2.9.2. Population	assessment Unknown (XX) qualifiers N/A
2.9.3. Habitat	assessment Favourable (FV) qualifiers N/A
2.9.4. Future prospects	assessment Unknown (XX) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Inadequate (U1)
2.9.5 Overall trend in Conservation Status	unknown (x)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		
3.2 Conversation Measures			