

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	IT
0.2.1 Species code	1480
0.2.2 Species name	<i>Aquilegia alpina</i>
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Alpine (ALP)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

AESCHIMANN D., LAUBER K., MOSER D.M., THEURILLAT J.-P., 2004 - Flora alpina. 3 voll. Zanichelli. Bologna.

BOVIO M., BROGLIO M., 2007 - La flora del Parco Naturale Mont Avic. Aosta, Libreria Saint-Etienne Ed., pag. 38.

CARPENÈ B., 1991 - Alcune piante rare o non comuni per la Valmalenco (Sondrio). Atti Ist. Bot. E Lab. Critt. 7(10):97-104.

CASALE F., 2010. Atlante dei SIC della provincia di Brescia. FLA, Regione Lombardia.

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

FAB, 2005 - Notiziario Floristico Flora Alpina Bergamasca, n.29.

FAB, 2007 - Notiziario Floristico Flora Alpina Bergamasca, n.32.

FERRANTI R., 1997 - Nuove segnalazioni floristiche per la provincia di Sondrio (Lombardia, Italia settentrionale). Atti Mus. Civ. Stor. Nat. Morbegno 8:3-41.

FERRANTI R., FIOLETTI L., 2000 - Nuovo contributo alla conoscenza della flora della Provincia di Sondrio e del Piano di Spagna (Lombardia, Italia Settentrionale). Atti Mus. Civ. Stor. Nat. Morbegno 11:3-26.

PAROLO G., 2002 - Contributo alla flora valtellinese. Archivio Geobotanico 6(1)2000:189-194.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

POGGIO L., BOVIO M., 2004 - Cento fiori in Valle d'Aosta. Aosta, Tipografia Valdostana, pag. 170.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. SELVAGGI A., GALLINO B., GARRAUD L., PASCAL R., VAN ES J., 2012 - Flora rara, protetta, endemica delle Alpi occidentali. Blu edizioni, Torino. SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

2.3 Range

2.3.1 Surface area - Range (km ²)	14600
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	increase (+)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unknown No method Expert judgment
2.3.10 Reason for change	Improved knowledge/more accurate dataUse of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 67 max 67
2.4.3 Additional information	Definition of locality Conversion method Problems no data available for the number of individuals
2.4.4 Year or period	2012
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	unknown (x)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Absent data (0)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No method Expert judgment

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.15 Reason for change Use of different method

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	Expert based
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km ²)	
2.5.10 Reason for change	

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A
intensive grazing (A04.01)	medium importance (M)	N/A

2.6.1 Method used – pressures mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
intensive grazing (A04.01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	low importance (L)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Italian Red List (2013): LC
Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Favourable (FV) qualifiers N/A

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.9.4. Future prospects	assessment Favourable (FV) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Favourable (FV)
2.9.5 Overall trend in Conservation Status	N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A
	min	max
3.1.2 Method used	N/A	
3.1.3 Trend of population size within	N/A	

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Continental (CON)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA).

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 - An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

PIGNATTI S., 1982 - Flora d'Italia, voll. 1-3. Edagricole, Bologna.

REGIONE LIGURIA, 2008 - Carta della Biodiversità (www.ambienteinliguria.it).

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma.

SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

2.3 Range

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.1 Surface area - Range (km ²)	3900		
2.3.2 Method - Range surface area	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.3.3 Short-term trend period	2001-2012		
2.3.4 Short-term trend direction	unknown (x)		
2.3.5 Short-term trend magnitude	min		max
2.3.6 Long-term trend period			
2.3.7 Long-term trend direction	N/A		
2.3.8 Long-term trend magnitude	min		max
2.3.9 Favourable reference range	area (km ²)		
	operator	approximately equal to (≈)	
	unkown	No	
	method	Expert judgment	
2.3.10 Reason for change	Use of different method		

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	19	max	19
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems	no data available for the number of individuals		
2.4.4 Year or period	2012			
2.4.5 Method – population size	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	unknown (x)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Absent data (0)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	approximately equal to (≈)		
	unknown	No		
	method	Expert judgment		
2.4.15 Reason for change	Use of different method			

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km ²)	
2.5.2 Year or period	
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	Expert based
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.5.7 Long-term trend period
2.5.8 Long term trend direction
2.5.9 Area of suitable habitat (km ²)
2.5.10 Reason for change

N/A

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)	low importance (L)	N/A

2.6.1 Method used – pressures based only on expert judgements (1)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Taking / Removal of terrestrial plants, general (F04)	low importance (L)	N/A

2.7.1 Method used – threats expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

Italian Red List (2013): LC
Source: ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013. Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment Favourable (FV) qualifiers N/A
2.9.2. Population	assessment Favourable (FV) qualifiers N/A
2.9.3. Habitat	assessment Favourable (FV) qualifiers N/A
2.9.4. Future prospects	assessment Favourable (FV) qualifiers N/A
2.9.5 Overall assessment of Conservation Status	Favourable (FV)
2.9.5 Overall trend in Conservation Status	N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A
	min	max
3.1.2 Method used	N/A	
3.1.3 Trend of population size within	N/A	

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

3.2 Conversation Measures

Species name: Aquilegia alpina (1480)

Field label	Note	User
1.1.1 Distribution Map	Data sources: SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti). REGIONI: VALLE D'AOSTA, PIEMONTE, LOMBARDIA, LIGURIA, EMILIA ROMAGNA, TOSCANA (Raccolta dati per articolo 17, 2012).	ISPRA_F LORA