0.1 Member State	IT
0.2.1 Species code	1642
0.2.2 Species name	Limonium pseudolaetum
0.2.3 Alternative species scientific name	N/A
0.2.4 Common name	N/A

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published sources

Mediterranean (MED)

The present species assessment (fields 0.1-2.9) has been compiled by Stefania Ercole and Valeria Giacanelli (Institute for Environmental Protection and Research - ISPRA). Information, unpublished data and experts' judgments have been provided by: Gianni Bacchetta (University of Cagliari) and Giuseppe Fenu (University of Cagliari).

ABELI T., 2011 – Limonium pseudolaetum. In: IUCN 2011, IUCN Red List of Threatened Species. Version 2011.2. <www.iucnredlist.org>. Downloaded on 14 March 2012.

ARRIGONI P.V., DIANA S., 1990 – Le piante endemiche della Sardegna: 192-197. Boll. Soc. Sarda Sci. Nat., 27: 259-282.

ARRIGONI P.V., DIANA S., 1999 – Karyology, chorology and bioecology of the genus Limonium (Plumbaginaceae) in Sardinia. Plant Biosyst., 133(1): 63-71. BACCHETTA G., 2001 – Limonium pseudolaetum Arrigoni et Diana. In: PIGNATTI S., MENEGONI P., GIACANELLI V. (eds.), Liste rosse e blu della flora italiana. ANPA. Roma.

BACCHETTA G., FARRIS E., PONTECORVO C. 2012. A new method to set conservation priorities in biodiversity hotspots. Plant Biosystems, 146(3): 638-648.

BACCHETTA G., FENU G., MATTANA E., 2012 - The checklist of the exclusive vascular flora of Sardinia and its priority settings for conservation. Anales del Jardin Botanico de Madrid 69(1): 81-89.

BILZ M., KELL S.P., MAXTED N., LANSDOWN R.V., 2011 – European Red List of Vascular Plants. Luxembourg: Publications Office European Union.

BIONDI E., DIANA S., FARRIS E., FILIGHEDDU R.S., 2001 – L'ordine Limonietalia Br.-Bl. Et O. Bolòs 1958 in Sardegna. Fitosociologia, 38(2): 37-44.

CONTI F., ABBATE G., ALESSANDRINI A., BLASI C., (Eds.) 2005 – An annotated Checklist of the Italian Vascular Flora. Palombi Editori, Roma.

CONTI F., MANZI A., PEDROTTI F., 1997 - Liste Rosse Regionali delle Piante d'Italia. WWF Italia. Società Botanica Italiana. Università di Camerino. Camerino. 139 pp.

FARRIS E., PISANU S., SECCHI Z., BAGELLA S., URBANI M., FILIGHEDDU R., 2007 –

09/04/2014 10:09:46 Page 1 of 5

Gli habitat terrestri costieri e litorali della Sardegna settentrionale: verifica della loro attribuzione sintassonomica ai sensi della Direttiva 43/92/CEE "Habitat". Fitosociologia, 44(1): 165-180.

FENU G., BACCHETTA G., 2008 – La flora vascolare della Penisola del Sinis (Sardegna Occidentale). Acta Bot. Malacit., 33: 91–124.

FENU G., COGONI D., BACCHETTA G., 2012. Limonium pseudolaetum Arrigoni et Diana. Inf. Bot. Ital. 44(2): 446-448.

FENU G., MATTANA E., 2011 - Conservation studies on threatened endemic plants of the Mediterranean area: a literature overview for Sardinia. Fitosociologia 48(1) suppl. 1: 5-12.

MAYER A., 1995 – Comparative study of the coastal vegetation of Sardinia (Italy) and Crete (Greece) with respect to the effects of human influence. Libri Bot., 15: 1-264.

PIGNATTI S., 1982 – Flora d'Italia, voll. 1-3. Edagricole, Bologna.

REGIONE AUTONOMA DELLA SARDEGNA - Assessorato Difesa Ambiente , 2012 - Servizio di monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della Rete Natura 2000 in Sardegna. ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013 - Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare. SCOPPOLA A., SPAMPINATO G. (eds.), 2005 - Atlante delle specie a rischio di estinzione. Versione 1.0. CD-Rom enclosed to the volume: SCOPPOLA A., BLASI C. (eds.), Stato delle conoscenze sulla flora vascolare d'Italia. Palombi Editori. Roma. SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti).

2.3 Range

2.3.1 Surface area - Range (km²)

2.3.2 Method - Range surface area

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

200

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012 stable (0)

min

N/A

Unit

Unit

min max

area (km²)

operator approximately equal to (≈)

max

number of localities (localities)

max

unkown No

N/A

method Expert judgment

2.3.10 Reason for change Use of different method

2.4 Population

2.4.1 Population size

(individuals or agreed exception) min

2.4.2 Population size

(other than individuals) min 6 max 6

09/04/2014 10:09:46 Page 2 of 5

•	•		
2.4.3 Additional information	Definition of locality	localities= sites where the confirmed	presence of the species is
	Conversion method		
	Problems	no data available for the n	number of individuals
2.4.4 Year or period	2002-2012		
2.4.5 Method – population size	Estimate based on par	tial data with some extrapola	ation and/or modelling (2)
2.4.6 Short-term trend period	2002-2012		
2.4.7 Short term trend direction	decrease (-)		
2.4.8 Short-term trend magnitude	min	max confid	ence interval
2.4.9 Short-term trend method	Estimate based on par	tial data with some extrapola	ation and/or modelling (2)
2.4.10 Long-term trend period			
2.4.11 Long term trend direction	N/A		
2.4.12 Long-term trend magnitude	min	max confid	ence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference	number		
population		ately equal to (≈)	
	unknown No		
	method Expert jud	lgment	
2.4.15 Reason for change	Use of different metho	d	
2.5 Habitat for the Species			
2.5.1 Surface area - Habitat (km²)			
2.5.2 Year or period			
2.5.3 Method used - habitat	Absent data (0)		
2.5.4 a) Quality of habitat	Moderate		
2.5.4 b) Quality of habitat - method	Monitoring and Exper	based.	
2.5.5 Short term trend period	2002-2012		
2.5.6 Short term trend direction	decrease (-)		
2.5.7 Long-term trend period			

26	Mair	Dros	CHIPAC

2.5.10 Reason for change

2.5.8 Long term trend direction

2.5.9 Area of suitable habitat (km²)

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
car parks and parking areas (D01.03)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
off-road motorized driving (G01.03.02)	medium importance (M)	N/A
garbage and solid waste (H05.01)	low importance (L)	N/A

N/A

2.6.1 Method used – pressures based exclusively or to a larger extent on real data from sites/occurrences or oth

2.7 Main Threats

09/04/2014 10:09:46 Page 3 of 5

Threat		ranking	pollution qualifier(s)
invasive non-native species (I01)		medium importance (M)	N/A
Urbanised areas, human habitation ((E01)	high importance (H)	N/A
Outdoor sports and leisure activities (G01)	, recreational activities	medium importance (M)	N/A
2.7.1 Method used – threats	expert opinion (1)		

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends

2.8.2 Other relevant Information

1) Italian Red List (2013): VU. Assessment criteria: A2 (ac)

Published in:

FENU G., COGONI D., BACCHETTA G., 2012. Limonium pseudolaetum Arrigoni et Diana. Inf. Bot. Ital. 44(2): 446-448.

ROSSI G., MONTAGNANI C., GARGANO D., PERUZZI L., ABELI T., RAVERA S., COGONI A., FENU G., MAGRINI S., GENNAI M., FOGGI B., WAGENSOMMER R.P., VENTURELLA G., BLASI C., RAIMONDO F.M., ORSENIGO S. (Eds.), 2013 - Lista Rossa della Flora Italiana. 1. Policy Species e altre specie minacciate. Comitato Italiano IUCN; Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

2.8.3 Trans-boundary assessment

2.9 Conclusions (assessment of conservation status at end of reporting period)

assessment Favourable (FV) 2.9.1 Range qualifiers N/A 2.9.2. Population assessment Inadequate (U1) qualifiers unknown (x) 2.9.3. Habitat assessment Inadequate (U1) qualifiers declining (-) 2.9.4. Future prospects assessment Inadequate (U1) qualifiers declining (-) 2.9.5 Overall assessment of Inadequate (U1) **Conservation Status** 2.9.5 Overall trend in declining (-)

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

Conservation Status

3.1.1 Population Size

Unit N/A
min max

3.1.2 Method used

Absent data (0)

N/A

3.2 Conversation Measures

09/04/2014 10:09:46 Page 4 of 5

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
No measure known/		()		
impossible to carry out				
specific measures (1.3)				

09/04/2014 10:09:46 Page 5 of 5

Notes

Field label	Note	User
1.1.1 Distribution Map	Data sources: SOCIETÀ BOTANICA ITALIANA, 2012. Valutazione nazionale della categoria di rischio di estinzione per specie vegetali di pregio e di interesse conservazionistico. Ministero dell'Ambiente e della Tutela del Territorio e del Mare, Società Botanica Italiana (dati inediti). FENU G., COGONI D., BACCHETTA G., 2012. Limonium pseudolaetum Arrigoni et Diana. Inform. Bot. Ital. 44(2): 446-448. REGIONE AUTONOMA SARDEGNA, Ass. Difesa Ambiente, SAVI - 2008/2009 - Realizzazione della rete di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Sardegna.	ISPRA_I LORA
Species name: Limonium pse	udolaetum (1642) Region code: MED	
Species name: Limonium pse Field label	udolaetum (1642) Region code: MED Note	User
Field label 2.5.6 Short term trend	Note I dati puntuali, raccolti dal 2002 ad oggi, evidenziano una riduzione delle dimensioni della popolazione complessiva pari a circa il 30% del totale, sulla base sia delle osservazioni dirette che del declino della superficie occupata e della qualità dell'habitat. Da: FENU G., COGONI D., BACCHETTA G., 2012. Limonium	ISPRA_F

09/04/2014 10:09:58 Page 1 of 1