Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

0.1 Member State	**IT**
0.2.1 Species code	**1250**
0.2.2 Species name	**Podarcis sicula**
0.2.3 Alternative species scientific name	Podarcis siculus
0.2.4 Common name	Lucertola campestre

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.1a Sensitive species	No
1.1.2 Method used - map	Complete survey/Complete survey or a statistically robust estimate (3)
1.1.3 Year or period	2000-2012
1.1.4 Additional map	No
1.1.5 Range map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published sources

The present species assessment (fields 0.1-2.9) has been compiled by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco (Societas Herpetologica Italica). Information, unpublished data and experts' judgments have been provided by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco.

Corti, C., Capula, M., Luiselli, L., Razzetti, E., Sindaco, R., 2011. Fauna d'Italia, vol. XLV, Reptilia. Calderini, Bologna.

De Pous P., Speybroeck J., Bogaerts S., Pasmans F., Beukema W. 2012. A contribution to the atlas of the terrestrial herpetofauna of Sardinia. Herpetology Notes, volume 5: 391-405.

Regione Autonoma della Sardegna - Assessorato Difesa Ambiente , 2012 - "Servizio di monitoraggio dello stato di conservazione degli habitat e delle specie di importanza comunitaria presenti nei siti della Rete Natura 2000 in Sardegna – Linea 4. Redazione del Rapporto sullo stato di conservazione degli habitat e delle specie ".

Regione Autonoma della Sardegna - Assessorato Difesa Ambiente - 2008-2009. "Realizzazione del sistema di monitoraggio dello stato di conservazione degli habitat e delle specie di interesse comunitario della Regione Autonoma della Sardegna".

Rondinini, C., Battistoni, A., Peronace, V., Teofili, C. (compilatori). 2013. Lista Rossa IUCN dei Vertebrati Italiani. Comitato Italiano IUCN e Ministero dell'Ambiente, del Territorio e del Mare, Roma.

Salvi D., Bombi P., 2010. Reptiles of Sardinia: updating the knowledge on their distribution. Acta Herpetologica 5(2): 161-177.

2.3 Range

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.3.1 Surface area - Range (km²)	183200
2.3.2 Method - Range surface area	Complete survey/Complete survey or a statistically robust estimate (3)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km²) operator approximately equal to (≈) unkown No method Expert judgement
2.3.10 Reason for change	Use of different method

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit N/A min max
2.4.2 Population size (other than individuals)	Unit number of map 10x10 km grid cells (grids10x10) min 1419 max 1419
2.4.3 Additional information	Definition of locality Conversion method Problems
2.4.4 Year or period	2000-2012
2.4.5 Method – population size	Complete survey/Complete survey or a statistically robust estimate (3)
2.4.6 Short-term trend period	2001-2012
2.4.7 Short term trend direction	stable (0)
2.4.8 Short-term trend magnitude	min max confidence interval
2.4.9 Short-term trend method	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.10 Long-term trend period	
2.4.11 Long term trend direction	N/A
2.4.12 Long-term trend magnitude	min max confidence interval
2.4.13 Long-term trend method	N/A
2.4.14 Favourable reference population	number operator approximately equal to (≈) unknown No method Expert judgement
2.4.15 Reason for change	Improved knowledge/more accurate data

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	2000-2012
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	the species is adaptable to a wide range of habitats, including the human dominated ones
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	

2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	Improved knowledge/more accurate data

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A
anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.6.1 Method used – pressures	mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A
anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Favourable (FV)
	qualifiers	N/A
2.9.2. Population	assessment	Favourable (FV)
	qualifiers	N/A
2.9.3. Habitat	assessment	Favourable (FV)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Favourable (FV)
	qualifiers	N/A

2.9.5 Overall assessment of Conservation Status	Favourable (FV)
2.9.5 Overall trend in Conservation Status	N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A
	min	max
3.1.2 Method used	N/A	
3.1.3 Trend of population size within	N/A	

3.2 Conversation Measures

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published sources	The present species assessment (fields 0.1-2.9) has been compiled by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco (Societas Herpetologica Italica). Information, unpublished data and experts' judgments have been provided by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco. Corti, C., Capula, M., Luiselli, L., Razzetti, E., Sindaco, R., 2011. Fauna d'Italia, vol. XLV, Reptilia. Calderini, Bologna. Rondinini, C., Battistoni, A., Peronace, V., Teofili, C. (compilatori). 2013. Lista Rossa IUCN dei Vertebrati Italiani. Comitato Italiano IUCN e Ministero dell'Ambiente, del Territorio e del Mare, Roma.

2.3 Range

2.3.1 Surface area - Range (km²)	73700	
2.3.2 Method - Range surface area	Complete survey/Complete survey or a statistically robust estimate (3)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	Expert judgement
2.3.10 Reason for change	Use of different method	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A
	min	max

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	442	max	442
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems			
2.4.4 Year or period	2000-2012			
2.4.5 Method – population size	Complete survey/Complete survey or a statistically robust estimate (3)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	stable (0)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			
2.4.12 Long-term trend magnitude	min		max	confidence interval
2.4.13 Long-term trend method	N/A			
2.4.14 Favourable reference population	number			
	operator	approximately equal to (≈)		
	unknown	No		
	method	Expert judgement		
2.4.15 Reason for change	Improved knowledge/more accurate data			

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	2000-2012
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	the species is adaptable to a wide range of habitats, including the human dominated ones
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	Improved knowledge/more accurate data

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A

anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.6.1 Method used – pressures	mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A
anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Favourable (FV)
	qualifiers	N/A
2.9.2. Population	assessment	Favourable (FV)
	qualifiers	N/A
2.9.3. Habitat	assessment	Favourable (FV)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Favourable (FV)
	qualifiers	N/A
2.9.5 Overall assessment of Conservation Status	Favourable (FV)	
2.9.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published sources	The present species assessment (fields 0.1-2.9) has been compiled by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco (Societas Herpetologica Italica). Information, unpublished data and experts' judgments have been provided by Anna Rita Di Cerbo, Francesco Ficetola, Roberto Sindaco. Corti, C., Capula, M., Luiselli, L., Razzetti, E., Sindaco, R., 2011. Fauna d'Italia, vol. XLV, Reptilia. Calderini, Bologna. Rondinini, C., Battistoni, A., Peronace, V., Teofili, C. (compilatori). 2013. Lista Rossa IUCN dei Vertebrati Italiani. Comitato Italiano IUCN e Ministero dell'Ambiente, del Territorio e del Mare, Roma.

2.3 Range

2.3.1 Surface area - Range (km²)	7800	
2.3.2 Method - Range surface area	Complete survey/Complete survey or a statistically robust estimate (3)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	Expert judgement
2.3.10 Reason for change	Use of different method	

2.4 Population

2.4.1 Population size (individuals or agreed exception)	Unit	N/A		
	min		max	
2.4.2 Population size (other than individuals)	Unit	number of map 10x10 km grid cells (grids10x10)		
	min	43	max	43
2.4.3 Additional information	Definition of locality			
	Conversion method			
	Problems			
2.4.4 Year or period	2000-2012			
2.4.5 Method – population size	Complete survey/Complete survey or a statistically robust estimate (3)			
2.4.6 Short-term trend period	2001-2012			
2.4.7 Short term trend direction	stable (0)			
2.4.8 Short-term trend magnitude	min		max	confidence interval
2.4.9 Short-term trend method	Estimate based on partial data with some extrapolation and/or modelling (2)			
2.4.10 Long-term trend period				
2.4.11 Long term trend direction	N/A			

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

2.4.12 Long-term trend magnitude	min	max	confidence interval
2.4.13 Long-term trend method	N/A		
2.4.14 Favourable reference population	number		
	operator	approximately equal to (≈)	
	unknown	No	
	method	Expert judgement	
2.4.15 Reason for change	Improved knowledge/more accurate data		

2.5 Habitat for the Species

2.5.1 Surface area - Habitat (km²)	
2.5.2 Year or period	2000-2012
2.5.3 Method used - habitat	Absent data (0)
2.5.4 a) Quality of habitat	Good
2.5.4 b) Quality of habitat - method	the species is adaptable to a wide range of habitats
2.5.5 Short term trend period	2001-2012
2.5.6 Short term trend direction	stable (0)
2.5.7 Long-term trend period	
2.5.8 Long term trend direction	N/A
2.5.9 Area of suitable habitat (km²)	
2.5.10 Reason for change	Improved knowledge/more accurate data

2.6 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A
anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.6.1 Method used – pressures: mainly based on expert judgement and other data (2)

2.7 Main Threats

Threat	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Roads, paths and railroads (D01)	high importance (H)	N/A
burning down (J01.01)	medium importance (M)	N/A
removal of stone walls and embankments (A10.02)	low importance (L)	N/A
Restructuring agricultural land holding (A10)	low importance (L)	N/A
removal of hedges and copses or scrub (A10.01)	low importance (L)	N/A
agricultural intensification (A02.01)	high importance (H)	N/A
use of biocides, hormones and chemicals (A07)	low importance (L)	N/A
anthropogenic reduction of habitat connectivity (J03.02)	medium importance (M)	N/A

2.7.1 Method used – threats	expert opinion (1)

2.8 Complementary Information

2.8.1 Justification of % thresholds for trends	
2.8.2 Other relevant Information	
2.8.3 Trans-boundary assessment	

2.9 Conclusions (assessment of conservation status at end of reporting period)

2.9.1 Range	assessment	Favourable (FV)
	qualifiers	N/A
2.9.2. Population	assessment	Favourable (FV)
	qualifiers	N/A
2.9.3. Habitat	assessment	Favourable (FV)
	qualifiers	N/A
2.9.4. Future prospects	assessment	Favourable (FV)
	qualifiers	N/A
2.9.5 Overall assessment of Conservation Status		Favourable (FV)
2.9.5 Overall trend in Conservation Status		N/A

3. Natura 2000 coverage and conservation measures - Annex II species

3.1 Population

3.1.1 Population Size	Unit	N/A	
	min		max
3.1.2 Method used	N/A		
3.1.3 Trend of population size within	N/A		

3.2 Conversation Measures