

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 6110

NAME: Rupicolous calcareous or basophilic grasslands of the Alysso-Sedion albi

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. [Http://vnr.unipg.it/habitat/](http://vnr.unipg.it/habitat/)
Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.,

Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio

ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	42400	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period	N/A	
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km ²)	
	operator	approximately equal to (≈)
	unknown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	49,41		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	low importance (L)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Discharges (E03)	medium importance (M)	N/A
------------------	-----------------------	-----

2.5.1 Method used – pressures Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	low importance (L)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A
Discharges (E03)	medium importance (M)	N/A

2.6.1 Method used – threats Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Cerastium semidecandrum
Cerastium glutinosum
Cerastium brachypetalum
Erophila verna
Minuartia hybrida
Micropus erectus
Hornungia petraea
Saxifraga tridactylites
Sedum acre
Valerianella sp.
Sedum album
Sedum sexangulare
Sedum rupestre
Sempervivum tectorum
Poa sp.
Ptychotis saxifraga
Alyssum alyssoides
Alyssum montanum
Arabis auriculata
Cerastium pumilum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.2 Species method used	Selection and evaluation by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment Unknown(XX) qualifiers N/A
2.8.2 Area	assessment Unknown(XX) qualifiers N/A
2.8.3 Specific structures and functions (incl Species)	assessment Favourable(FV) qualifiers N/A
2.8.4 Future prospects	assessment Favourable(FV) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)
2.8.5 Overall trend in Conservation Status	N/A

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min 49,28112 max 49,28112
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A

3.2 Conversation Measures

2.1 Biogeographical Region

2.2 Published

Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

dell'Ambiente e della Tutela del Territorio e del Mare. <http://vnr.unipg.it/habitat/>
 Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura
 Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio
 ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.
 ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet
 Oriolo G., Dragan M., Ferneti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura
 Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101 <http://www.ortobotanico.univpm.it/cartography>

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	38400
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unknown No method
2.3.10 Reason for change	genuine change No improved knowledge Yes different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km ²)	57,27
2.4.2 Year or period	2005-2012
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max confidence interval

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km) operator more than (>) unknown No method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Mining and quarrying (C01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	medium importance (M)	N/A
Roads, paths and railroads (D01)	medium importance (M)	N/A
Tramplng, overuse (G05.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	high importance (H)	N/A
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)
-------------------------------	-----------------------------------------------------------------------------

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Mining and quarrying (C01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	medium importance (M)	N/A
Roads, paths and railroads (D01)	medium importance (M)	N/A
Tramplng, overuse (G05.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	high importance (H)	N/A
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)
-----------------------------	------------------------------------------------------------------

2.7 Complementary Information

2.7.1 Species

Alyssum alyssoides

Alyssum montanum

Arabis auriculata (= A. recta)

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Cerastium pumilum

Cerastium semidecandrum

Cerastium glutinosum

Cerastium brachypetalum

Erophila verna agg.

Micropus erectus

Hornungia petraea

Minuartia hybrida

Saxifraga tridactylites

Sedum acre

Sedum album

Sedum montanum agg.

Sedum sexangulare

Sedum rupestre

Sempervivum tectorum

Thlaspi perfoliatum

Petrorhagia prolifera

2.7.2 Species method used

Expert opinion. List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; <http://vnr.unipg.it/habitat/>).

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

Estimate based on expert opinion with no or minimal sampling(1)

2.7.5 Other relevant information

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable(FV)
qualifiers N/A

2.8.2 Area

assessment Inadequate(U1)
qualifiers N/A

2.8.3 Specific structures and functions (incl Species)

assessment Favourable(FV)
qualifiers N/A

2.8.4 Future prospects

assessment Favourable(FV)
qualifiers N/A

2.8.5 Overall assessment of Conservation Status

Inadequate(U1)

2.8.5 Overall trend in Conservation Status

declining(-)

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km ²)	min	24,7169	max	24,7169
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region

2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

[http://www.isprambiente.gov.it/site/it-](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

[IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. <http://vnr.unipg.it/habitat/>
Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio
ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino.

[http://www.isprambiente.gov.it/site/it-](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

[IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

Oriolo G., Dragan M., Ferneti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. <http://www.isprambiente.gov.it/site/it->

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

IT/Servizi_per_l'27Ambiente/Sistema_Carta_della_Natura

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	17200	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	decrease (-)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km ²)	
	operator	more than (>)
	unknown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km ²)	26,82		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	decrease (-)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	more than (>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
Trampling, overuse (G05.01)	low importance (L)	N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Sand and gravel extraction (C01.01)	high importance (H)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A
mountaineering, rock climbing, speleology (G01.04)	low importance (L)	N/A
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A

2.5.1 Method used – pressures

Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
Tramplng, overuse (G05.01)	low importance (L)	N/A
Sand and gravel extraction (C01.01)	high importance (H)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A
mountaineering, rock climbing, speleology (G01.04)	low importance (L)	N/A
abandonment of pastoral systems, lack of grazing (A04.03)	medium importance (M)	N/A

2.6.1 Method used – threats

Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Sedum acre

Sedum sexangulare

Sedum pseudorupestre (=Sedum montanum agg.)

Sedum album

Cerastium pumilum

Cerastium semidecandrum

Cerastium brachypetalum

Erophila verna agg.

Minuartia fastigiata

Minuartia rubra

Minuartia verna subsp. Collina

Poa badensis

Saxifraga tridactylites

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Sempervivum tectorum

Jovibarba globifera subsp. Hirta

Jovibarba arenaria

Ptychotis saxifraga

Alyssum alyssoides

Alyssum montanum

Arabis auriculata (= A. recta)

2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

Estimate based on expert opinion with no or minimal sampling(1)

2.7.5 Other relevant information

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Inadequate(U1)
qualifiers N/A

2.8.2 Area

assessment Inadequate(U1)
qualifiers N/A

2.8.3 Specific structures and functions (incl Species)

assessment Bad(U2)
qualifiers N/A

2.8.4 Future prospects

assessment Inadequate(U1)
qualifiers N/A

2.8.5 Overall assessment of Conservation Status

Bad(U2)

2.8.5 Overall trend in Conservation Status

declining(-)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min 26,8234 max 26,8234

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area

N/A

3.2 Conversation Measures

Notes

Habitat code: 6110 Region code: ALP

Field label	Note	User
2.4.1 Surface area	Habitat presente in diverse altre località, ma sempre in tracce o siti puntiformi non cartografabili.	ISPRA_habitat