Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 9530

NAME: (Sub-) Mediterranean pine forests with endemic black pines

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).
"Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.
http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnetISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA"

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	4400	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	41,29		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
Noise nuisance, noise pollution (H06.01)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
forest replanting (B02.01)	low importance (L)	N/A

forest exploitation without replanting or natural regrowth (B03)	medium importance (M)	N/A
skiing complex (G02.02)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
forest planting on open ground (native trees) (B01.01)	low importance (L)	N/A
genetic pollution (plants) (I03.02)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
Noise nuisance, noise pollution (H06.01)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
forest replanting (B02.01)	low importance (L)	N/A
forest exploitation without replanting or natural regrowth (B03)	medium importance (M)	N/A
skiing complex (G02.02)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
forest planting on open ground (native trees) (B01.01)	low importance (L)	N/A
genetic pollution (plants) (I03.02)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Pinus nigra subsp. nigra var. italica
Pinus nigra subsp. Calabrica
Amelanchier ovalis
Calamagrostis varia
Chamaecytisus purpureus
Juniperus hemisphaerica
Cytisus spinescens
Genista sagittalis
Berberis aetnensis

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Favourable(FV)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	1,515	max	1,515
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. Http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta

delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. Http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Gentile S., 1995. Vegetazione a Pinus uncinata Mill. Var. rostrata Ant. Nella catena montuosa dello spartiacque ligure-emiliano. Fitosociologia 29: 95-101 ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. Http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	500	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	1,52		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	

	method
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	high importance (H)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	high importance (H)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Pinus nigra subsp. Nigra
Amelanchier ovalis
Calamagrostis varia
Chamaecytisus purpureus
Cytisus spinescens
Epipactis atrorubens
Carex humilis
Molinia caerulea subsp. Arundinacea

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A

2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status		Inadequate(U1)
2.8.5 Overall trend in Conservation Status		stable(=)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	69,7127	max	69,7127
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Blasi C., Filesi L., Pirone G., Canini L., Carranza M.L., Fiorini S., Michetti L., Paolanti M., Rivieccio R., Tartaglini N., 1999 - Realizzazione degli studi preliminari e dell'elaborato tecnico del Piano del Parco e del Regolamento. Ente Parco Nazionale della Majella. Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. Http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. Http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura

alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. Http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	6000	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	356,99		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
skiing complex (G02.02)	high importance (H)	N/A
collapse of terrain, landslide (L05)	low importance (L)	N/A

Other human intrusions and disturbances (G05)	medium importance (M)	N/A
Biocenotic evolution, succession (K02)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A
Forestry activities not referred to above (B07)	low importance (L)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
skiing complex (G02.02)	high importance (H)	N/A
collapse of terrain, landslide (L05)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	medium importance (M)	N/A
Biocenotic evolution, succession (K02)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A
Forestry activities not referred to above (B07)	low importance (L)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Pinus nigra subsp. Nigra
Amelanchier ovalis
Calamagrostis varia
Chamaecytisus purpureus
Genista sericea
Epipactis atrorubens
Erica carnea
Euphorbia triflora subsp. Kerneri
Genista sagittalis
Polygala chamaebuxus
Carex humilis
Molinia caerulea subsp. Arundinacea
Daphne cneorum
Allium ochroleucum
Thesium rostratum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Carex alba

Brachypodium caespitosum

Rhamnus saxatilis

Teucrium montanum

Polygala forojulensis

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	68,1577	max	68,1577
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

Notes

Habitat code: 9530 Region code: MED

Field label	Note	User
2.8.2 a) Conclusion Area	In Campania la distribuzione di questo habitat è sovrastimata in quanto vi sono stati attribuiti tutti i quadranti che si sovrappongono sui confini dell'unico sito che segnala l'habitat (cod. SIC IT8050052)	ISPRA_habi