Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 8210

NAME: Calcareous rocky slopes with chasmophytic vegetation

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Copiz R., Zavattero L., 2009. Rete ecologica del Parco Nazionale del Circeo: analisi dello status e della distribuzione di specie e habitat e definizione degli elementi della rete. Università di Roma La Sapienza, Dip.to di Biologia Vegetale. Inedito. Blasi C., Manes F. (a cura di), 2001. Studi propedeutici alla stesura del piano del Parco Nazionale del Circeo: componenti flora, vegetazione e unità di paesaggio. Università di Roma La Sapienza, Dip.to di Biologia Vegetale. Inedito. Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia□Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA□Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/□Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G. , Laureti L. , Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna□Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio□ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.□ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet□ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.□Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	98900		
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.3.3 Short-term trend period	2001-2012		
2.3.4 Short-term trend direction	stable (0)		
2.3.5 Short-term trend magnitude	min	max	
2.3.6 Long-term trend period			
2.3.7 Long-term trend direction	N/A		
2.3.8 Long-term trend magnitude	min	max	
2.3.9 Favourable reference range	area (km²)		
	operator	approximately equal to (≈)	
	unkown	No	
	method		
2.3.10 Reason for change	genuine change	No	
	improved knowledge	Yes	
	different method	Yes	

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	743,92		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	low importance (L)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
avalanche (L04)	low importance (L)	N/A
invasive non-native species (I01)	low importance (L)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	low importance (L)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
avalanche (L04)	low importance (L)	N/A
invasive non-native species (I01)	low importance (L)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Antirrhinum siculum
Asperula garganica
Aubretia columnae ssp. Italica
Aurinia leucadea
Aurinia saxatilis subsp. Megalocarpa
Campanula garganica subsp. Garganica
Campanula versicolor
Carum multiflorum subsp. Multiflorum
Centaurea filiformis ssp. Filiformis
Cymbalaria spp.
Dianthus tarentinus (=Dianthus garganicus)
Dianthus japigicus
Dianthus rupicola (aggr.)
Edraianthus graminifolius subsp. siculus (=Edraianthus siculus)
Lomelosia crenata (aggr.)
Micromeria filiformis subsp. Cordata

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Phagnalon rupestre (aggr.)

Saxifraga callosa subsp. callosa (incl. Saxifraga australis)

Polypodium cambricum subsp. Serrulatum

Asplenium petrarchae

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Favourable(FV)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	598,80342	max	598,80342
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101 http://www.ortobotanico.univpm.it/cartography "

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	19700	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.1 Surface area (km²)	56		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Improved access to site (D05)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Improved access to site (D05)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.1 Species
Saxifraga lingulata ssp. Lingulata
Globularia incanescens
Leontodon anomalus
Silene saxifraga
Achillea mucronulata
Campanula tanfanii
Potentilla caulescens
Saxifraga australis (= Saxifraga callosa ssp. callosa)
Trisetum bertoloni (= Trisetaria villosa)
Arabis bellidifolia ssp. Stellulata
Carex mucronata
Rhamnus pumilus
Moehringia papulosa
Cystopteris fragilis
Asplenium viride
Asplenium trichomanes
Silene pusilla
Alyssoides utriculata

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Favourable(FV)	
2.8.5 Overall trend in Conservation Status	N/A	

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	52,5906	max	52,5906
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region

Alpine (ALP)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura. WILHALM T., NIKLFELD H. & GUTERMANN W., 2006 - Katalog der Gefäßpflanzen

Südtirols.Veröffentlichungen des Naturmuseums Südtirol Nr. 3. Folio Verlag, Wien/Bozen, 218 pp. PEER T., 1980. Karte der aktuellen Vegetation Südtirols 1: 100.000. Blatt Bozen. Doc. de Cart. Ecol., XXIII: 25-46. Grenoble PEER T., 1991. Karte der aktuellen Vegetation Südtirols, Maßtab 1:200.000. Autonome Provinz Bozen-Südtirol, Amt für Naturparke, Naturschutz und Landschaftspflege. Bozen. PEER T., 1995. La vegetazione naturale dell'Alto Adige. Note illustrative della carta della vegetazione naturale 1:200.000. Provincia Autonoma di Bolzano-Alto Adige. Ufficio pianificazione paesaggistica, Ripartizione tutela del paesaggio e della natura, Bolzano. "

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	44200	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	1464,12		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
mountaineering, rock climbing, speleology (G01.04)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	medium importance (M)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Potentilla nitida
Saxifraga mutata subsp. Mutata
Primula allionii
Saxifraga callosa subsp. callosa (incl. Saxifraga lingulata)
Saxifraga burseriana
Androsace pubescens
Androsace helvetica
Arabis bellidifolia ssp. Stellulata
Artemisia umbelliformis subsp. Eriantha
Artemisia nitida
Asplenium viride
Campanula carnica subsp. Carnica
Campanula elatinoides
Carex brachystachys
Carex mucronata
Cystopteris alpina
Moehringia spp.
Phyteuma cordatum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Phyteuma globulariifolium

Potentilla caulescens

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Favourable(FV)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	859,50963	max	859,50963
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures