Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 9130

NAME: Asperulo-Fagetum beech forests

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Continental (CON)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_NaturaISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnetOriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura"

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	4400	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	N/A
	unkown	Yes
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	78,89		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	N/A	
	unknown	Yes	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Threat	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Fagus sylvatica
Abies alba

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	15,9483	max	15,9483
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3.2 Conversation Measures

2.1 Biogeographical Region
2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).
"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Oriolo G., Dragan M., Fernetti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Regione Friuli Venezia Giulia. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura. PEER T., 1980. Karte der aktuellen Vegetation Südtirols 1: 100.000. Blatt Bozen. Doc. de Cart. Ecol., XXIII: 25-46. Grenoble PEER T., 1991. Karte der aktuellen Vegetation Südtirols, Maßtab 1:200.000. Autonome Provinz Bozen-Südtirol, Amt für Naturparke, Naturschutz und Landschaftspflege. Bozen. PEER T., 1995. La vegetazione naturale dell'Alto Adige. Note illustrative della carta della vegetazione naturale 1:200.000. Provincia Autonoma di Bolzano-Alto Adige. Ufficio pianificazione paesaggistica, Ripartizione tutela del paesaggio e della natura, Bolzano. "

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	28400	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	1567,82		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
burning down (J01.01)	low importance (L)	N/A
damage caused by game (excess population density) (F03.01.01)	medium importance (M)	N/A
damage by herbivores (including game species) (K04.05)	medium importance (M)	N/A

Forest and Plantation management & use (B02)	high importance (H)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
electricity and phone lines (D02.01)	medium importance (M)	N/A
burning down (J01.01)	low importance (L)	N/A
damage caused by game (excess population density) (F03.01.01)	medium importance (M)	N/A
damage by herbivores (including game species) (K04.05)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	high importance (H)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Abies alba
Picea abies
Actaea spicata
Anemone nemorosa
Aruncus dioicus
Cardamine heptaphylla
Cardamine pentaphyllos
Galium odoratum (=Asperula odorata)
Hordelymus europaeus
Lamiastrum galeobdolon
Melica uniflora
Galium odoratum
Fagus sylvatica

2.7.2 Species method used: Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used: Estimate based on expert opinion with no or minimal sampling(1)

2.7.5 Other relevant information

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment: Favourable(FV)
qualifiers: N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	271,3389	max	271,3389
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

Notes

Habitat code: 9130

Field label	Note	User
1.1.1 Distribution Map	L'habitat secondo il professor Biondi non è presente nell'Appennino e quindi nella regione biogeografica continentale. La cartografia andrà pertanto rifatta in base a queste indicazioni.	ISPRA_habitat

Habitat code: 9130 Region code: CON

Field label	Note	User
2.4.1 Surface area	Nel calcolo delle superfici (campi 2.3.1, 2.4.1 e 3.1.1) rientra anche la superficie delle aree comprese nella regione mediterranea	ISPRA_habitat