Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 2250

NAME: Coastal dunes with Juniperus spp.

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato (SBI).

Vagge I. & Biondi E., 1999. La vegetazione delle coste sabbiose del Tirreno settentrionale italiano. Fitosociologia 36(2): 61-95

Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/

Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.

Camarda I., Carta L., Brunu A., Brundu G. , Laureti L. , Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna

Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio

ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA
Prisco I., Acosta A.T.R., Ercole S., 2012 - An overview of the italian coastal dune EU habitats. Ann. Bot. (Roma), 2: 39–48.
Minissale P., Sciandrello S., Scuderi L., Spampinato G., 2010. Gli ambienti costieri della Sicilia meridionale. Escursione della Società Italiana di Scienza della Vegetazione (14-18 aprile 2010). Bonanno Editore. Prisco I., Acosta A.T.R., Ercole S., 2012. An overview of the Italian coastal dune EU habitats. Ann. Bot. 2: 39-48.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	21900		
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.3.3 Short-term trend period	2001-2012		
2.3.4 Short-term trend direction	decrease (-)		
2.3.5 Short-term trend magnitude	min	max	
2.3.6 Long-term trend period			
2.3.7 Long-term trend direction	N/A		
2.3.8 Long-term trend magnitude	min	max	
2.3.9 Favourable reference range	area (km²)		
	operator	much more than (>>)	
	unkown	No	
	method		
2.3.10 Reason for change	genuine change	No	
	improved knowledge	Yes	
	different method	Yes	

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	68,81		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	decrease (-)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	much more than (>>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Landfill, land reclamation and drying out, general (J02.01)	medium importance (M)	N/A
Cultivation (A01)	medium importance (M)	N/A
invasive non-native species (I01)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Landfill, land reclamation and drying out, general (J02.01)	medium importance (M)	N/A
Cultivation (A01)	medium importance (M)	N/A
invasive non-native species (I01)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Juniperus oxycedrus ssp. Macrocarpa

Juniperus phoenicea ssp. Turbinata

Ephedra fragilis

Ephedra distachya

Quercus calliprinos

Dianthus morisianus

2.7.2 Species method used: List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009;

	http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Bad(U2)
	qualifiers	N/A
2.8.2 Area	assessment	Bad(U2)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Bad(U2)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Bad(U2)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Bad(U2)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	55,97455	max	55,97455
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic (SBI). GAMPER U., FILESI L., BUFFA G., SBURLINO G., 2008 - Diversità fitocenotica delle dune nord-adriatiche 1 - Le comunità fanerofitiche. Fitosociologia 45(1): 3-21 Buffa G., Filesi L., Gamper U., Sburlino G., 2007. Qualità e grado di conservazione del paesaggio vegetale del litorale sabbioso del Veneto (Italia settentrionali). Fitosociologia 44(1): 49-58. Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian

interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/
Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura
Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio
ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.
ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet
Prisco I., Acosta A.T.R., Ercole S., 2012. An overview of the Italian coastal dune EU habitats. Ann. Bot. 2: 39-48.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	4000	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	increase (+)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	much more than (>>)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	8,35		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	increase (+)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.12 Favourable reference area	area (km)	
	operator	much more than (>>)
	unknown	No
	method	
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method	

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
Trampling, overuse (G05.01)	high importance (H)	N/A
roads, motorways (D01.02)	high importance (H)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
Trampling, overuse (G05.01)	high importance (H)	N/A
roads, motorways (D01.02)	high importance (H)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Juniperus communis

Asparagus acutifolius

Pistacia lentiscus

Phillyrea media

Smilax aspera

Rubia peregrina

Rhamnus alaternus

Lonicera implexa

Clematis flammula

Ruscus aculeatus

2.7.2 Species method used: List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.2 Area	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	improving(+)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	4,1294	max	4,1294
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures