Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 7150

NAME: Depressions on peat substrates of the Rhynchosporion

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Mediterranean (MED)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnetISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000."

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	3800	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.1 Surface area (km²)	1,71		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A
Mining and quarrying (C01)	high importance (H)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Trampling, overuse (G05.01)	low importance (L)	N/A
discontinuous urbanisation (E01.02)	low importance (L)	N/A
canalisation (J02.03.02)	low importance (L)	N/A
Fertilisation (A08)	low importance (L)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	low importance (L)	N/A
Mining and quarrying (C01)	high importance (H)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Trampling, overuse (G05.01)	low importance (L)	N/A
discontinuous urbanisation (E01.02)	low importance (L)	N/A
canalisation (J02.03.02)	low importance (L)	N/A

Fertilisation (A08)		low importance (L)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Rhynchospora alba
Rhynchospora fusca
Drosera intermedia
Drosera rotundifolia
Lycopodiella inundata
Drosera x obovata
Carex limosa
Carex triandra
Carex lasiocarpa
Utricularia minor

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Unknown(XX)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	1,7061	max	1,7061

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_NaturaISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	5500	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	much more than (>>)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.1 Surface area (km²)	1,31		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	much more than (>>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	high importance (H)	N/A
paths, tracks, cycling tracks (D01.01)	high importance (H)	N/A
Peat extraction (C01.03)	high importance (H)	N/A
discontinuous urbanisation (E01.02)	low importance (L)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	high importance (H)	N/A
paths, tracks, cycling tracks (D01.01)	high importance (H)	N/A
Peat extraction (C01.03)	high importance (H)	N/A
discontinuous urbanisation (E01.02)	low importance (L)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Rhynchospora alba

Rhynchospora fusca

Drosera intermedia

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Drosera rotundifolia

Lycopodiella inundata

Carex limosa

Utricularia minor

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Unknown(XX)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	1,2363	max	1,2363
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts'

judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI).
"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.
http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	16500	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	more than (>)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	3,35		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.12 Favourable reference area	area (km)	
	operator	more than (>)
	unknown	No
	method	
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method	

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
skiing complex (G02.02)	high importance (H)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Trampling, overuse (G05.01)	high importance (H)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
Peat extraction (C01.03)	high importance (H)	N/A
canalisation (J02.03.02)	medium importance (M)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
intensive grazing (A04.01)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
skiing complex (G02.02)	high importance (H)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Trampling, overuse (G05.01)	high importance (H)	N/A
Mining and quarrying (C01)	medium importance (M)	N/A
Peat extraction (C01.03)	high importance (H)	N/A
canalisation (J02.03.02)	medium importance (M)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
intensive grazing (A04.01)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

- Rhynchospora alba
- Rhynchospora fusca
- Drosera intermedia
- Drosera rotundifolia

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Lycopodiella inundata

Drosera x obovata

Carex limosa

Carex triandra

Carex lasiocarpa

Utricularia minor

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Bad(U2)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Bad(U2)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Bad(U2)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	3,3495	max	3,3495
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures