

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 2130

NAME: Fixed coastal dunes with herbaceous vegetation ("grey dunes")

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

### 2.2 Published

#### Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic (SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. <http://vnr.unipg.it/habitat/>

Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.

Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto. [http://www.isprambiente.gov.it/site/it-IT/Servizi\\_per\\_l%27Ambiente/Sistema\\_Carta\\_della\\_Natura](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

Oriolo G., Dragan M., Ferneti M., Francescato C., Tomasella M., Giorgi R. 2007. Carta degli habitat della regione Friuli Venezia Giulia per il sistema informativo di Carta della Natura alla scala 1:50.000-. ISPRA-Regione Friuli Venezia Giulia. [http://www.isprambiente.gov.it/site/it-IT/Servizi\\_per\\_l%27Ambiente/Sistema\\_Carta\\_della\\_Natura](http://www.isprambiente.gov.it/site/it-IT/Servizi_per_l%27Ambiente/Sistema_Carta_della_Natura)

Prisco I., Acosta A.T.R., Ercole S., 2012 - An overview of the italian coastal dune EU habitats. Ann. Bot. (Roma), 2: 39-48.

Minissale P., Sciandrello S., Scuderi L., Spampinato G., 2010. Gli ambienti costieri della Sicilia meridionale. Escursione della Società Italiana di Scienza della Vegetazione (14-18 aprile 2010). Bonanno Editore.

Prisco I., Acosta A.T.R., Ercole S., 2012. An overview of the Italian coastal dune EU habitats. Ann. Bot. 2: 39-48

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km <sup>2</sup> )	3700	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	decrease (-)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km <sup>2</sup> )	
	operator	much more than (>>)
	unknown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

## 2.4 Area covered by Habitat

2.4.1 Surface area (km <sup>2</sup> )	12,75		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	decrease (-)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	much more than (>>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

## 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
species composition change (succession) (K02.01)	high importance (H)	N/A
Erosion (K01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	high importance (H)	N/A
Trampling, overuse (G05.01)	high importance (H)	N/A
roads, motorways (D01.02)	high importance (H)	N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.5.1 Method used – pressures

Estimate based on partial data with some extrapolation and/or modelling( 2)

## 2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Urbanised areas, human habitation (E01)	high importance (H)	N/A
species composition change (succession) (K02.01)	high importance (H)	N/A
Erosion (K01.01)	medium importance (M)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	high importance (H)	N/A
Tramplng, overuse (G05.01)	high importance (H)	N/A
roads, motorways (D01.02)	high importance (H)	N/A

## 2.6.1 Method used – threats

Estimate based on expert opinion with no or minimal sampling( 1)

## 2.7 Complementary Information

### 2.7.1 Species

Bromus erectus
Carex liparocarpos
Cerastium semidecandrum
Fumana procumbens
Lomelosia argentea (=Scabiosa argentea)
Medicago minima
Phleum arenarium
Scabiosa argentea
Petrorhagia saxifraga
Schoenus nigricans
Stachys recta subsp. Recta
Sanguisorba minor ssp. muricata
Silene conica
Silene otites
Teucrium montanum
Teucrium polium
Tortula spp.
Cladonia spp.

### 2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

### 2.7.3 Justification of % - thresholds for trends

### 2.7.4 Structure and functions - methods used

Estimate based on expert opinion with no or minimal sampling( 1)

### 2.7.5 Other relevant information

Muschi: Tortula spp.  
Licheni: Cladonia spp.

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment Bad( U2) qualifiers N/A
2.8.2 Area	assessment Bad( U2) qualifiers N/A
2.8.3 Specific structures and functions (incl Species)	assessment Bad( U2) qualifiers N/A
2.8.4 Future prospects	assessment Bad( U2) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Bad( U2)
2.8.5 Overall trend in Conservation Status	declining( -)

## 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

3.1.1 Surface area (km²)	min 9,7714 max 9,7714
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A

### 3.2 Conversation Measures