CODE: 7240

NAME: Alpine pioneer formations of the Caricion bicoloris-atrofuscae

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on partial data with some extrapolation and/or modelling (2)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Brentan D., Burbello A., Avanzi E., Gasparini S., Laureti L., Bianco P.M., 2008. Carta degli habitat della regione Veneto per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Veneto.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_I%27Ambiente/Sistema_Carta_della_Natura®Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/®Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ®ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. PISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet®Morra di Cella U., Cremonese E., Pari E., Siniscalco C., Amadei M., Angelini P., Cardillo A., 2008. Carta degli habitat della Regione Valle d'Aosta per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - ARPA Valle d'Aosta - Dipartimento Biologia Vegetale Università degli studi di Torino.

http://www.isprambiente.gov.it/site/it-

IT/Servizi_per_I%27Ambiente/Sistema_Carta_della_Natura@WILHALM T., NIKLFELD H. & GUTERMANN W., 2006 - Katalog der Gefäßpflanzen Südtirols.Veröffentlichungen des Naturmuseums Südtirol Nr. 3. Folio Verlag, Wien/Bozen, 218 pp 2"

06/05/2013 10.35.41 Page 1 of 4

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 15500

2.3.2 Range method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction decrease (-)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator much more than (>>)

unkown No

method

2.3.10 Reason for change genuine change No improved knowledge Yes

different method Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 4,44

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on partial data with some extrapolation and/or modelling (2)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction decrease (-)

2.4.6 Short-term trend magnitude min max confidence interval

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max confidence interval

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator much more than (>>)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate dataUse of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
skiing complex (G02.02)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
skiing, off-piste (G01.06)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A
Improved access to site (D05)	medium importance (M)	N/A

06/05/2013 10.35.41 Page 2 of 4

nabitat types (Annex L	")		
modifying structures of inland water of	courses (J02.05.02)	medium importance (M)	N/A
reservoirs (J02.05.04)		medium importance (M)	N/A
Water abstractions from surface waters (J02.06)		medium importance (M)	N/A
inundation (natural processes) (L08)		low importance (L)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)		low importance (L)	N/A
Taking / Removal of terrestrial plants, general (F04)		low importance (L)	N/A
intensive grazing (A04.01)		medium importance (M)	N/A
2.5.1 Method used – pressures	Estimate based on	partial data with some extrapo	lation and/or modelling(2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
paths, tracks, cycling tracks (D01.01)		medium importance (M)	N/A
skiing complex (G02.02)		medium importance (M)	N/A
roads, motorways (D01.02)		medium importance (M)	N/A
skiing, off-piste (G01.06)		medium importance (M)	N/A
Trampling, overuse (G05.01)		medium importance (M)	N/A
Improved access to site (D05)		medium importance (M)	N/A
modifying structures of inland water of	courses (J02.05.02)	medium importance (M)	N/A
reservoirs (J02.05.04)		medium importance (M)	N/A
Water abstractions from surface water	Vater abstractions from surface waters (J02.06)		N/A
inundation (natural processes) (L08)	nundation (natural processes) (L08)		N/A
Pollution to surface waters (limnic $\&$ t brackish) (H01)	terrestrial, marine &	low importance (L)	N/A
Taking / Removal of terrestrial plants,	general (F04)	low importance (L)	N/A
intensive grazing (A04.01)		medium importance (M)	N/A
2.6.1 Method used – threats	Estimate based on	expert opinion with no or minir	mal sampling(1)
2.7 Complementary Information			
2.7.1 Species			
Carex bicolor			
Carex capillaris			
Carex juncifolia (=C. maritima, C. incu	rva)		
Carex microglochin			
Carex vaginata			
Carex frigida			
Juncus alpino-articulatus			
Juncus arcticus			
Juncus castaneus			
luncus triglumis			

06/05/2013 10.35.41 Page 3 of 4

Juncus triglumis

Kobresia simpliciuscula	
Tofieldia pusilla	
Bellidiastrum michelii	
Bartsia alpina	
Primula farinosa	
Carex atrofusca	
2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	
2.8 Conclusions (assessment of co	onservation status at end of reporting period)
2.8.1 Range	assessment Bad(U2)
	qualifiers N/A
2.8.2 Area	assessment Bad(U2)
	qualifiers N/A
2.8.3 Specific structures	assessment Bad(U2)
and functions (incl Species)	qualifiers N/A
2.8.4 Future prospects	assessment Bad(U2) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Bad(U2)
2.8.5 Overall trend in	declining(-)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

Conservation Status

3.1.1 Surface area (km²)	min	4,4436	max	4,4436
3.1.2 Method used	Comple	ete survey/Co	omplete s	urvey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

06/05/2013 10.35.41 Page 4 of 4

Notes

Habitat code: 7240		
Field label	Note	User
1.1.1 Distribution Map	Habitat particolarmente raro, spesso puntiforme o distribuito in modo lineare presso i torrenti glaciali e, quindi, assai difficilmente cartografabile. La sua effettiva distribuzione potrebbe coincidere con quella di alcune specie guida che sono molto localizzate.	ISPRA_h abitat

23/04/2014 09:20:59 Page 1 of 1