Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 5110

NAME: Stable xerothermophilous formations with Buxus sempervirens on rock slopes (Berberidion p.p.)

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).

"Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G. , Laureti L. , Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. "

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	7600	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	9,31		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Hunting (F03.01)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	medium importance (M)	N/A

discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Hunting (F03.01)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
walking, horseriding and non-motorised vehicles (G01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
Trampling, overuse (G05.01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Buxus sempervirens
Prunus spinosa
Cotinus coggygria
Juniperus oxycedrus
Osyris alba
Chamaecytisus spinescens
Prunus mahaleb
Cornus mas
Crataegus monogyna
Berberis vulgaris
Amelanchier ovalis
Ligustrum vulgare
Viburnum lantana
Cytisus sessilifolius
Satureja montana
Juniperus communis
Teucrium montanum

2.7.2 Species method used: List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009;

	http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Favourable(FV)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	9,181	max	9,181
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta

delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101 http://www.ortobotanico.univpm.it/cartography"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	2700	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	0,72		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	more than (>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Pressure	ranking	pollution qualifier(s)
Mining and quarrying (C01)	high importance (H)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Mining and quarrying (C01)	high importance (H)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Buxus sempervirens
Prunus spinosa
Cotinus coggygria
Juniperus oxycedrus
Osyris alba
Chamaecytisus spinescens (= Cytisus spinescens)
Prunus mahaleb
Cornus mas
Crataegus monogyna
Berberis vulgaris
Amelanchier ovalis
Ligustrum vulgare
Viburnum lantana
Cytisus sessilifolius
Satureja montana
Juniperus communis
Teucrium montanum
Quercus ilex
Pistacia terebinthus
Coronilla emerus (= Emerus majus)

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Favourable(FV)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Favourable(FV)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	stable(=)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	0,6918	max	0,6918
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F.,

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma “La Sapienza” - Regione Lazio ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	3100	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	more than (>)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	6,34		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	more than (>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Pressure	ranking	pollution qualifier(s)
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
other patterns of habitation (E01.04)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
Hunting (F03.01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	low importance (L)	N/A
Trampling, overuse (G05.01)	low importance (L)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Outdoor sports and leisure activities, recreational activities (G01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
paths, tracks, cycling tracks (D01.01)	medium importance (M)	N/A
other patterns of habitation (E01.04)	medium importance (M)	N/A
Taking / Removal of terrestrial plants, general (F04)	medium importance (M)	N/A
Hunting (F03.01)	medium importance (M)	N/A
collapse of terrain, landslide (L05)	low importance (L)	N/A
Trampling, overuse (G05.01)	low importance (L)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Buxus sempervirens
Prunus spinosa
Cotinus coggygria
Prunus mahaleb
Cornus mas
Crataegus monogyna
Berberis vulgaris
Amelanchier ovalis
Ligustrum vulgare
Viburnum lantana
Cytisus sessilifolius
Satureja montana
Juniperus communis

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Teucrium montanum

Quercus ilex

Pistacia terebinthus

Coronilla emerus (= Emerus majus)

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	unknown(x)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	5,8884	max	5,8884
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures