

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 9540

NAME: Mediterranean pine forests with endemic Mesogean pines

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

### 2.2 Published

#### Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).

"Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia" Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA" Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. <http://vnr.unipg.it/habitat/> Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G. , Laureti L. , Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna" Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio" ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. "ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet" ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. "Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania - Regione Sicilia – ISPRA"

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km <sup>2</sup> )	25000	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	decrease (-)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km <sup>2</sup> )	
	operator	approximately equal to (≈)
	unknown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

## 2.4 Area covered by Habitat

2.4.1 Surface area (km²)	391,89		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	decrease (-)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km) operator      approximately equal to (≈) unknown      No method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

## 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
introduction of disease (microbial pathogens) (K04.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
forest planting on open ground (native trees) (B01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
genetic pollution (plants) (I03.02)	medium importance (M)	N/A
2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling( 2)	

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.6 Main Threats

Threat	ranking	pollution qualifier(s)
introduction of disease (microbial pathogens) (K04.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
forest planting on open ground (native trees) (B01.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
genetic pollution (plants) (I03.02)	medium importance (M)	N/A

### 2.6.1 Method used – threats

Estimate based on expert opinion with no or minimal sampling( 1)

## 2.7 Complementary Information

### 2.7.1 Species

Pinus pinaster

Pinus pinaster ssp. Hamiltoni

Pinus pinea

Pinus halepensis

Genista aspaloides

Euphorbia ligustica

Cistus crispus

Cistus creticus

Juniperus oxycedrus

Plantago albicans

### 2.7.2 Species method used

List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; <http://vnr.unipg.it/habitat/>)

### 2.7.3 Justification of % - thresholds for trends

### 2.7.4 Structure and functions - methods used

Estimate based on expert opinion with no or minimal sampling( 1)

### 2.7.5 Other relevant information

## 2.8 Conclusions (assessment of conservation status at end of reporting period)

### 2.8.1 Range

assessment Inadequate( U1)  
qualifiers N/A

### 2.8.2 Area

assessment Inadequate( U1)  
qualifiers N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.8.3 Specific structures and functions (incl Species)	assessment Inadequate( U1) qualifiers N/A
2.8.4 Future prospects	assessment Inadequate( U1) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Inadequate( U1)
2.8.5 Overall trend in Conservation Status	declining( -)

## 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

3.1.1 Surface area (km²)	min 292,82817 max 292,82817
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A

### 3.2 Conversation Measures

#### 2.1 Biogeographical Region 2.2 Published

#### Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA-Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. [Http://vnr.unipg.it/habitat/](http://vnr.unipg.it/habitat/)Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio-ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet-Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101 <http://www.ortobotanico.univpm.it/cartography/>"

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km <sup>2</sup> )	1000	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km <sup>2</sup> )	
	operator	approximately equal to (≈)
	unknown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

## 2.4 Area covered by Habitat

2.4.1 Surface area (km²)	5,02		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

## 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

removal of forest undergrowth (B02.03)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A

2.5.1 Method used – pressures Estimate based on partial data with some extrapolation and/or modelling( 2)

## 2.6 Main Threats

Threat	ranking	pollution qualifier(s)
burning down (J01.01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
motorised vehicles (G01.03)	medium importance (M)	N/A
Forest and Plantation management & use (B02)	medium importance (M)	N/A
removal of forest undergrowth (B02.03)	medium importance (M)	N/A
forestry clearance (B02.02)	medium importance (M)	N/A

2.6.1 Method used – threats Estimate based on expert opinion with no or minimal sampling( 1)

## 2.7 Complementary Information

### 2.7.1 Species

Pinus halepensis
Cistus creticus ssp. Erioccephalus
Ampelodesmos mauritanicus
Viburnum tinus
Juniperus oxycedrus
Rubia peregrina
Smilax aspera
Coronilla valentina
Coronilla emerus ssp. Emeroides

2.7.2 Species method used List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; <http://vnr.unipg.it/habitat/>)

### 2.7.3 Justification of % - thresholds for trends

### 2.7.4 Structure and functions - methods used

Estimate based on expert opinion with no or minimal sampling( 1)

### 2.7.5 Other relevant information

## 2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Favourable( FV)  
qualifiers N/A

2.8.2 Area assessment Favourable( FV)  
qualifiers N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.8.3 Specific structures and functions (incl Species)

assessmentBad( U2)  
qualifiersN/A

2.8.4 Future prospects

assessmentBad( U2)  
qualifiersN/A

2.8.5 Overall assessment of Conservation Status

Bad( U2)

2.8.5 Overall trend in Conservation Status

declining( -)

## 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

3.1.1 Surface area (km²)

min 5,0152 max 5,0152

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area

N/A

### 3.2 Conversation Measures

# Notes

**Habitat code: 9540 Region code: MED**

Field label	Note	User
2.8.2 a) Conclusion Area	Per la Sicilia sono stati presi in considerazione quei dati della carta della natura che riportano il cod. 42.83 e che coincidono, almeno in parte, con i dati regionali. Sono stati presi in considerazione per intero i codici di carta della natura 42.84 e 42.82.	ISPRA_habi