CODE: 3280

NAME: Constantly flowing Mediterranean rivers with Paspalo-Agrostidion species and hanging curtains of Salix and Populu

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on expert opinion with no or minimal sampling (1)

2005-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Filigheddu R., Farris E. & Biondi E. The vegetation of S'Ena Arrubia lagoon (centre-western Sardinia), 2000. Fitosociologia 37(1): 39-59. BIONDI E., FILIGHEDDU R., FARRIS E., 2001 – Carta della vegetazione della Laguna di S'Ena Arrubia (Oristano-Sardegna). S.EL.CA. Firenze. Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G., Laureti L., Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna@asella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio BPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. BPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet BPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo -Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia -ISPRA[®]

11/04/2014 09:44:42 Page 1 of 10

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 73500

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction stable (0)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 68,89

2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction stable (0)

2.4.6 Short-term trend magnitude min max

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator approximately equal to (≈)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
modifying structures of inland water courses (J02.05.02)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A

11/04/2014 09:44:42 Page 2 of 10

canalisation (J02.03.02)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	high importance (H)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
bridge, viaduct (D01.05)	medium importance (M)	N/A
invasive non-native species (I01)	medium importance (M)	N/A

2.5.1 Method used – pressures mainly based on expert judgement and other data (2)

2.6 Main Threats		
Threat	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
modifying structures of inland water courses (J02.05.02)	medium importance (M)	N/A
Erosion (K01.01)	medium importance (M)	N/A
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
canalisation (J02.03.02)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	high importance (H)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
bridge, viaduct (D01.05)	medium importance (M)	N/A
invasive non-native species (I01)	medium importance (M)	N/A

2.6.1 Method used – threats	expert opinion (1	L)
-----------------------------	-------------------	----

2.7 Complementary Information

2.7.1 Species

Paspalum paspaloides (= P.distichum)

Paspalum vaginatum

Polypogon viridis (= Agrostis semiverticillata)

Lotus tenuis

Lythrum junceum

Saponaria officinalis

Salix sp.

Populus alba

Populus nigra

Equisetum telmateja

Agrostis stolonifera

Cyperus fuscus

11/04/2014 09:44:42 Page 3 of 10

2.7.2 Species method used

Selected by ISPRA's expert from bibliographical and field research

2.7.3 Justification of % thresholds for trends

2.7.4 Structure and functions methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling (1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable (FV)

qualifiers N/A

Favourable (FV)

2.8.5 Overall assessment of **Conservation Status**

2.8.5 Overall trend in **Conservation Status**

2.8.3 Specific structures

2.8.4 Future prospects

and functions (incl Species)

2.8.2 Area

N/A

3. Natura 2000 coverage conservation measures -Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 66,0453 66,0453 max

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Other wetland-related measures (4.0)	One-off	medium importance (M)	Both	Enhance Long term
Other spatial measures (6.0)	Administrative	medium importance (M)	Both	Maintain Enhance Long term
Establish protected areas/sites (6.1)	Administrative	high importance (H)	Inside	Maintain Enhance Long term
Legal protection of habitats and species (6.3)	Administrative	high importance (H)	Both	Maintain Enhance Long term

2.1 Biogeographical Region

2.2 Published

Continental (CON)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI). "Bianco P.M., Laureti L., Papallo O., Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala

11/04/2014 09:44:42 Page 4 of 10

1:50.000. ISPRABiondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., @asella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio PRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet Pesaresi S, Biondi E, Casavecchia S, Catorci A, Foglia M., 2007. Il Geodatabase del Sistema Informativo Vegetazionale delle Marche. Fitosociol 44 (2) suppl. 1: 95-101 http://www.ortobotanico.univpm.it/cartography

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 12300

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012

2.3.4 Short-term trend direction unknown (x)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period2.3.7 Long-term trend directionN/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 8,34

2.4.2 Year or period 2005-2012
2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.3 Wethod used

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction unknown (x)

2.4.6 Short-term trend magnitude min max

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km

area (km)

operator more than (>)

unknown No

method

2.4.13 Reason for change Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

11/04/2014 09:44:42 Page 5 of 10

Habitat types (Allilex D)		
Pressure	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	low importance (L)	N/A
dispersed habitation (E01.03)	low importance (L)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A
Discharges (E03)	low importance (L)	N/A
Sand and gravel extraction (C01.01)	low importance (L)	N/A
reclamation of land from sea, estuary or marsh (J02.01.02)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
2.5.1 Method used – pressures mainly based on ex	pert judgement and other data	(2)
2.6 Main Threats		
Threat	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
roads, motorways (D01.02)	low importance (L)	N/A
dispersed habitation (E01.03)	low importance (L)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A
Discharges (E03)	low importance (L)	N/A
Sand and gravel extraction (C01.01)	low importance (L)	N/A
reclamation of land from sea, estuary or marsh (J02.01.02)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
2.6.1 Method used – threats expert opinion (1) 2.7 Complementary Information 2.7.1 Species		
Paspalum paspaloides (= P.distichum)		
Polypogon viridis (= Agrostis semiverticillata)		
Lotus tenuis		
Saponaria officinalis		
Elymus repens		
Ranunculus repens		
Rumex sp. pl.		
Cynodon dactylon		
Cyperus fuscus		
Salix sp. pl.		
Populus alba		
Populus nigra		

11/04/2014 09:44:42 Page 6 of 10

2.7.2 Species method used

List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)

2.7.3 Justification of % thresholds for trends

2.7.4 Structure and functions methods used

2.7.5 Other relevant information

Estimate based on expert opinion with no or minimal sampling (1)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range assessment Unknown (XX)

assessment Unknown (XX) 2.8.2 Area

qualifiers N/A

assessment Unknown (XX)

qualifiers N/A

qualifiers N/A

assessment Unknown (XX)

qualifiers N/A

Unknown (XX)

N/A

2.8.5 Overall assessment of

Conservation Status

2.8.3 Specific structures

2.8.4 Future prospects

and functions (incl Species)

2.8.5 Overall trend in

Conservation Status

3. Natura 2000 coverage conservation measures -Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) 6,406 6,406

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Other wetland-related measures (4.0)	Recurrent	medium importance (M)	Inside	Maintain
Other spatial measures (6.0)	Administrative	medium importance (M)	Both	Maintain Enhance Long term
Establish protected areas/sites (6.1)	Administrative	high importance (H)	Inside	Maintain Enhance Long term
Legal protection of habitats and species (6.3)	Administrative	high importance (H)	Both	Maintain Enhance Long term

2.1 Biogeographical Region

2.2 Published

Alpine (ALP)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI).

11/04/2014 09:44:42 Page 7 of 10

"Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare.

http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio PRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. PRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²) 5200

2.3.2 Range method used Estimate based on expert opinion with no or minimal sampling (1)

2.3.3 Short-term trend period 2001-2012 2.3.4 Short-term trend direction unknown (x)

2.3.5 Short-term trend magnitude min max

2.3.6 Long-term trend period

2.3.7 Long-term trend direction N/A

2.3.8 Long-term trend magnitude min max

2.3.9 Favourable reference range

operator N/A unkown Yes

method

area (km²)

2.3.10 Reason for change Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km²) 16,53 2.4.2 Year or period 2005-2012

2.4.3 Method used Estimate based on expert opinion with no or minimal sampling (1)

2.4.4 Short-term trend period 2001-2012 2.4.5 Short-term trend direction unknown (x)

2.4.6 Short-term trend magnitude min max

2.4.8 Long-term trend period

2.4.9 Long-term trend direction N/A

2.4.10 Long-term trend magnitude min max

2.4.11 Long term trend method used N/A

2.4.12 Favourable reference area area (km)

operator N/A unknown Yes

method

2.4.13 Reason for change Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

11/04/2014 09:44:42 Page 8 of 10

Pressure		ranking	pollution qualifier(s)
roads, motorways (D01.02)		low importance (L)	N/A
artificial planting on open ground (non-native trees) (B01.02)		low importance (L)	N/A
Outdoor sports and leisure activities, r (G01)	recreational activities	low importance (L)	N/A
2.5.1 Method used – pressures	mainly based on exp	ert judgement and other d	ata (2)
2.6 Main Threats			
Threat		ranking	pollution qualifier(s)
roads, motorways (D01.02)		low importance (L)	N/A
artificial planting on open ground (nor	n-native trees) (B01.02)	low importance (L)	N/A
Outdoor sports and leisure activities, r (G01)	recreational activities	low importance (L)	N/A
2.6.1 Method used – threats	expert opinion (1)		
2.7 Complementary Information			
2.7.1 Species			
Paspalum paspaloides (= P.distichum)			
Polypogon viridis (= Agrostis semiverti	icillata)		
Lotus tenuis			
Saponaria officinalis			
Elymus repens			
Ranunculus repens			
Rumex sp. pl.			
Cynodon dactylon			
Cyperus fuscus			
Salix sp. pl.			
Populus alba			
Populus nigra			
2.7.2 Species method used		nterpretazione degli Habita	erimento" of habitat's form in: at (Biondi et al., 2009;
2.7.3 Justification of % -thresholds for trends2.7.4 Structure and functions -methods used	Estimate based on ex	opert opinion with no or m	inimal sampling (1)
2.7.5 Other relevant information			

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Unknown (XX)
qualifiers N/A

2.8.2 Area

assessment Unknown (XX)
qualifiers N/A

11/04/2014 09:44:42 Page 9 of 10

2.8.3 Specific structures and functions (incl Species)

2.8.4 Future prospects

2.8.5 Overall assessment of Conservation Status

2.8.5 Overall trend in Conservation Status

assessment Unknown (XX)

qualifiers N/A

assessment Unknown (XX)

qualifiers N/A

Unknown (XX)

N/A

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²) min 16,4982 max 16,4982

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area N/A

3.2 Conversation Measures

3.2.1 Measure 3.2.2 Type 3.2.3 Ranking 3.2.4 Location 3.2.5 Broad Evaluation

No measure known/ () impossible to carry out specific measures (1.3)

11/04/2014 09:44:42 Page 10 of 10