Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 3250

NAME: Constantly flowing Mediterranean rivers with Glaucium flavum

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on expert opinion with no or minimal sampling (1)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

Mediterranean (MED)

2.2 Published

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI).

Biondi E., Ballelli S., Allegrezza M., Taffetani F. & Francalancia C., 1994. La vegetazione delle "fiumare" del versante ionico lucano-calabro. Fitosociologia 27:51-66.

Biondi E., Vagge I., Fogu M.C., Mossa L., 1995. La vegetazione del letto ciottoloso dei fiumi della Sardegna meridionale (Italia). Coll. Phytosoc. XXIV: 813-826.

BRULLO S. & SPAMPINATO G. 1990. La vegetazione dei corsi d'acqua della Sicilia. Boll. Acc. Gioenia Sci. Nat.23 (336): 119-252

Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia

Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/

Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Camarda I., Carta L., Brunu A., Brundu G. , Laureti L. , Angelini P., Bagnaia R., 2011. Carta degli habitat della Regione Sardegna per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche Ecologiche e Geologiche dell'Università degli Studi di Sassari - ISPRA - Regione Sardegna

ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.

Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA MARIOTTI M.G., s.d (2008). Natura 2000 in Liguria. Atlante degli habitat - 592 pp.+ 1DVD, Regione Liguria, A.R.P.A.L.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	80100	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	197,55		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A

Fertilisation (A08)	medium importance (M)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	high importance (H)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Fertilisation (A08)	medium importance (M)	N/A
Sand and gravel extraction (C01.01)	medium importance (M)	N/A
Modification of hydrographic functioning, general (J02.05)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	high importance (H)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
Discharges (E03)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Glaucium flavum
Myricaria germanica
Erucastrum nasturtiifolium
Oenothera biennis
Scrophularia canina ssp. Canina
Scrophularia canina ssp. Bicolor
Chenopodium botrys
Helichrysum italicum
Santolina insularis
Santolina etrusca
Satureja montana
Lotus commutatus
Euphorbia rigida
Artemisia variabilis
Artemisia campestris
Artemisia alba
Epilobium dodonei

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Dittrichia viscosa

2.7.2 Species method used	List from field "combinazione fisionomica di riferimento" of habitat's form in: Manuale Italiano di Interpretazione degli Habitat (Biondi et al., 2009; http://vnr.unipg.it/habitat/)
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	declining(-)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	93,074	max	93,074
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). Pirone G., Ciaschetti G. & Frattaroli A.R., 2009. The vegetation of the river bed and the first alluvial terraces of the River Trigno (Abruzzo-Molise). Fitosociologia

46(2): 49-66.
Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/
Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.
ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.
ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	9200	
2.3.2 Range method used	Estimate based on expert opinion with no or minimal sampling (1)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	3,68		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	more than (>)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Other forms of pollution (H07)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	low importance (L)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	medium importance (M)	N/A
Other forms of pollution (H07)	medium importance (M)	N/A
use of biocides, hormones and chemicals (A07)	medium importance (M)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
Pollution to surface waters (limnic & terrestrial, marine & brackish) (H01)	low importance (L)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Glaucium flavum
Myricaria germanica
Oenothera biennis
Scrophularia canina
Chenopodium botrys
Melilotus albus
Helichrysum italicum
Lotus commutatus
Satureja montana
Scrophularia canina ssp. Bicolor
Artemisia campestris
Artemisia alba
Epilobium dodonei
Dittrichia viscosa
Seseli tortuosum
Galium corrudifolium
Dorycnium hirsutum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Asperula purpurea

Astragalus onobrychis

Botriochloa ischaemon

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Unknown(XX)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	0,109	max	0,109
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures