Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 91M0	
NAME: Pannonian-Balkanic turkey oak –sessile oak forests	

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1).

"Košir P., Casavecchia S., Čarni A., Škvorc Ž., Zivkovic L. & Biondi E., 2012 - Ecological and phytogeographical differentiation of oak-hornbeam forests in southeastern Europe. Plant Biosystems doi: 10.1080/11263504.2012.717550. Angelini P., Augello R., Bianco P.M., Gennaio R., La Ghezza V., Lavarra P., Marrese M., Papallo O., Perrino V. M., Sani R., M. Stelluti. 2012. Carta degli habitat della Regione Puglia per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Arpa Puglia Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio⊡ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet ISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. Papini F., Gianguzzi L., Brullo S., Bianco P. M., Angelini P., 2006. Carta degli habitat della Regione Sicilia per il sistema informativo di Carta della Natura alla scala 1:50.000. Dipartimento di Scienze Botaniche dell'Università degli Studi di Palermo - Dipartimento di Botanica dell'Università degli Studi di Catania -Regione Sicilia – ISPRA "

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	64000	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	5304,56		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
removal of forest undergrowth (B02.03)	medium importance (M)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A

forestry clearance (B02.02)	low importance (L)	N/A
grazing (A04)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
roads, motorways (D01.02)	medium importance (M)	N/A
removal of forest undergrowth (B02.03)	medium importance (M)	N/A
dispersed habitation (E01.03)	medium importance (M)	N/A
burning down (J01.01)	medium importance (M)	N/A
Urbanised areas, human habitation (E01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	medium importance (M)	N/A
forestry clearance (B02.02)	low importance (L)	N/A
grazing (A04)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Quercus cerris

Quercus frainetto

Quercus petraea

Carpinus orientalis

Buglossoides purpurocaerulea

Emerus major subsp. emeroides (=Coronilla emerus)

Echinops ritro subsp. Siculus

Festuca heterophylla

Mespilus germanica

Physospermum verticillatum

Potentilla micrantha

Pulicaria odora

Silene viridiflora

Lathyrus digitatus

Lathyrus niger

Ptilostemon strictus

Rubia peregrina

Teucrium siculum

Thalictrum aquilegifolium

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	unknown(x)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	593,9146	max	593,9146
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Košir P., Casavecchia S., Čarni A., Škvorc Ž., Zivkovic L. & Biondi E., 2012 - Ecological and phytogeographical differentiation of oak-hornbeam forests in southeastern Europe. Plant Biosystems doi: 10.1080/11263504.2012.717550. Bianco P.M., Laureti L., Papallo O. , Perfetti D. 2012 Carta degli habitat della Regione Umbria per il sistema informativo di Carta della Natura alla scala

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

1:50.000. ISPRA Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/ Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed.,   Casella L., Agrillo E., Bianco P.M., Cardillo A., Carbone M., Cattena C., Laureti L., Lugari A., Spada F., 2008. Carta degli habitat della Regione Lazio per il sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA - Università degli Studi di Roma "La Sapienza" - Regione Lazio⬜ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000. ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	8400	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	stable (0)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	792,19		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	stable (0)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	high importance (H)	N/A
Agriculture activities not referred to above (A11)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
discontinuous urbanisation (E01.02)	high importance (H)	N/A
Agriculture activities not referred to above (A11)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species

Quercus cerris

Quercus frainetto

Quercus petraea

Aremonia agrimonioides

Buglossoides purpurocaerulea

Carpinus orientalis

Daphne laureola

Digitalis micrantha

Erythronium dens canis

Hieracium racemosum

Lathyrus montanus

Listera ovata

Luzula forsteri

Melica uniflora

Potentilla micrantha

Physospermum cornubiense

Silene viridiflora

Teucrium scorodonia

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Favourable(FV)
	qualifiers	N/A
2.8.2 Area	assessment	Favourable(FV)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	unknown(x)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min 17,633 max 17,633
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	N/A

3.2 Conversation Measures