Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 9120

NAME: Atlantic acidophilous beech forests with Ilex and sometimes also Taxus in the shrublayer (Quercion robori-petraeae

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2005-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region	**Mediterranean (MED)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Giovanni Spampinato(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnetISPRA, 2005. Dati del sistema informativo di Carta della Natura alla scala 1:50.000."

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	2700	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	approximately equal to (≈)
	unkown	No
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	36,94		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	approximately equal to (≈)	
	unknown	No	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
burning down (J01.01)	high importance (H)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
burning down (J01.01)	high importance (H)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Castanea sativa
Quercus petraea
Quercus robur
Ruscus aculeatus
Blechnum spicant
Euphorbia hyberna ssp.insularis
Festuca altissima

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Hieracium sabaudum

Luzula forsteri

Luzula multiflora

Osmunda regalis

Polygonatum multiflorum

Vinca minor

Fagus sylvatica

Ilex aquifolium

Taxus baccata

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Unknown(XX)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	16,922	max	16,922
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.1 Biogeographical Region	**Continental (CON)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi and Liliana Zivkovic(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	2600	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	N/A
	unkown	Yes
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	68,13		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		
2.4.12 Favourable reference area	area (km)		
	operator	N/A	
	unknown	Yes	
	method		
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method		

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
electricity and phone lines (D02.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	high importance (H)	N/A
forest replanting (B02.01)	low importance (L)	N/A
Roads, paths and railroads (D01)	medium importance (M)	N/A

2.5.1 Method used – pressures: Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
electricity and phone lines (D02.01)	medium importance (M)	N/A
artificial planting on open ground (non-native trees) (B01.02)	high importance (H)	N/A
forest replanting (B02.01)	low importance (L)	N/A
Roads, paths and railroads (D01)	medium importance (M)	N/A

2.6.1 Method used – threats: Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Quercus petraea
Quercus robur
Blechnum spicant
Deschampsia flexuosa
Festuca altissima
Hieracium sabaudum
Lonicera periclymenum
Luzula luzuloides
Luzula sylvatica
Luzula pedemontana
Melampyrum pratense
Oxalis acetosella
Polygonatum multiflorum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Ruscus aculeatus

Vinca minor

Vaccinium myrtillus

Fagus sylvatica

Ilex aquifolium

Taxus baccata

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Unknown(XX)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Unknown(XX)	
2.8.5 Overall trend in Conservation Status	N/A	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	0,936	max	0,936
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.1 Biogeographical Region	**Alpine (ALP)**
2.2 Published	The present Habitat assessment (fields 0.1-3.1) has been compiled by Pierangela Angelini (ISPRA). Published and unpublished data, information and experts' judgments have been provided by Edoardo Biondi, Liliana Zivkovic and Cesare Lasen(SBI), Pietro Massimiliano Bianco and Pierangela Angelini (ISPRA, field 2.7.1). "Biondi E, Blasi C, Burrascano S, Casavecchia S, Copiz R, Del Vico E, Galdenzi D, Gigante D, Lasen C, Spampinato G, Venanzoni R, Zivkovic L (2009a) Italian interpretation Manual of the habitats (92/43/EEC Directive). Ministero dell'Ambiente e della Tutela del Territorio e del Mare. http://vnr.unipg.it/habitat/Blasi et al., 2010. La Vegetazione d'Italia con Carta delle Serie di Vegetazione in scala 1:500000. Palombi ed., ISPRA, 2011. Dati del sistema informativo di Carta della Natura alla scala 1:50.000.ISPRA, Corine land cover 2006 IV livello. Dati della Rete del sistema Informativo Nazionale Ambientale - SINAnet"

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)	700	
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)	
2.3.3 Short-term trend period	2001-2012	
2.3.4 Short-term trend direction	unknown (x)	
2.3.5 Short-term trend magnitude	min	max
2.3.6 Long-term trend period		
2.3.7 Long-term trend direction	N/A	
2.3.8 Long-term trend magnitude	min	max
2.3.9 Favourable reference range	area (km²)	
	operator	N/A
	unkown	Yes
	method	
2.3.10 Reason for change	genuine change	No
	improved knowledge	Yes
	different method	Yes

2.4 Area covered by Habitat

2.4.1 Surface area (km²)	10,12		
2.4.2 Year or period	2005-2012		
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)		
2.4.4 Short-term trend period	2001-2012		
2.4.5 Short-term trend direction	unknown (x)		
2.4.6 Short-term trend magnitude	min	max	confidence interval
2.4.7 Short term trend method used	Estimate based on expert opinion with no or minimal sampling (1)		
2.4.8 Long-term trend period			
2.4.9 Long-term trend direction	N/A		
2.4.10 Long-term trend magnitude	min	max	confidence interval
2.4.11 Long term trend method used	N/A		

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.4.12 Favourable reference area	area (km)	
	operator	N/A
	unknown	Yes
	method	
2.4.13 Reason for change	Improved knowledge/more accurate dataUse of different method	

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Forest and Plantation management & use (B02)	medium importance (M)	N/A

2.5.1 Method used – pressures	Estimate based on partial data with some extrapolation and/or modelling(2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Forest and Plantation management & use (B02)	medium importance (M)	N/A

2.6.1 Method used – threats	Estimate based on expert opinion with no or minimal sampling(1)

2.7 Complementary Information

2.7.1 Species
Agrostis tenuits (=Agrostis capillaris)
Quercus petraea
Quercus robur
Blechnum spicant
Carex pilulifera
Deschampsia flexuosa
Lonicera periclymenum
Luzula luzuloides
Luzula nivea
Melampyrum pratense
Oxalis acetosella
Vaccinium myrtillus
Fagus sylvatica
Ilex aquifolium
Taxus baccata

2.7.2 Species method used	Selected by ISPRA's expert from bibliographical and field research
2.7.3 Justification of % - thresholds for trends	
2.7.4 Structure and functions - methods used	Estimate based on expert opinion with no or minimal sampling(1)
2.7.5 Other relevant information	

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment	Unknown(XX)
	qualifiers	N/A
2.8.2 Area	assessment	Unknown(XX)
	qualifiers	N/A
2.8.3 Specific structures and functions (incl Species)	assessment	Unknown(XX)
	qualifiers	N/A
2.8.4 Future prospects	assessment	Inadequate(U1)
	qualifiers	N/A
2.8.5 Overall assessment of Conservation Status	Inadequate(U1)	
2.8.5 Overall trend in Conservation Status	unknown(x)	

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)	min	0,0034	max	0,0034
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)			
3.1.3. Trend of surface area	N/A			

3.2 Conversation Measures