


Nama: Ivan Andri Wahyudi

Kelas: 2B


Npm: 203510197



The screenshot shows an IDE window titled "tugass5 - Main.java". The code is as follows:

```
1 package OOP;
2
3 import java.util.Scanner;
4
5 public class Main {
6
7     public static void main(String[] args) {
8         Scanner input = new Scanner (System.in);
9
10        int bil, angka;
11        long hasil = 1;
12
13        System.out.print("Masukan Angka = ");
14        angka = input.nextInt();
15
16        for (bil = angka ; bil >= 1 ; bil --){
17            hasil = hasil * bil;
18        }
19
20        System.out.println("Hasil " + angka + "! = " + hasil );
21    }
22 }
23
```

The IDE interface includes a menu bar (File, Edit, View, Navigate, Code, Analyze, Refactor, Build, Run, Tools, VCS, Window, Help), a toolbar with icons for file operations and running, and a sidebar with "Project", "Learn", "Structure", and "Favorites" views. The bottom status bar shows "All files are up-to-date (moments ago)".



```
Run: Main x
"C:\Program Files\Java\jdk-11.0.10\bin\java.exe" "-javaagent:C:\Program Files\Java\jdk-11.0.10\bin\javaagent.jar"
Masukan Angka = 15
Hasil 15! = 1307674368000

Process finished with exit code 0
```

Event Log

6:1 CRLF UTF-8 4 spaces

22:30

