

Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC]

PLC_1

Project information

Name	PLC_1	Author	Korisnik	Comment	
Slot	1	Rack	0		

Catalog information

Short designation	CPU 1214C DC/DC/DC	Description	Work memory 100 KB; 24VDC power supply with DI14 x 24VDC SINK/ SOURCE, DQ10 x 24VDC and AI2 on board; 6 high-speed counters and 4 pulse outputs on board; signal board expands on-board I/O; up to 3 communication modules for serial communication; up to 8 signal modules for I/O expansion; 0.04 ms/1000 instructions; PROFINET interface for programming, HMI and PLC to PLC communication	Article number	6ES7 214-1AG40-0XB0
-------------------	--------------------	-------------	--	----------------	---------------------

Firmware version

V4.2

Connection resources\

	Station resources - Reserved - Maximum	Station resources - Reserved - Configured	Station resources - Dynamic - Configured	Module resources - PLC_1 [CPU 1214C DC/DC/DC] - Configured
Maximum number of resources:	62	6	68	
	Maximum	Configured	Configured	Configured
PG communication:	4	-	-	-
HMI communication:	12	0	0	0
S7 communication:	8	0	0	0
Open user communication:	8	0	0	0
Web communication:	30	-	-	-
Other communication:	-	-	0	0
Total resources used:	0	0	0	0
Available resources:	62	6	68	

Overview of addresses\Overview of addresses\Overview of addresses

Inputs	True	Outputs	True	Address gaps	False					
Slot	True									
Type	Addr. from	Addr. to	Module	PIP	Device name	Device number	Size	Master / IO system	Rack	Slot
I	0	1	DI 14/DQ 10_1	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 1
O	0	1	DI 14/DQ 10_1	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 1
I	64	67	AI 2_1	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 2
I	1000	1003	HSC_1	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 16
I	1004	1007	HSC_2	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 17
I	1008	1011	HSC_3	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 18
I	1012	1015	HSC_4	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 19
I	1016	1019	HSC_5	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 20
I	1020	1023	HSC_6	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	4 Bytes	-	0	1 21
O	1000	1001	Pulse_1	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 32
O	1002	1003	Pulse_2	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 33
O	1004	1005	Pulse_3	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 34
O	1006	1007	Pulse_4	Automatic update	PLC_1 [CPU 1214C DC/DC/DC]	-	2 Bytes	-	0	1 35

Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

Main [OB1]

Main Properties

General

Name	Main	Number	1	Type	OB	Language	LAD
Numbering	Automatic						

Information

Title	"Main Program Sweep (Cycle)"	Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value
▼ Input		
Initial_Call	Bool	
Remanence	Bool	
Temp		
Constant		

Network 1:

%FC10

"FC_Auto_Ciklus"

EN

ENO

Network 2:

%FC20

"FC_Ventilator_1"

EN

ENO

Network 3:

%FC30

"FC_Ventilator_2"

EN


ENO

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks


FC_Auto_Ciklus [FC10]

FC_Auto_Ciklus Properties							
General							
Name	FC_Auto_Ciklus	Number	10	Type	FC	Language	LAD
Numbering	Manual						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					
Name				Data type		Default value	
Input							
Output							
InOut							
Temp							
Constant							
▼ Return							
FC_Auto_Ciklus				Void			


Network 1:




Network 2:




Network 3:




Network 4:




Network 5:



Network 6:



Network 7:




PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

FC_Ventilator_1 [FC20]

FC_Ventilator_1 Properties							
General							
Name	FC_Ventilator_1	Number	20	Type	FC	Language	LAD
Numbering	Manual						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					
Name				Data type		Default value	
Input							
Output							
InOut							
Temp							
Constant							
▼ Return							
FC_Ventilator_1				Void			

Network 1:



Network 2:




PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

FC_Ventilator_2 [FC30]

FC_Ventilator_2 Properties							
General							
Name	FC_Ventilator_2	Number	30	Type	FC	Language	LAD
Numbering	Manual						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value
Input		
Output		
InOut		
Temp		
Constant		
▼ Return		
FC_Ventilator_2	Void	

Network 1:



Network 2:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_Auto_Ciklus [DB10]

DB_Auto_Ciklus Properties

General

Name	DB_Auto_Ciklus	Number	10	Type	DB	Language	DB
Numbering	Manual						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain
▼ Static			
TRIG_Start_Auto_Ciklus	Bool	false	False
Auto_Ciklus_Toggle	Bool	false	False
Auto_Ciklus_ON_aux	Bool	false	False
Trenutna_TEMP	Int	0	False
Auto_Ciklus_V_1_ON	Bool	false	False
Auto_Ciklus_V_1_OFF	Bool	false	False
Auto_Ciklus_V_2_ON	Bool	false	False
Auto_Ciklus_V_2_OFF	Bool	false	False
Auto_Ciklus_V_1_ON_aux	Bool	false	False
Auto_Ciklus_V_1_OFF_aux	Bool	false	False
Auto_Ciklus_V_2_ON_aux	Bool	false	False
Auto_Ciklus_V_2_OFF_aux	Bool	false	False
TRIG_OB_20	Bool	false	False
TRIF_OB_21	Bool	false	False
TRIG_OB_20_V_2_ON	Bool	false	False
TRIG_OB_20_V_OFF	Bool	false	False
Ret_Val	Int	0	False
Vrijeme_Zadnjeg_Restarta_Potrosnje	DTL	DTL#1970-01-01-00:00:00	False

Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_Ventilator_2 [DB30]

DB_Ventilator_2 Properties

General

Name	DB_Ventilator_2	Number	30	Type	DB	Language	DB
Numbering	Manual						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain
▼ Static			
V_2_ON_aux	Bool	false	False

Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_Ventilator_1 [DB20]

DB_Ventilator_1 Properties

General

Name	DB_Ventilator_1	Number	20	Type	DB	Language	DB
Numbering	Manual						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					


Name	Data type	Start value	Retain
▼ Static			
V_1_ON_aux	Bool	false	False

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

OB_20 [OB20]

OB_20 Properties							
General							
Name	OB_20	Number	20	Type	OB	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					
Name				Data type		Default value	
▼ Input							
Sign				Word			
Temp							
Constant							

Network 1:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_OB_20 [DB1]

DB_OB_20 Properties

General

Name	DB_OB_20	Number	1	Type	DB	Language	DB
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain
▼ Static			
OB_20_Ret_Val	Int	0	False
OB_20_SIGN	Int	0	False

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

OB_21 [OB21]

OB_21 Properties							
General							
Name	OB_21	Number	21	Type	OB	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value
▼ Input		
Sign	Word	
Temp		
Constant		

Network 1:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_OB_21 [DB2]

DB_OB_21 Properties

General

Name	DB_OB_21	Number	2	Type	DB	Language	DB
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					


Name	Data type	Start value	Retain
▼ Static			
OB_21_Ret_Val	Int	0	False
OB_21_SIGN	Int	0	False
OB_21_V_2_ON	Bool	false	False

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks


OB_30 [OB30]

OB_30 Properties							
General							
Name	OB_30	Number	30	Type	OB	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					
Name				Data type		Default value	
▼ Input							
Initial_Call				Bool			
Event_Count				Int			
Temp							
Constant							


Network 1:



Network 2:



Network 3:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DBOB_30 [DB3]

DBOB_30 Properties

General

Name	DBOB_30	Number	3	Type	DB	Language	DB
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain
▼ Static			
Potrosnja__V1_W	Int	0	False
Vrijeme_Sekunde_V_1	Int	0	False
Potrosnja_V_1_kWh	Int	0	False
Potrosnja__V2_W	Int	0	False
Potrosnja_V_2_kWh	Int	0	False
Vrijeme_Sekunde_V_2	Int	0	False
Ukupna_Potrosnja	Int	0	False


PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

Hardware interrupt [OB40]

Hardware interrupt Properties							
General							
Name	Hardware interrupt	Number	40	Type	OB	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value
▼ Input		
LADDR	HW_IO	
USI	Word	
IChannel	USInt	
EventType	Byte	
Temp		
Constant		

Network 1:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_OB_40 [DB4]

DB_OB_40 Properties

General

Name	DB_OB_40	Number	4	Type	DB	Language	DB
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain
▼ Static			
Broj_Ukljucenja_V_1	Int	0	False


PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

Hardware interrupt_1 [OB41]

Hardware interrupt_1 Properties							
General							
Name	Hardware interrupt_1	Number	41	Type	OB	Language	LAD
Numbering	Manual						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value
▼ Input		
LADDR	HW_IO	
USI	Word	
IChannel	USInt	
EventType	Byte	
Temp		
Constant		

Network 1:



Totally Integrated Automation Portal

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks

DB_OB_41 [DB5]

DB_OB_41 Properties

General

Name	DB_OB_41	Number	5	Type	DB	Language	DB
Numbering	Manual						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					


Name	Data type	Start value	Retain
▼ Static			
Broj_Ukljucenja_V_2	Int	0	False

PLC_1 [CPU 1214C DC/DC/DC] / Program blocks


sys_FC_TEMP [FC1]

sys_FC_TEMP Properties							
General							
Name	sys_FC_TEMP	Number	1	Type	FC	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					
Name				Data type		Default value	
▼ Input							
IN_TEMP				Int			
IN_MAX				Int			
IN_MIN				Int			
IN_Reset_Err				Bool			
▼ Output							
OUT_TEMP				Int			
OUT_Err_LMP				Bool			
InOut							
▼ Temp							
IO_TEMP				Real			
Constant							
▼ Return							
sys_FC_TEMP				Void			

Network 1:



Network 2:



Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] / Program blocks / System blocks Program resources This folder is empty.		

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] Technology objects This folder is empty.		

Totally Integrated Automation Portal																																																																																													
PLC_1 [CPU 1214C DC/DC/DC] / PLC tags / Default tag table [52] PLC tags PLC tags <table><tr><th></th><th>Name</th><th>Data type</th><th>Address</th><th>Retain</th></tr><tr><td></td><td>Start_Auto_Ciklus</td><td>Bool</td><td>%M0.4</td><td>False</td></tr><tr><td></td><td>Auto_Ciklus_ON_LMP</td><td>Bool</td><td>%M100.4</td><td>False</td></tr><tr><td></td><td>V_1_ON</td><td>Bool</td><td>%M0.0</td><td>False</td></tr><tr><td></td><td>V_1_OFF</td><td>Bool</td><td>%M0.1</td><td>False</td></tr><tr><td></td><td>V_1_LMP</td><td>Bool</td><td>%M100.0</td><td>False</td></tr><tr><td></td><td>V_2_ON</td><td>Bool</td><td>%M0.2</td><td>False</td></tr><tr><td></td><td>V_2_OFF</td><td>Bool</td><td>%M0.3</td><td>False</td></tr><tr><td></td><td>V_2_LMP</td><td>Bool</td><td>%M100.1</td><td>False</td></tr><tr><td></td><td>Trenutna_TEMP_Postavka</td><td>Word</td><td>%MW200</td><td>False</td></tr><tr><td></td><td>Reset_Potrosnje</td><td>Bool</td><td>%M0.5</td><td>False</td></tr><tr><td></td><td>Tag_1</td><td>Bool</td><td>%I0.0</td><td>False</td></tr><tr><td></td><td>Tag_2</td><td>Bool</td><td>%Q0.0</td><td>False</td></tr><tr><td></td><td>Auto_Ciklus_TAG</td><td>Bool</td><td>%M50.0</td><td>False</td></tr><tr><td></td><td>SIM_TEMP</td><td>Int</td><td>%MW600</td><td>False</td></tr><tr><td></td><td>Tag_3</td><td>Bool</td><td>%M55.2</td><td>False</td></tr><tr><td></td><td>Tag_4</td><td>Int</td><td>%MW650</td><td>False</td></tr><tr><td></td><td>Tag_5</td><td>Bool</td><td>%M55.3</td><td>False</td></tr></table>				Name	Data type	Address	Retain		Start_Auto_Ciklus	Bool	%M0.4	False		Auto_Ciklus_ON_LMP	Bool	%M100.4	False		V_1_ON	Bool	%M0.0	False		V_1_OFF	Bool	%M0.1	False		V_1_LMP	Bool	%M100.0	False		V_2_ON	Bool	%M0.2	False		V_2_OFF	Bool	%M0.3	False		V_2_LMP	Bool	%M100.1	False		Trenutna_TEMP_Postavka	Word	%MW200	False		Reset_Potrosnje	Bool	%M0.5	False		Tag_1	Bool	%I0.0	False		Tag_2	Bool	%Q0.0	False		Auto_Ciklus_TAG	Bool	%M50.0	False		SIM_TEMP	Int	%MW600	False		Tag_3	Bool	%M55.2	False		Tag_4	Int	%MW650	False		Tag_5	Bool	%M55.3	False	
	Name	Data type	Address	Retain																																																																																									
	Start_Auto_Ciklus	Bool	%M0.4	False																																																																																									
	Auto_Ciklus_ON_LMP	Bool	%M100.4	False																																																																																									
	V_1_ON	Bool	%M0.0	False																																																																																									
	V_1_OFF	Bool	%M0.1	False																																																																																									
	V_1_LMP	Bool	%M100.0	False																																																																																									
	V_2_ON	Bool	%M0.2	False																																																																																									
	V_2_OFF	Bool	%M0.3	False																																																																																									
	V_2_LMP	Bool	%M100.1	False																																																																																									
	Trenutna_TEMP_Postavka	Word	%MW200	False																																																																																									
	Reset_Potrosnje	Bool	%M0.5	False																																																																																									
	Tag_1	Bool	%I0.0	False																																																																																									
	Tag_2	Bool	%Q0.0	False																																																																																									
	Auto_Ciklus_TAG	Bool	%M50.0	False																																																																																									
	SIM_TEMP	Int	%MW600	False																																																																																									
	Tag_3	Bool	%M55.2	False																																																																																									
	Tag_4	Int	%MW650	False																																																																																									
	Tag_5	Bool	%M55.3	False																																																																																									

Totally Integrated Automation Portal											
PLC_1 [CPU 1214C DC/DC/DC] / PLC tags / Default tag table [52] User constants <table><tr><th colspan="3">User constants</th></tr><tr><th>Name</th><th>Data type</th><th>Value</th></tr><tr><td colspan="3"></td></tr></table>			User constants			Name	Data type	Value			
User constants											
Name	Data type	Value									

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] / PLC data types System data types This folder is empty.		

PLC_1 [CPU 1214C DC/DC/DC] / Watch and force tables

Force table

Name	Address	Display format	Force value
------	---------	----------------	-------------

Totally Integrated Automation Portal			
PLC_1 [CPU 1214C DC/DC/DC] Traces <table><tr><th>Name</th></tr></table>			Name
Name			

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] / Traces Measurements This folder is empty.		

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] / Traces Combined measurements Name		

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] PLC alarm text lists This folder is empty.		

Totally Integrated Automation Portal		
PLC_1 [CPU 1214C DC/DC/DC] Local modules This folder is empty.		