

```
drwxr-x--- 11 serv serv 4096 Apr 30 08:00 ./
drwxrwxr-x  2 serv serv 4096 Apr 30 08:00 toys_for_preschoolers/
drwxrwxr-x  2 serv serv 4096 Apr 30 08:00 toys_for_schoolchildren/
```

```
serv@serverw:~/toys_for_schoolchildren$ ll
total 8
drwxrwxr-x  2 serv serv 4096 Apr 30 08:13 ./
drwxr-x--- 11 serv serv 4096 Apr 30 08:00 ../
-rw-rw-r--  1 serv serv    0 Apr 30 08:13 board_games.txt
-rw-rw-r--  1 serv serv    0 Apr 30 08:13 constructor.txt
-rw-rw-r--  1 serv serv    0 Apr 30 08:13 robots.txt
```

```
serv@serverw:~/toys_for_preschoolers$ ll
total 8
drwxrwxr-x  2 serv serv 4096 Apr 30 08:17 ./
drwxr-x--- 11 serv serv 4096 Apr 30 08:00 ../
-rw-rw-r--  1 serv serv    0 Apr 30 08:17 cars.txt
-rw-rw-r--  1 serv serv    0 Apr 30 08:17 dolls.txt
-rw-rw-r--  1 serv serv    0 Apr 30 08:17 stuffed_toys.txt
```

```
serv@serverw:~$ ll toy_name/
total 8
drwxrwxr-x  2 serv serv 4096 Apr 30 08:25 ./
drwxr-x--- 12 serv serv 4096 Apr 30 08:23 ../
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 board_games.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 cars.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 constructor.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 dolls.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 robots.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 stuffed_toys.txt
```

```
serv@serverw:~$ ll toys
total 8
drwxrwxr-x  2 serv serv 4096 Apr 30 08:25 ./
drwxr-x--- 12 serv serv 4096 Apr 30 08:28 ../
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 board_games.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 cars.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 constructor.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 dolls.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:25 robots.txt
-rw-rw-r--  1 serv serv   0 Apr 30 08:24 stuffed_toys.txt
```

```
serv@serverw:~$ sudo snap install postgresql10
[sudo] password for serv:
postgresql10 10.4 from Command Prompt, Inc. (cmd🐞) installed
```

```
serv@serverw:~$ sudo snap remove postgresql10
postgresql10 removed
serv@serverw:~$
```

```
serv@serverw:~$ crontab -l
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
MAILTO=""
*/3 * * * * cp -r /home/serv/toys_for_schoolchildren/* /home/serv/toys/ | cp -r /home/serv/toys_for_preschoolers/* /home/serv/toys/
# For more information see the manual pages of crontab(5) and cron(8)
```

Активаци