

# H1 Header

---

- [H2 Header](#)
  - [H3 Header](#)
    - [H4 Header](#)
- [Text Styling](#)
- [Lists](#)
  - [Unordered](#)
  - [Ordered](#)
- [Task List](#)
- [Links](#)
- [Images](#)
- [Code](#)
  - [Inline code](#)
  - [Code block](#)
- [Tables](#)
- [Horizontal Rule](#)
- [Emoji](#)
- [Footnotes](#)
  - [Single Line Footnote](#)
  - [Multiple Lines Footnote](#)
- [Subscript and Superscript](#)
- [HTML Content](#)
- [Containers](#)
  - [Tip container](#)

- Info container
- Warning container
- Spoiler container
- Pagebreak
- Mermaid Diagram
- Pagebreak again
- PlantUML Diagram
- Solving a System of Linear Equations
  - Step 1: Multiply the second equation by 3
  - Step 2: Add the two equations
  - Step 3: Solve for  $x$
  - Step 4: Substitute  $x$  back into the first equation
  - ☒ Final Answer

## H2 Header

---

### H3 Header

#### H4 Header

##### H5 Header

###### *H6 Header*

---

## Text Styling

---

This is **bold** text.

This is *italic* text.

This is ***bold and italic*** text.

This is ~~striketrough~~ text.

This is `inline code` .

*This is a blockquote.*

Nested blockquote.

---

## Lists

### Unordered

- Item 1
- Item 2
  - Subitem 2.1
  - Subitem 2.2

### Ordered

1. First item
  2. Second item
    1. Subitem 2.1
    2. Subitem 2.2
-

# Task List

---

- ☐ Unchecked task
  - ☒ Checked task
- 

# Links

---

Inline link: [OpenAI](#)  
Reference-style link: [Google](#)  
Autolink: <https://example.com>

---

# Images

---



---

## Code

---

### Inline code

Inline code in a sentence.

### Code block

```
// JavaScript example
function greet(name) {
  console.log(`Hello, ${name}!`);
}
greet("World");
```

```
# Bash example
echo "Hello, terminal!"
```

# Tables

Syntax	Description
Header	Title
Cell	Data

# Horizontal Rule

# Emoji

Here is a smiley 😄  
Here is a rocket 🚀  
Here is an antenna: 📡

# Footnotes

---

## Single Line Footnote

Here is a footnote reference. <sup>[1]</sup>

## Multiple Lines Footnote

Here is a long footnote reference. <sup>[2]</sup>

---

## Subscript and Superscript

---

Subscript: H<sub>2</sub>O

Superscript: 29<sup>th</sup>

---

## HTML Content

---

**This is a styled div using raw HTML**

---

## Containers

---

### Tip container

*Don't forget*

## Info container

You are beautiful!

## Warning container

He's coming for you!

## Spoiler container

▼ HIDDEN SURPRISE (*shown*)

*Gotcha!*


---

## Pagebreak

---




# Mermaid Diagram



# Pagebreak again

# PlantUML Diagram



# Solving a System of Linear Equations

Here is an example of inline math:

The slope of the line is given by  $m = \frac{y_2 - y_1}{x_2 - x_1}$ .

Now let's write a system of equations using KaTeX display math:

$$\begin{aligned} 2x + 3y &= 6 \\ 4x - y &= 5 \end{aligned}$$

## Step 1: Multiply the second equation by 3

$$\begin{aligned}2x + 3y &= 6 \\12x - 3y &= 15\end{aligned}$$

## Step 2: Add the two equations

$$\begin{aligned}(2x + 3y) + (12x - 3y) &= 6 + 15 \\14x &= 21\end{aligned}$$

## Step 3: Solve for $x$

$$x = \frac{21}{14} = \frac{3}{2}$$

## Step 4: Substitute $x$ back into the first equation

$$\begin{aligned}2\left(\frac{3}{2}\right) + 3y &= 6 \\3 + 3y &= 6 \Rightarrow 3y = 3 \Rightarrow y = 1\end{aligned}$$

## Final Answer

$x = \frac{3}{2}, \quad y = 1$
--------------------------------

---

---

1. This is the footnote. [↩](#)

2. Here's one with multiple blocks. Subsequent paragraphs are indented to show that they belong to the previous footnote. Like So. ↩