File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git init
Reinitialized existing Git repository in C:/Users/isrub/OneDrive/Документы/Лаб 1/.git/
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

master ⊗0 ⚠0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1
- file1.txt
- file2.txt

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "File 1" > file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "File 2" > file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add file1.txt file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Добавлены file1.txt и file2.txt"
[master (root-commit) 3029664] Добавлены file1.txt и file2.txt
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file1.txt
 create mode 100644 file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

master ⊗0 ⚠0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1
- .gitignore
- file1.txt
- file2.txt

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "*.log" > .gitignore
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add .gitignore
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Добавлен .gitignore"
[master e07ec54] Добавлен .gitignore
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 .gitignore
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

master ⊗0 ⚠0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1

.gitignore
file1.txt
file2.txt

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "Новая строка в file1" >> file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Изменён file1.txt"
[master 0e569b5] Изменён file1.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

master ⊗0 ⚠0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1

.gitignore
file1.txt
file2.txt

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git checkout -b new-branch
Switched to a new branch 'new-branch'
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

new-branch ⊗ 0 ⚠ 0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1
- .gitignore
- file1.txt
- file2.txt

Show All Commands Ctrl + Shift + P

Go to File Ctrl + P

Open Chat Ctrl + Alt + I

Toggle Terminal Ctrl + `

Open Settings Ctrl + ,

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Изменение file2.txt в новой ветке"
On branch new-branch
nothing to commit, working tree clean
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE
TIMELINE

new-branch ⊗0 ⚠0 Go Live

File Edit Selection ··· Лаб 1

EXPLORER

ЛАБ 1

.gitignore

file1.txt

file2.txt

file2.txt

```
1  File 2
2
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git checkout master
Already on 'master'
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git merge new-branch
Already up to date.
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE

TIMELINE

master 0 0 Рублёв Иван (12 minutes ago) Ln 2, Col 1 Spaces: 4 UTF-16 LF CRLF Plain Text Go Live

File Edit Selection ··· Лаб 1

EXPLORER

ЛАБ 1

.gitignore
file1.txt
file2.txt

file1.txt

```
1  File 1
2  Новая строка в file1
3  Изминение только в master
4
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "Изминение только в master" >> file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Изменение в file1.txt в основной ве
тке"
[master 44cdf4e] Изменение в file1.txt в основной ветке
 1 file changed, 0 insertions(+), 0 deletions(-)
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE
TIMELINE

master ⊗ 0 ⚠ 0 Рублёв Иван (18 minutes ago) Ln 4, Col 1 Spaces: 4 UTF-16 LE CRLF { } Plain Text Go Live

File Edit Selection ··· Лаб 1

EXPLORER

ЛАБ 1

.gitignore
fiele1.txt U
file1.txt
file2.txt

file2.txt | file1.txt

```
1  File 1
2  Новая строка в file1
3  Изминение только в master
4  CANEOT7EOT<EOT5EOT=EOT5EOT=EOT8EOT5EOT NUL2EOT NULMNULaNULSNULtNULeNULrNUL
5  NUL
6  NUL
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
The most similar command is
        checkout
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git checkout new-branch
Switched to branch 'new-branch'
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> echo "Изменение в new-branch" >> fiele1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git add file1.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Изменение в master"
On branch new-branch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        fiele1.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git checkout master
Switched to branch 'master'
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git merge new-branch
Already up to date.
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

> OUTLINE
> TIMELINE

master* 0 0 Ln 6, Col 2 Spaces: 4 UTF-8 CRLF {} Plain Text Go Live

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1

.gitignore
fiele1.txt U
file1.txt
file2.txt

file2.txt | file1.txt | .gitignore

```
1  *.log
2
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git commit -m "Разрешён конфликт слияния"
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        fiele1.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git log --oneline --graph --all
*   b8fc2e9 (HEAD -> master) Изменение в master
|\
| * 36c9620 (new-branch) Изменение в file1.txt в новой ветке
* | 44cdf4e Изменение в file1.txt в основной ветке
|/
* 0e569b5 Изменён file1.txt
* e07ec54 Добавлен .gitignore
* 3029664 Добавлены file1.txt и file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

OUTLINE
TIMELINE

File Edit Selection ··· Лаб 1

EXPLORER ···

ЛАБ 1

.gitignore
fiele1.txt U
file1.txt
file2.txt

file2.txt | file1.txt | .gitignore

```
1  *.log
2
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
Delta compression using up to 12 threads
Compressing objects: 100% (16/16), done.
Writing objects: 100% (19/19), 2.08 KiB | 533.00 KiB/s, done.
Total 19 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/IvanRbv/lab1.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git log --oneline --graph --all
*   b8fc2e9 (HEAD -> main, origin/main) Изменение в master
|\
| * 36c9620 (new-branch) Изменение в file1.txt в новой ветке
* | 44cdf4e Изменение в file1.txt в основной ветке
|/
* 0e569b5 Изменён file1.txt
* e07ec54 Добавлен .gitignore
* 3029664 Добавлены file1.txt и file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

> OUTLINE
> TIMELINE

main* ⊗ 0 ⚠ 0 Рублёв Иван (46 minutes ago) Ln 2, Col 1 Spaces: 4 UTF-16 LE CRLF {} Ignore Go Live

```
3029004 Добавлены file1.txt и file2.txt
PS C:\Users\isrub\OneDrive\Документы\Лаб 1> git pull origin main
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (7/7), done.
remote: Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (7/7), 3.50 KiB | 163.00 KiB/s, done.
From https://github.com/IvanRbv/lab1
 * branch            main       -> FETCH_HEAD
   b8fc2e9..5a483f9  main       -> origin/main
Updating b8fc2e9..5a483f9
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
PS C:\Users\isrub\OneDrive\Документы\Лаб 1>
```

Рублёв Иван (46 minutes ago) Ln 2, Col 1 Spaces: 4 UTF-16 LE CRLF {} Ignore Go