
Accepted M5.2 · fake mode · synthetic funds

An agent says it succeeded.

Can you verify the action?

Was this exact action authorized? Did it happen once? TrustFlow makes the operation and its evidence inspectable.

- Synthetic accounts and funds
- Accepted replay uses fake inference




S1 · Read-only task verified

Accepted M5.2 · fake mode · synthetic funds

Propose. Authorize. Verify.

Reasoning meets a deterministic boundary.



Architecture · live provider path has pending evidence


Accepted M5.2 · fake mode · synthetic funds

Approve this exact snapshot.

S2 · 5,000 synthetic USD

HIGH-risk execution pauses. The persisted version, operation payload and full SHA-256 hash define the decision.

- Wrong hash → 409
- Missing/wrong token → 401/403
- Replay decision → 409



S2 · AWAITING_APPROVAL / full plan hash


Accepted M5.2 · fake mode · synthetic funds

One matching committed transfer.

The ledger supports the result.

Approval, authorized intent, transaction payload and conserved total agree. A separate 1,500 USD concurrency experiment yields one winning decision and one transfer.

- Concurrent responses: [200, 409]
- Independent read-only SQLite observations



S2 · Approved operation / tx_0001


Accepted M5.2 · fake mode · synthetic funds

Rejected stays rejected.

S3 · 3,000 synthetic USD

No transfer. Reload preserves the rejection. A late approval receives a conflict and cannot revive the plan.

- REJECTED
- No S3 ledger mutation



S3 · Durable authoritative rejection

Accepted M5.2 · fake mode · synthetic funds


A timeout can precede a commit.

S4 · real late worker; fake review failure injected


Hold → timeout → uncertain. Release → original COMMIT. Reconcile, then retry verification only. The transfer is not invoked again.

> Original transaction: tx_0003

> 25 synthetic USD



Before · EXECUTION_UNCERTAIN



After · COMPLETED / same tx_0003

Accepted M5.2 · fake mode · synthetic funds


Recover the evidence, preserve the operation.

S6 · same-container kill/start


A real COMMIT precedes SIGKILL. Startup recovers VERIFICATION_PENDING. Verification-only retry retains the original approval hash, snapshot and transaction.

> Signal 9 / exit 137

> Original transaction: tx_0004



Restart · VERIFICATION_PENDING



Verify only + reload · COMPLETED


Accepted M5.2 · fake mode · synthetic funds

Missing evidence stops execution.

S5 · local mandatory retrieval check

An unmatched query returns no policy evidence. The workflow fails before planning or tools. SQLite shows no ledger mutation.

- FAILED / retrieval_unavailable
- Local retrieval; no bank integration



S5 · Missing mandatory evidence

Accepted M5.2 · fake mode · synthetic funds

One command. Inspectable evidence.

Accepted workflow checks; live model results pending.

Six scenarios. Exact hashes, ledger observations, screenshots and manifests. Read the independent report before extending a claim.

```
python scripts/run_m52_demo.py --out artifacts/m5.2/latest
```

Accepted M5.2 / FAKE

S1–S6 · independent report

Local single-instance SQLite sandbox

Live Muse / PENDING

No live model evaluation claimed

No production banking or public deployment

Independent report Evidence guide M5.3 evidence template