PAIRWISE COMPARISONS

Phenytoin (PHT) versus phenobarbital (PB). PB was more effective than PHT [0.8 (95% CI: 0.69-0.88) versus 0.53 (95% CI: 0.39-0.67), p = 0.002254324].



Phenytoin (PHT) versus valproate (VPA). VPA was more effective than PHT [0.71 (95% CI: 0.61-0.79) versus 0.53 (95% CI: 0.39-0.67), p = 0.04339366].



Phenytoin (PHT) versus levetiracetam (LEV). There were no statistically significant differences in effectiveness between PHT and LEV [0.53 (95% CI: 0.39-0.67) versus 0.62 (95% CI: 0.5-0.73), p = 0.3537387].



Phenytoin (PHT) versus lacosamide (LAC). There were no statistically significant differences in effectiveness between PHT and LAC [0.53 (95% CI: 0.39-0.67) versus 0.66 (95% CI: 0.51-0.79), p = 0.2161124].



Phenobarbital (PB) versus valproate (VPA). There were no statistically significant differences in effectiveness between PB and VPA [0.8 (95% CI: 0.69-0.88) versus 0.71 (95% CI: 0.61-0.79), p = 0.1604479].



Phenobarbital (PB) versus levetiracetam (LEV). PB was more effective than LEV [0.8 (95% CI: 0.69-0.88) versus 0.62 (95% CI: 0.5-0.73, p = 0.01816672].



Phenobarbital (PB) versus lacosamide (LAC). There were no statistically significant differences in effectiveness between PB and VPA [0.8 (95% CI: 0.69-0.88) versus 0.66 (95% CI: 0.51-0.79), p = 0.1035499].



Valproate (VPA) versus levetiracetam (LEV). There were no statistically significant differences in effectiveness between VPA and LEV [0.71 (95% CI: 0.61-0.79) versus 0.62 (95% CI: 0.5-0.73), p = 0.247034].



Valproate (VPA) versus lacosamide (LAC). There were no statistically significant differences in effectiveness between VPA and LAC [0.71 (95% CI: 0.61-0.79) versus 0.66 (95% CI: 0.51-0.79), p = 0.6170751].



Levetiracetam (LEV) versus lacosamide (LAC). There were no statistically significant differences in effectiveness between LEV and LAC [0.62 (95% CI: 0.5-0.73) versus 0.66 (95% CI: 0.51-0.79), p = 0.6467674].