



Guía de Ejercicio

1-

- Cuenta de GitHub




- Instalación y configuración de Git



2-

- Creación de un repositorio



```
ivanfvlte@DESKTOP-6EMUEEU: ~/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo
ivanfvlte@DESKTOP-6EMUEEU:~/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo$ cd desarrollo
ivanfvlte@DESKTOP-6EMUEEU:~/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo$ ls
ivanfvlte@DESKTOP-6EMUEEU:~/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ivanfvlte/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo/.git/
ivanfvlte@DESKTOP-6EMUEEU:~/argentinaPrograma/desarrolloInicialJava/clase2/guiaEjercicio/desarrollo$ _
```

5-

Comandos usados en la clase

- `git status`

```
ivanfvlte@DESKTOP-6EMUEEU: ~/ArgentinaPrograma
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Clase2/

nothing added to commit but untracked files present (use "git add" to track)
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$
```

- `git add`

```
ivanfvlte@DESKTOP-6EMUEEU: ~/ArgentinaPrograma
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$ git add .
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   Clase2/Gua_de_Ejercicio2.pdf

ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$
```

- `git commit -m 'mensaje'`

```
ivanfvlte@DESKTOP-6EMUEEU: ~/ArgentinaPrograma
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$ git commit -m "Guia Práctica de la clase 2 terminada."
[main 45d67c7] Guia Práctica de la clase 2 terminada.
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Clase2/Gua_de_Ejercicio2.pdf
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$
```

- `git push <remote> <branch>`

```
create mode 100644 Clase2/Gua_de_Ejercicio2.pdf
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 281.37 KiB | 2.99 MiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:IvanVilte/Argentina-Programa-4.0.git
2a74471..45d67c7 main -> main
ivanfvlte@DESKTOP-6EMUEEU:~/ArgentinaPrograma$
```

