

Ghibli Market: LoRA Style-Tuning

Team members: Ivan Iachnyk, Claudius Kühn, Robin Sternberg, Arham Shahzad, Clemens Roszkopf

Objective

We fine-tuned runwayml/stable-diffusion-v1-5 so that the new token <sks> represents the visual style of the supplied image collection. Our target was to generate a detailed, populated market from the prompt: a busy market, in <sks> style.

Final training approach

- We added <sks> to the tokenizer, initialized it from the phrase 'ghibli style', and trained its embedding together with LoRA adapters on both the UNet and CLIP text encoder.
- The main dataset contained all 843 supplied 512x512 images. Florence-2 captions were converted to prompts ending in 'in <sks> style', with 8% generic-caption dropout.
- We added 60 images generated by the unmodified SD 1.5 model: broad market views, market scenes with visible people, and people or portrait scenes. These examples helped preserve the base model's knowledge of markets and human figures while the supplied images determined the style.
- The loss combined Min-SNR-weighted diffusion training with a base-model preservation term and a small anchor on the learned token embedding.
- Training used 512x512 crops, UNet rank 16, text-encoder rank 4, fp16, batch size 1 with four-step accumulation, random crops and flips, and a cosine learning-rate schedule. We selected checkpoint 250.

Experiments and observed impact

- Supplied images only: style transfer was already strong, while market layouts remained relatively simple and flat.
- Base-model market examples: stalls became more structured, groups of people separated more clearly, and the target prompt produced populated scenes more reliably. This became the main training recipe.
- Face and person crop emphasis: an 8% crop share improved close portraits and larger faces. Its effect was concentrated at portrait scale, so the final mix kept a lighter emphasis on people instead of making crops dominant.
- Face-focused refinement: a short continuation at lower learning rates preserved the established market structure and mainly affected foreground character detail. The source mixture had a larger visual impact than this later refinement.
- Longer cosine training: market composition and local detail continued to improve until approximately step 250. Later checkpoints changed only slightly, so step 250 was selected for the final adapter.
- Stronger preservation and lower learning rates: this kept scene layouts stable, while the original cosine run gave the most consistent balance between the learned style and market detail.
- Fixed-seed model selection: across 20 final market, portrait, and two-person comparisons, the selected step-250 model was preferred 11 times, compared with 6 for the stronger-preservation continuation and 3 for step 150.

Final configuration

Learning rates were $7e-5$ for the UNet LoRA, $2.5e-6$ for the text-encoder LoRA, and $1e-5$ for the token embedding. We used LoRA dropout 0.05, Min-SNR gamma 5, preservation weight 0.65, token-anchor weight 0.05, 50 warmup steps, and seed 2202.

Results

Prompt: a busy market, in <sks> style

Inference: DPM-Solver++, 150 steps, CFG 7.5, 512x512, seeds 84000-84005



Seed 84000



Seed 84001



Seed 84002



Seed 84003



Seed 84004



Seed 84005

Qualitative result

The selected model consistently produced full market scenes with layered stalls, visible produce, crowds, and the warm hand-drawn appearance of the supplied references. The preservation examples helped retain readable market structure while <sks> controlled the style.

Inference experiments

- Denoising steps: we compared 30, 40, 50, 75, 100, 150, 200, and 300 steps on the same seeds. Shadow depth and foreground/background separation improved through 150 steps; later changes were minimal.
- Guidance scale: CFG 6.5 produced softer and more variable compositions, while CFG 8.5 strengthened outlines and sometimes repeated fine patterns. CFG 7.5 gave the best balance of structure, color, and line quality.