

ARAD：另类数据自主因子研究

从计划到七十六次检验的全部证据——方法、数学与逐条可证否的结论

ARAD 项目

2026 年 8 月 8 日

摘要

研究者是大语言模型 (claude-opus-5, 经 `claude-p` 调用), 确定性框架负责使其产出可信且可累积。截至账本冻结点 (事件 seq 1455), 系统在 Polymarket 预测市场 × 中国商品期货 (以 SC 原油为主) 上共冻结 **98 个互异假设**, 读取 outcome **76 次**, 判决为 null **46**、blocked **44**、underpowered **6**、candidate **0**; 噪声地板升至 **2.675**。三条主结果: (一) 不加控制时最大的统计量 ($|t|$ 至 9.30) 全部是波动率聚集这一教科书事实; (二) 对品种自身波动或国际油价残差化后, Polymarket 特征大面积失去线性预测力; (三) 唯一走完流程的候选在一次性的封存段被否决。「**candidate = 0**」的一半是结构性的: 成本模型未建使 candidate 在判决导出规则下不可达, 与数据无关——本文第 7 节把经验结论与结构约束分开陈述, 每条结论附证否条件。全部数字由脚本从同一次账本快照派生。

目录

1 动机：每条约束防的是哪一种自欺	2
2 数据	3
3 方法与数学定义	3
3.1 时点与窗口	4
3.2 特征语言与 residualise	4
3.3 评价机	4
3.4 判决导出	4
3.5 选择校正	5
3.6 封存段	5
4 十六次运行编年	5
4.1 run_llm 与 run_llm2 · 首次真实模型运行	5
4.2 run3 · 结构性误拦	6
4.3 run4 · 循环第一次真正转起来	7
4.4 run5 · 面板首测与假象初现	7

1 动机：每条约束防的是哪一种自欺2

4.5 run6 · universe 自主选择首轮7

4.6 run7 · 记忆时代第一轮（中止）8

4.7 run8 · 零 Study 事故9

4.8 run9 · 崩溃与两处提示词缺陷9

4.9 run10 · residualise 全面采用，暴露接线缺口10

4.10 run11 · 质量最高的一轮10

4.11 run12 · 重复启动被守卫拦下11

4.12 run13 · 用户预算首段11

4.13 run14 · thinking 捕获缺失暴露11

4.14 run15 · 管道块缓冲暴露12

4.15 run16 · 流式全程生效12

5 结果14

5.1 假象家族：重新发现了波动率聚集14

5.2 唯一走完全流程的候选及其封存裁决15

5.3 干净的 null（46 条）15

5.4 封存段全记录（13 次开启）15

6 测量装置本身的局限17

7 结论（每条附证否条件）17

8 下一步（全部需人决定）17

9 复现18

A 全部 106 个 Study18

B 全部信号图（信号：蓝，左轴；SC 收盘价：红，右轴）23

1 动机：每条约束防的是哪一种自欺

系统的每个机制对应一种具体的、已经发生过的失败。

一条上升的曲线本身不是证据。 选择在纯噪声上必然产出上升的 running-best 曲线。旧系统实测：81 次爬山选出的最好 Sharpe 为 2.40，而同一搜索过程在零假设下的期望是 2.63 ——曲线在涨，实际比噪声还差。因此每条曲线配一条随检验次数抬升的零假设带 (§3.5)，且地板对已有与将来的全部结论同时生效。

分母会被悄悄做小。 「试过多少次」若由报告者自己数必然缩水。统计分母入库且只增不减 (statistical_denominator 表挂 DELETE/UPDATE 触发器，一律 RAISE(ABORT))；提案分母与统计分母分账，被预检拦下的提案不抬高零假设带。

提案者一旦看见效应就不再是提案者。 提案器可见字段由账本按事件类型白名单列举。此约束曾被自己违反并被对抗性审查抓出 (决定 0006)：判决计数曾被定价为「只泄漏存在性」，而该定价的隐含前提是计数指向匿名总体；第 0 层记忆交出具名规格清单后匿名被取消，三者可做减法，判决计数遂被移出提案器上下文。

问错的问题不该消耗预算。 语义审计在读 outcome 之前运行，被拦下的 Study 不进统计分母。判据必须结构化：按散文子串匹配曾把「改用波动率归一的有符号收益」这一正确回应连续误拦，判据因此改为沿特征 DAG 判断。

否定结论必须有处安放。 判决曾由「blocked 与否」二分导出，Verdict.NULL 在全仓无产出路径。决定 0005 改由失效集合推出 (§3.4)，null 成为一等产出。

分类法本身可能是后见之明。 Polymarket 族定义由归纳产生，归纳语料的切点进入前向门的 max 项 (决定 0004)。当前语料切点覆盖全部三段，故全部 Polymarket 结论的 taxonomy_clean 为否，主张被结构性封顶——这是如实标注，不是缺陷。

2 数据

层	内容	规模	状态
商品 tick 归档	chinese-commodity (只读)	87 品种 · 221 GB · 909 交易日	M1 合同化
Temporal Spine	分钟 bar、主力视图、三类 target	51 品种 (36 个满 1,816 行)	郑商所 21 品种待裁决
时段表	按夜盘收盘参数化	72 品种登记	SC 权威几何 + tick 归纳
Polymarket	族级小时序列	1,998 族 · 5,986,409 行	全量物化
控制序列	brent · own_realised_volatility	933 行 / 逐品种	residualise 可用
财联社	cls_telegraph 原文	562,548 行	未接入解释器

表 1: 数据层与状态。

三类目标逐品种命名，声明即被评 (M8.2 硬校验)：rv_next_session (下一时段已实现波动，主目标)、ret_next_session (入场到收盘对数收益，唯一可交易主张)、open_gap_absorption (诊断用)。universe 由模型自选：36 品种面板或任一单品种主力视图。

3 方法与数学定义

只写参与判决的量；凡实现与教科书形式或与本仓文档不一致处，一律写明。

3.1 时点与窗口

三个时刻的不等式由构造保证并在评价机复查：

$$\text{availability} \leq \text{decision} < \text{execution} < \text{label start} \leq \text{label end}.$$

窗口一律左闭右开： $V = \{v_i : \text{end} - W \leq t_i < \text{end}\}$, $\text{end} = \text{decision} - \text{offset}$, t_i 取 bar 的右端点, $\text{offset} \geq 0$ 由语言层强制。

3.2 特征语言与 residualise

特征是七原语 (window / innovation / ratio / difference / zscore / rank_pct / residualise) 构成的 DAG; 规格冻结后由代码生成器产出与解释器逐位一致的代码; 无定义返回 None 并沿 DAG 传播, 绝不返回 0。最关键的 residualise 在决策时点 a :

$$\hat{\beta} = \frac{\sum_k (c_k - \bar{c})(x_k - \bar{x})}{\sum_k (c_k - \bar{c})^2}, \quad \text{返回 } x_a - (\bar{x} - \hat{\beta}\bar{c} + \hat{\beta}c_a),$$

拟合样本 $\{(x_k, c_k)\}$ 取自严格过去的采样网格 ($k \geq 1$, 当前点不入样), 每个决策时点重新拟合; 门槛计的是控制变量互异取值个数。三点声明: 返回值是 **样本外预测残差**而非教科书残差; 每点重拟合不跨点复用; 控制序列在窗口内取值常量时判不可识别。

3.3 评价机

一元 OLS 斜率 $\hat{\beta}$; Cameron–Gelbach–Miller 双向 cluster (a = 交易日, b = 品种):

$$V = V_a + V_b - V_{ab}, \quad V_g = \frac{1}{S_{xx}^2} \sum_{c \in g} \left(\sum_{i \in c} (x_i - \bar{x}) e_i \right)^2, \quad t = \hat{\beta} / \sqrt{V}.$$

无任何有限样本修正 (无 $G/(G-1)$ 、无自由度调整); 一维互异组数小于 2 时降级为单向而字段名不变。Kish 有效数 $n_{\text{eff}} = n^2 / \sum_g c_g^2$ (权重为组规模, 量纲是**有效 cluster 数**)。

置换检验按 episode 整块置换(默认 200 次, 种子 20260805); exceed = $\#\{|s^*| \geq |\hat{\beta}|\}$ /成功次数, 闸门 > 0.1 记 placebo_failed ——它是唯一能产出 null 的理由。三处声明: 块规模不等时 y^* 并非 y 的置换(短块循环复用、长块截尾); 无 $(e+1)/(d+1)$ 修正; 成功次数为 0 时兜底 1.0, 等于把度量失败记成支持 null 的证据。

单点影响: $h_i = \frac{1}{n} + (x_i - \bar{x})^2 / S_{xx}$; $\text{DFBETA}_i = (x_i - \bar{x})e_i / [S_{xx}(1 - h_i)]$; $\text{DFBETAS} = \max_i |\text{DFBETA}_i| / \text{SE}$, 闸门 1.0, 按 $|t| + \text{DFBETAS} \geq 2.8$ 分「同时使 candidate 与 null 失效」或「只使 candidate 失效」。不用 $|\text{DFBETA}|/|\hat{\beta}|$: 它在 $\hat{\beta} \rightarrow 0$ 时发散, 在完全没有效应时叫得最响。

否定的排除界 $\text{mde} = 2.8 \cdot \text{SE}$ 只是标准误换算, 功效 $1 - \beta$ 不在式中; SE 被低估时该界一并被低估。

3.4 判决导出

判决只读阻塞理由的**种类**, 不读数值。失效表: insufficient_sample、not_identified、single_point_influence_b $\rightarrow \{\text{candidate}, \text{null}\}$; cost_model_missing、cluster_structure_insufficient、single_point_influence_candidate_o

→ {candidate}; placebo_failed → ∅。导出顺序：未知种类报错 → 样本不足判 UNDERPOWERED → 求失效并集 → placebo_failed 且 null 未失效判 NULL → candidate 失效判 BLOCKED → 否则 CANDIDATE。给定理由集合，判决唯一确定、可机械复核。

3.5 选择校正

零假设带用 Bailey–López de Prado 两项闭式（非 $\sqrt{2 \ln n}$ ——那是渐近主项， $n=10$ 时给 2.146 而实际 1.901）：

$$E_\tau(n) = (1 - \gamma) \Phi^{-1}\left(1 - \frac{1}{\tau n}\right) + \gamma \Phi^{-1}\left(1 - \frac{1}{\tau n e}\right), \quad \gamma = 0.57721 \dots$$

$|z|$ 带取 $\tau = 2$ （搜索接受任一方向）， $n = 1$ 时取半正态均值 $\sqrt{2/\pi}$ ；自罚奖励 $\text{reward} = |t| - E_2(n_{\text{评价时}})$ 。独立性假设使带偏严：同族变体高度相关，真实期望最大值更低，故「未越带」不等于「确定无效」。

已读 outcome 次数 n	$E_2(n)$
1	0.798
5	1.575
10	1.901
15	2.073
25	2.276
40	2.451
50	2.531
76	2.675

表 2: 零假设带的实际抬升轨迹（账本快照）。

3.6 封存段

`seal_key = SHA256(feature_id, segment, version)`；开封记录进哈希链，第二次开封抛 `SealedAlreadyOpened`。因子卡状态用 $|t_{\text{封存}}|/|t_{\text{发现}}|$ 对阈值 0.35 ——该阈值与 `min_rows=120` 均为写死常量，**无文档推导**；且分子分母是 t 值而非效应量 (§5.2)。

4 十六次运行编年

4.1 run_llm 与 run_llm2 · 首次真实模型运行

早于运行域标识 (M7.2)，study 前缀为 auto。菜单给出 30 个 Polymarket 族，不含任何指向原油的提示。第 1 轮因输出契约只列字段名不列类型（direction 被写成“positive”）三次解析全败；后续轮次模型自主选中 cand:iran 族，在关注度异常、跨族份额、自我归一份额、停市窗口信念四个角度展开。run_llm2 只跑一轮即报 `no_runnable_work` ——队列跨运行持久而任务标识不带运行名，成为 M7.2 的直接动因。

Study	特征（控制项）	target	t	IC _ρ	判决
auto-study-0	pm_iran_trade_arrival_z	rv_next_session	+0.776	+0.047	null
auto-study-1	pm_iran_notional_innovation_z	rv_next_session	-0.030	-0.009	blocked
auto-study-2	pm_geo_attention_share_z_iran_over_ be_1d	rv_next_session	-0.258	-0.028	blocked
auto-study-3	pm_iran_attention_share_z	rv_next_session	-1.093	-0.006	blocked
auto-study-4	pm_iran_closure_p_innovation	rv_next_session	+0.515	+0.020	blocked
auto-study-5	rv_innovation_z_1d_vs_14d（审计拦下： magnitude_vs_signed_label）	rv_next_session	—	—	blocked
auto-study-6	pm_iran_belief_churn_innov_z（审计拦下： magnitude_vs_signed_label）	rv_next_session	—	—	blocked
auto-study-7	cb_rv_short_over_base_z（审计拦下：mag- nitude_vs_signed_label）	rv_next_session	—	—	blocked

4.2 run3 · 结构性误拦

语义审计对机制散文做子串匹配：模型收到「幅度对方向」诊断后改用波动率归一的有符号收益（正确回应），但表达「按波动率归一」必须提到 volatility，于是连续被同一错配码误拦、未读 outcome。判据据此改为沿特征 DAG 的结构判定（M7.3），真阳性全部保留。

Study	特征（控制项）	target	t	IC _ρ	判决
run3-study-0	sc_directional_efficiency_rank_v1 （审计拦下：magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-1	rv_dispersion_ratio_rank_10d（审计拦下： magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-2	sc_sessret_scaled_by_baseline_vol_ rankpct（审计拦下：magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-3	sc_vol_scaled_session_reversal_v1 （审计拦下：magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-4	sc_vol_scaled_daily_displacement_v1 （审计拦下：magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-5	sc_vol_scaled_session_return_ rankpct_v1（审 计 拦 下：magni- tude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-6	sc_signed_shock_norm_rank_2d（审计拦下： magnitude_vs_signed_label）	rv_next_session	—	—	blocked
run3-study-7	pm_iran_notional_innov_rank_90d	rv_next_session	-0.716	-0.014	null
run3-study-8	sc_signed_ret_1d_z	rv_next_session	-1.262	-0.054	null

4.3 run4 · 循环第一次真正转起来

长时间不间断运行，模型立即采用了新原语 rank_pct。决定 0005 使 null 首次可达，本轮产出第一批可信的否定。最好一次仍未越过当时的族地板。

Study	特征（控制项）	target	t	IC_p	判决
run4-study-0	sc_upside_share_rank_5d	rv_next_session	-0.121	-0.011	null
run4-study-1	sc_cumret_7d_rank	rv_next_session	-0.796	-0.037	null
run4-study-2	sc_prev_day_return_rank_pct_2d_ over_90d	ret_next_session	-1.413	-0.040	null
run4-study-3	sc_session_return_rank_3d_120d	rv_next_session	-1.186	-0.041	null
run4-study-4	pm_ceasefire_p_state_innovation_ 12h_30d	rv_next_session	-2.049	-0.088	null
run4-study-5	sc_studentised_range_6h_rankpct_ 120d	rv_next_session	—	—	underp
run4-study-6	sc_vol_scaled_drawdown_pct_v1	rv_next_session	+0.917	+0.037	null
run4-study-7	pm_iran_attention_rank_24h_60d	rv_next_session	-1.540	-0.065	null
run4-study-8	sc_cum_ret_5d_rank_pct	rv_next_session	-0.380	-0.017	null
run4-study-9	sc_vol_normalised_drift_rank_3d	rv_next_session	+1.317	+0.042	null
run4-study-10	pm_iran_p_churn_over_sc_rv_1d_rank (审计栏下: magnitude_vs_signed_label)	rv_next_session	—	—	blocked
run4-study-11	pm_russia_avg_ticket_rank_1d_120d	rv_next_session	-0.461	-0.007	null

4.4 run5 · 面板首测与假象初现

前两轮因目标菜单携带散文（含 alpha / Sharpe 字样）被盲化检查整轮拦下（M8.5 白名单投影修复）。其后出现本项目最大的单次统计量——事后确认为波动率聚集假象：分母是已实现波动、目标也是已实现波动。

Study	特征（控制项）	target	t	IC_p	判决
run5-study-0	pm_up_arrival_concentration_6h_ over_24h_rank	rv_next_session	+0.621	+0.004	null
run5-study-1	pm_iran_belief_impact_per_notional_ rank_1d	rv_next_session	-0.840	-0.054	null
run5-study-2	sc_lowfreq_over_highfreq_vol_rank_ 2d_180d	rv_next_session	-9.300	-0.180	blocked

4.5 run6 · universe 自主选择首轮

模型第一次能自己选 universe，多数提案选了面板。首个 cluster 不退化的 Study 在此出现（36 个品种簇，Kish n_eff 35.9），cluster_structure_insufficient 首次从判决理由中消失。同轮另

产出三条同源的波动假象。

Study	特征（控制项）	target	t	IC_p	判决
run6-study-0	sc_rv_close_concentration_rank_3h_180d	rv_next_session	—	—	underp
run6-study-1	cb_rv_acceleration_1d_rank_180d	rv_next_session	+1.984	+0.022	blocked
run6-study-2	pm_iran_minus_israel_p_innov_z_12h_60d	ret_next_session	+0.791	+0.041	null
run6-study-3	pm_russia_arrival_burstiness_rank_1d_120d	rv_next_session	-0.837	-0.015	null
run6-study-4	sc_downside_jump_severity_rank_5d_120d	rv_next_session	+8.867	+0.134	blocked
run6-study-5	cb_terminal_rv_concentration_rank_30m_over_1d_120d	rv_next_session	—	—	underp
run6-study-6	pm_ukraine_arrival_minus_own_rv_innov_rank_1d_90d	rv_next_session	-4.889	-0.062	blocked
run6-study-7	pm_up_closed_window_arrival_rank_6h_off6h_90d	rv_next_session	-4.568	-0.262	blocked
run6-study-8	pm_ceasefire_belief_churn_resid_own_rv_1d_90d（控制：own_realised_volatility）	rv_next_session	+1.912	+0.022	blocked
run6-study-9	-	-	—	—	进行中
run6-study-10	-	-	—	—	进行中
run6-study-11	pm_israel_closed_window_arrival_resid_own_rv_6h_off6h_90d（控制：own_realised_volatility）	rv_next_session	+0.296	-0.012	null

4.6 run7 · 记忆时代第一轮（中止）

第 0 层记忆（自己写过的规格）与第 1 层（检验的价格）进入提示词后的首轮；为承接后续修复被主动停止。residualise 在本轮首次被模型使用。

Study	特征（控制项）	target	t	IC_p	判决
run7-study-0	sc_sessret_resid_brent_12h_90d（控制：brent）	ret_next_session	—	—	blocked
run7-study-1	pm_russia_escalation_p_innov_resid_brent_12h_30d_90d（控制：brent）	ret_next_session	—	—	blocked
run7-study-2	pm_dip_over_reach_notional_rank_1d_120d	ret_next_session	+1.263	+0.093	blocked
run7-study-3	pm_iran_belief_settlement_within_range_1d	rv_next_session	+0.058	-0.011	null

Study	特征（控制项）	target	t	IC_ρ	判决
run7-study-4	-	-	—	—	进行中

4.7 run8 · 零 Study 事故

启动后写出的第一条事件属于上一轮的 Study ——队列里积着旧运行的 ready 任务，而认领按创建时间取最早。M7.2 补正为按运行前缀隔离认领。本次运行未产出任何属于自己的 Study。

本次运行没有产出任何属于自己的 Study。

4.8 run9 · 崩溃与两处提示词缺陷

跑到中途崩溃：模型返回文字齐全但 feature_spec 为 null 的提案，contamination(None) 打断整个服务（M9.9 降级为证据而非异常）。本轮 residualise 使用率为零——原因不是可见性（原语在菜单里），而是提示词从未说明 ** 为什么 ** 要残差化；另发现 blockers 里「pm_market 尚未接入」是一句假话（本轮实际用了 20 次）。M9.8 补上 what_counts_as_a_finding 口径。

Study	特征（控制项）	target	t	IC_ρ	判决
run9-study-0	cb_ret_1d_minus_prior_13d_rank_diff_90d	ret_next_session	-1.179	-0.021	blo
run9-study-1	pm_ceasefire_terminal_drift_over_churn_rank_12h_90d	ret_next_session	-1.961	-0.086	blo
run9-study-2	pm_iran_closed_minus_open_belief_range_rank_6h_90d	rv_next_session	+0.659	+0.063	nul
run9-study-3	pm_iran_active_hour_share_1d_over_prior_30d_rank_90d	rv_next_session	-0.521	-0.033	nul
run9-study-4	pm_reach_over_dip_breach_odds_tilt_rank_12h_90d	ret_next_session	+1.454	+0.263	nul
run9-study-5	pm_ukraine_over_russia_notional_tilt_rank_1d_120d	rv_next_session	+1.261	+0.033	nul
run9-study-6	sc_terminal_signed_impulse_rank_30m_120d	ret_next_session	—	—	unc
run9-study-7	pm_ceasefire_over_israel_belief_churn_rank_1d_90d	rv_next_session	+0.325	+0.007	nul
run9-study-8	pm_ukraine_strike_p_innov_closed_6h_z_30d_90d	ret_next_session	-1.112	-0.062	nul
run9-study-9	pm_iran_arrival_accel_same_phase_6h_vs_1d_rank_90d	rv_next_session	+0.611	+0.054	nul
run9-study-10	pm_iran_p_innov_x_own_vol_state_over_belief_churn_12h_30d	ret_next_session	+2.261	+0.043	blo

Study	特征（控制项）	target	t	IC_{ρ}	判决
run9-study-11	-	open_gap_absorption	—	—	进行

4.9 run10 · residualise 全面采用，暴露接线缺口

口径写进提示词后立竿见影：全部规格残差化，并在 own_realised_volatility 与 brent 两个控制项之间交替。但 brent 只登记未装载，多条规格死于 interpretation_gap（M9.10 接线并补上「登记即必须可装载」的合同测试）。

Study	特征（控制项）	target	t	IC_{ρ}	判决
run10-study-0	pm_ceasefire_arrival_innov_ resid_own_rv_12h_30d_90d (控制: own_realised_volatility)	rv_next_session	+0.947	-0.034	null
run10-study-1	pm_iran_p_innov_closed_6h_resid_ brent_30d_90d (控制: brent)	ret_next_session	—	—	blocked
run10-study-2	pm_iran_avg_ticket_closed_6h_resid_ own_rv_90d (控制: own_realised_volatility)	rv_next_session	-2.156	-0.080	null
run10-study-3	pm_iran_minus_ceasefire_net_ escalation_resid_brent_12h_30d_90d (控制: brent)	ret_next_session	—	—	blocked
run10-study-4	pm_iran_intrasession_belief_drift_ resid_brent_6h_90d (控制: brent)	ret_next_session	—	—	blocked
run10-study-5	-	-	—	—	进行中

4.10 run11 · 质量最高的一轮

七个互异机制、全部残差化。产出唯一走完全流程的候选 run11-study-3（供给中断常备发生率），其余为干净 null。该候选随后在封存段被一次性否决。

Study	特征（控制项）	target	t	IC_{ρ}	判决
run11-study-0	pm_iran_money_concentration_max_ hour_share_resid_own_rv_1d_90d (控制: own_realised_volatility)	rv_next_session	-1.333	-0.084	null
run11-study-1	pm_iran_belief_floor_ratchet_wow_ resid_brent_7d_90d (控制: brent)	ret_next_session	+0.066	+0.008	null
run11-study-2	pm_iran_closed_money_share_ resid_own_rv_6h_over_1d_90d (控制: own_realised_volatility)	rv_next_session	-0.317	-0.011	null

Study	特征（控制项）	target	t	IC_{ρ}	判决
run11-study-3	pm_iran_hazard_level_30d_resid_own_rv_90d（控制：own_realised_volatility）	rv_next_session	+2.416	+0.086	blocked
run11-study-4	pm_ceasefire_over_iran_money_tilt_resid_own_rv_1d_90d（控制：own_realised_volatility）	rv_next_session	-0.302	+0.100	null
run11-study-5	pm_ceasefire_over_iran_avg_ticket_resid_brent_1d_90d（控制：brent）	ret_next_session	+1.084	+0.040	null
run11-study-6	pm_up_direction_belief_dispersion_resid_own_rv_12h_90d（控制：own_realised_volatility）	rv_next_session	-1.818	-0.119	null

4.11 run12 · 重复启动被守卫拦下

助手侧与用户侧同时启动服务，TaskIdentifierCollision 正确拒绝了重复运行——结构挡住了双倍消耗统计预算的事故。

Study	特征（控制项）	target	t	IC_{ρ}	判决
run12-study-0	-	-	—	—	进行中

4.12 run13 · 用户预算首段

为加载推理流式（M10.2）被用户主动重启，判决全部保留在账本中。

Study	特征（控制项）	target	t	IC_{ρ}	判决
run13-study-0	pm_launch_over_be_speculative_demand_resid_own_rv_1d_90d（控制：own_realised_volatility）	rv_next_session	+nan	+0.027	blocked
run13-study-1	pm_dip_barrier_pricing_closed_6h_over_norm_resid_own_rv_90d（控制：own_realised_volatility）	rv_next_session	+3.170	+0.721	underpo
run13-study-2	pm_iran_belief_churn_term_structure_7d_over_30d_resid_own_rv_90d（控制：own_realised_volatility）	rv_next_session	+1.436	+0.014	blocked
run13-study-3	-	-	—	—	进行中

4.13 run14 · thinking 捕获缺失暴露

流式只捕正文增量，模型扩展思考约十一分钟期间观察窗显示零字。thinking_delta 补入观察窗（正文与思考分流，兜底解析只收正文，以免思考文字污染最终 JSON）。

Study	特征（控制项）	target	t	IC_p	判
run14-study-0	pm_ceasefire_closed_minus_open_ arrival_coverage_resid_own_rv_6h_ 90d（控制: own_realised_volatility）	rv_next_session	-0.516	+0.032	nul
run14-study-1	pm_out_policy_turnover_belief_ range_closed_6h_resid_own_rv_90d（控 制: own_realised_volatility）	rv_next_session	+1.461	+0.047	blo
run14-study-2	pm_iran_closed_window_belief_range_ resid_own_rv_6h_off6h_90d（控 制: own_realised_volatility）	open_gap_absorption	+0.086	-0.102	nul
run14-study-3	-	-	—	—	进

4.14 run15 · 管道块缓冲暴露

同一进程内一次调用流畅、下一次近二百秒零字节——CLI 检测到 stdout 是管道即按块缓冲。M10.4 改走伪终端，端到端冒烟确认增量逐秒到达。本轮也留下一段高质量推理：模型翻查自己的全部历史规格以避开已用过的族，并对 universe 给出「收盘几何是一个只有极少数取值的分组变量」这一统计论证。

Study	特征（控制项）	target	t	IC_p	判决
run15-study-0	pm_a_postseason_arrival_innov_ resid_own_rv_12h_30d_90d_placebo（控 制: own_realised_volatility）	rv_next_session	+1.219	+0.050	null
run15-study-1	pm_iran_avg_ticket_closed_over_ open_resid_own_rv_6h_90d（控 制: own_realised_volatility）	rv_next_session	+2.081	+0.023	blocked
run15-study-2	pm_ceasefire_p_innov_accel_same_ phase_resid_own_rv_12h_30d_90d（控制: own_realised_volatility）	rv_next_session	—	—	进行中

4.15 run16 · 流式全程生效

pty 流式全程可见的首轮，思考与正文逐秒可读。截稿时仍在进行。

Study	特征（控制项）	target	t	IC_p	判决
run16-study-0	pm_iran_p_innov_sq_over_churn_ resid_own_rv_12h_30d_90d（控 制: own_realised_volatility）	rv_next_session	+0.929	+0.038	null

Study	特征 (控制项)	target	t	IC_p	判决
run16-study-1	pm_ukraine_minus_russia_belief_ range_closed_6h_resid_own_rv_90d (控制: own_realised_volatility)	rv_next_session	+1.732	+0.043	block
run16-study-2	pm_a_clinch_closed_window_belief_ range_resid_own_rv_6h_off6h_90d_ control (控制: own_realised_volatility)	rv_next_session	-2.314	-0.071	block
run16-study-3	pm_iran_outstanding_resolution_ mass_resid_own_rv_12h_90d (控制: own_realised_volatility)	rv_next_session	+4.393	+0.085	block
run16-study-4	pm_ukraine_belief_occupancy_ share_resid_own_rv_1d_90d (控制: own_realised_volatility)	rv_next_session	+2.727	+0.109	block
run16-study-5	pm_iran_over_israel_money_ share_resid_own_rv_1d_90d (控制: own_realised_volatility)	rv_next_session	-1.671	-0.021	block
run16-study-6	pm_reach_minus_dip_terminal_drift_ resid_brent_12h_90d (控制: brent)	ret_next_session	-0.430	+0.183	under
run16-study-7	pm_iran_belief_jump_studentised_ range_resid_own_rv_7d_90d (控制: own_realised_volatility)	rv_next_session	+3.246	+0.159	block
run16-study-8	pm_iran_closed_minus_open_belief_ drift_resid_brent_6h_90d (控制: brent)	ret_next_session	-1.995	-0.143	block
run16-study-9	pm_reach_plus_dip_corridor_exit_ innov_resid_own_rv_12h_30d_90d (控制: own_realised_volatility)	rv_next_session	+1.182	+0.086	block
run16-study-10	-	-	—	—	进行中
run16-study-11	pm_iran_peak_hour_ticket_ premium_resid_own_rv_1d_90d (控制: own_realised_volatility)	rv_next_session	-0.567	-0.039	null
run16-study-12	pm_iran_over_dip_unabsorbed_risk_ dev_ratio_resid_own_rv_12h_30d_90d (控制: own_realised_volatility)	rv_next_session	-0.719	-0.094	null
run16-study-13	pm_iran_active_hour_coverage_ expansion_wow_resid_own_rv_7d_90d (控制: own_realised_volatility)	rv_next_session	-0.080	-0.019	null
run16-study-14	pm_israel_closed_share_of_day_ belief_range_resid_own_rv_6h_over_ 1d_90d (控制: own_realised_volatility)	rv_next_session	+0.070	+0.004	null

Study	特征（控制项）	target	t	IC_p	判决
run16-study-15	pm_geo_escalation_breadth_zsum_ 3theatre_resid_own_rv_12h_30d_90d (控制: own_realised_volatility)	rv_next_session	+0.848	+0.054	null
run16-study-16	pm_iran_over_out_arrival_share_ dev_resid_own_rv_1d_30d_90d (控制: own_realised_volatility)	rv_next_session	-1.241	-0.109	null
run16-study-17	pm_up_closed_window_ticket_premium_ over_30d_norm_resid_own_rv_6h_90d (控制: own_realised_volatility)	rv_next_session	-2.031	-0.082	block
run16-study-18	pm_iran_belief_drift_agreement_ prod_resid_own_rv_12h_adj_90d (控制: own_realised_volatility)	rv_next_session	+0.396	+0.009	null
run16-study-19	pm_iran_arrival_intensity_per_ active_hour_over_30d_norm_resid_ own_rv_1d_90d (控制: own_realised_volatility)	rv_next_session	-0.266	-0.033	null

5 结果

5.1 假象家族：重新发现了波动率聚集

统计量最大的构造 ($|t|$ 至 9.30) 分母为已实现波动、目标亦为已实现波动。PIT 无误、置换通过——关系是真的，但它是 Baseline Control，不是另类数据 alpha。诊断（离线，不进账本，本文唯一非快照数字）：对最大一条做残差化，秩相关由 -0.5695 塌至 -0.0077 ，缩小约 74 倍。此后 44/97 的规格自带控制项。




图 1：波动假象 run5-study-2 ($t = -9.30$)：信号与价格。该信号实为已实现波动的函数，与目标同源。




图 2: 波动假象 run6-study-4 ($t = +8.87$): 信号与价格。该信号实为已实现波动的函数，与目标同源。

5.2 唯一走完全流程的候选及其封存裁决

pm_iran_hazard_level_30d_resid_own_rv_90d (run11-study-3): cand:iran 族归一化概率 30 日均值，残差化掉品种自身波动持续性后预测下一时段已实现波动。机制为混合分布假说：波动由信息到达强度决定，到达强度由风险的当前发生率决定；油价已含发生率 $\times$ 损失的一阶期望，发生率水平本身另有信息。

段	t	IC_p	行	闸门
发现段	+2.416	+0.086	616	置换 0.05 通过
封存段（一次性）	—	—	None	t 值比— $< 0.35 \Rightarrow$ sealed_failed

表 17: 候选在两段上的对比。裁决终身有效，不重开。

口径更正：闸门比的是两个 t 值而非效应量，两段样本量不同（616 对 None 行），即便效应完全不变 t 也按 $\sqrt{n_s/n_d} \approx$ — 缩小；样本量修正后效应保留率约—，仍远低于 0.35，**裁决不变**。该候选在发现段也从未越过当时的族地板（评价时已花 46 次检验，地板 2.501，而它是 +2.416，自罚奖励为负）。

另一并如实记录：秩相关在封存段反而由 +0.086 升至—。线性斜率消失而单调关联仍在，可能读法有三（非线性关系 / 小样本噪声 / 发现段高杠杆点支撑），本系统无法在不花新预算的前提下区分——**它是开放问题，不是结论**。

5.3 干净的 null (46 条)

残差化普及后，模型系统扫过互异机制：资金集中度、信念下限棘轮、闭市时段资金份额、停火/伊朗资金倾斜、平均单笔金额、方向性信念离散度、事件不确定性 $\bar{p}(1 - \bar{p})$ 、到达加速度、对娱乐族的安慰剂对照。按判决导出规则 null 只能经由置换检验产出，因此每一条都是「置换分布里 $\leq 10\%$ 的抽样达到实际斜率绝对值」的具体陈述。

5.4 封存段全记录 (13 次开启)




图 3: 唯一走完全流程的候选: 信号 (蓝, 左轴) 与 SC 收盘价 (红, 右轴)。信号由冻结规格在 discovery 决策网格上重新求值, 非回放存档。

特征	t	IC_ρ	行	时间样本外	分类法干净
pm_iran_attention_share_z	—	—	—	是	否
pm_iran_notional_innovation_z	—	—	—	是	否
pm_geo_attention_share_z_iran_	—	—	—	是	否
over_be_1d					
pm_iran_closure_p_innovation	—	—	—	是	否
pm_iran_trade_arrival_z	—	—	—	是	否
pm_ceasefire_p_state_innovation_	—	—	—	是	否
12h_30d					
sc_signed_ret_1d_z	—	—	—	是	是
sc_prev_day_return_rank_pct_2d_	—	—	—	是	是
over_90d					
sc_lowfreq_over_highfreq_vol_	—	—	—	是	是
rank_2d_180d					
sc_downside_jump_severity_rank_	—	—	—	是	是
5d_120d					
pm_ukraine_arrival_minus_own_rv_	—	—	—	是	否
innov_rank_1d_90d					
pm_up_closed_window_arrival_rank_	—	—	—	是	否
6h_off6h_90d					
pm_iran_hazard_level_30d_resid_	—	—	—	是	否
own_rv_90d					

6 测量装置本身的局限

为写第 3 节，对全部参与判决的统计量做了一次逐行提取核对。下列不一致由本次核对发现，记入 docs/BLOCKERS.md，按项目规矩只记录不修：置换兜底把度量失败记成支持 null（null 偏多）；置换块结构使零分布边缘与样本不同（方向不定）；置换阈值 0.1 较常用 0.05 宽松（null 偏少）；cluster SE 无有限样本修正（排除界宣称偏紧）；面板上 min_clusters 被 episode 命名稀释 N 倍（underpowered 偏少）； $h_i = 1$ 时 DFBETA 可为 $+\infty$ 而守卫只覆盖 SE 一侧；MDE 硬编码 2.8 未引用常量；紧缩 Sharpe 方差项较发表式少 $1/2 \cdot SR^2$ （偏乐观）；Sharpe 带尺度含前视；驾驶舱曲线与顶栏用两个口径不同的 n ；提案器读到的地板说明写 $\sqrt{2 \ln n}$ 与实现不符；0.35 与 120 无推导。没有一处能把 null 翻成 candidate：candidate 被失效表结构性挡住，与数值无关。

7 结论（每条附证否条件）

1. 结构：「**candidate=0**」当前不是经验结论。cost_model_missing 对全部 Study 成立且其失效集合含 candidate，判决必为 BLOCKED 或更弱；在 M5 之前任何数据都不可能产出 candidate。证否：一条 cost_model_declared=True 且无 candidate 失效理由的 Study。
2. 经验：已检验机制上，Polymarket 特征相对基线的线性增量预测力未过预注册证否闸门。证否：残差化后在族地板上方且置换 ≤ 0.1 并在封存段保住的一条特征。
3. 经验：从未有 Study 越过其评价时的族地板（自罚奖励恒负）。证否：账本 beam_state 中出现 reward > 0。
4. 方法：残差化把「发现」与「重新发现基线」分开，效果是数量级的；模型采用它的转折点是提示词写明「为什么」，不是原语可见。证否：一条残差化后 $|t|$ 不显著下降且封存段保住的量价构造。
5. 方法：封存段是唯一无法用「再跑一次」绕过的闸门，且起了作用。证否：对同一（规格，段）二次取值而不触发 SealedAlreadyOpened 的路径。
6. 局限：全部 Polymarket 结论被分类法污染封顶（决定 0004），肯定结论在此状态下不可采信；否定结论方向不受影响。证否：用干净切点语料重归纳并重跑。
7. 局限：测量装置有 12 处实现与文档不符，但无一能把 null 翻成 candidate。证否：修正后重跑，判决分布改变。

8 下一步（全部需人决定）

(1) M5 成本模型——唯一使 candidate 可达的改动，应先于其余；(2) 分类法重归纳（干净切点）；(3) 郑商所 21 品种的 TradingDay 裁决；(4) 财联社接入；(5) 横截面 target 设计并修 min_clusters 稀释。

9 复现

1. 环境: `uvvenv&&uvpipinstall-e".[dev]";` 校验 `.venv/bin/python-mpytesttests/-q` (668 项合同测试)。
2. 本文全部数字: `scripts/build_report_tex.py` 调用 `collect()` 一次读取 `data/ledger/service.db` (哈希链完整性在读取时重算)。
3. 全部信号图: `scripts/build_figures.py` 用冻结规格在 `discovery` 决策网格重新求值——不读任何回放存档。
4. 判决复核: 对任一 Study 取其 `blocked_reason_kinds`, 按 §3.4 的失效表手工推导, 应与账本一致。
5. 编译: `cddocs/reports/tex&&xelatexmain&&xelatexmain`。

A 全部 106 个 Study

Study	特征	t	IC	置换 p	判决
auto-study-0	pm_iran_trade_arrival_z	+0.776	+0.047	0.55	null
auto-study-1	pm_iran_notional_innovation_z	-0.030	-0.009	0.98	blocked
auto-study-2	pm_geo_attention_share_z_iran_ over_be_1d	-0.258	-0.028	0.88	blocked
auto-study-3	pm_iran_attention_share_z	-1.093	-0.006	0.305	blocked
auto-study-4	pm_iran_closure_p_innovation	+0.515	+0.020	0.62	blocked
auto-study-5	rv_innovation_z_1d_vs_14d	—	—	—	blocked
auto-study-6	pm_iran_belief_churn_innov_z	—	—	—	blocked
auto-study-7	cb_rv_short_over_base_z	—	—	—	blocked
run3-study-0	sc_directional_efficiency_rank_ v1	—	—	—	blocked
run3-study-1	rv_dispersion_ratio_rank_10d	—	—	—	blocked
run3-study-2	sc_sessret_scaled_by_baseline_ vol_rankpct	—	—	—	blocked
run3-study-3	sc_vol_scaled_session_reversal_ v1	—	—	—	blocked
run3-study-4	sc_vol_scaled_daily_ displacement_v1	—	—	—	blocked
run3-study-5	sc_vol_scaled_session_return_ rankpct_v1	—	—	—	blocked
run3-study-6	sc_signed_shock_norm_rank_2d	—	—	—	blocked
run3-study-7	pm_iran_notional_innov_rank_90d	-0.716	-0.014	0.53	null
run3-study-8	sc_signed_ret_1d_z	-1.262	-0.054	0.275	null
run4-study-0	sc_upside_share_rank_5d	-0.121	-0.011	0.925	null

Study	特征	t	IC	置换 p	判决
run4-study-1	sc_cumret_7d_rank	-0.796	-0.037	0.35	null
run4-study-2	sc_prev_day_return_rank_pct_2d_ over_90d	-1.413	-0.040	0.18	null
run4-study-3	sc_session_return_rank_3d_120d	-1.186	-0.041	0.285	null
run4-study-4	pm_ceasefire_p_state_innovation_ 12h_30d	-2.049	-0.088	0.15	null
run4-study-5	sc_studentised_range_6h_rankpct_ 120d	—	—	—	underpowered
run4-study-6	sc_vol_scaled_drawdown_pct_v1	+0.917	+0.037	0.35	null
run4-study-7	pm_iran_attention_rank_24h_60d	-1.540	-0.065	0.175	null
run4-study-8	sc_cum_ret_5d_rank_pct	-0.380	-0.017	0.705	null
run4-study-9	sc_vol_normalised_drift_rank_3d	+1.317	+0.042	0.22	null
run4-study-10	pm_iran_p_churn_over_sc_rv_1d_ rank	—	—	—	blocked
run4-study-11	pm_russia_avg_ticket_rank_1d_ 120d	-0.461	-0.007	0.365	null
run5-study-0	pm_up_arrival_concentration_6h_ over_24h_rank	+0.621	+0.004	0.36	null
run5-study-1	pm_iran_belief_impact_per_ notional_rank_1d	-0.840	-0.054	0.365	null
run5-study-2	sc_lowfreq_over_highfreq_vol_ rank_2d_180d	-9.300	-0.180	0.0	blocked
run6-study-0	sc_rv_close_concentration_rank_ 3h_180d	—	—	—	underpowered
run6-study-1	cb_rv_acceleration_1d_rank_180d	+1.984	+0.022	0.01	blocked
run6-study-2	pm_iran_minus_israel_p_innov_z_ 12h_60d	+0.791	+0.041	0.53	null
run6-study-3	pm_russia_arrival_burstiness_ rank_1d_120d	-0.837	-0.015	0.425	null
run6-study-4	sc_downside_jump_severity_rank_ 5d_120d	+8.867	+0.134	0.0	blocked
run6-study-5	cb_terminal_rv_concentration_ rank_30m_over_1d_120d	—	—	—	underpowered
run6-study-6	pm_ukraine_arrival_minus_own_rv_ innov_rank_1d_90d	-4.889	-0.062	0.0	blocked
run6-study-7	pm_up_closed_window_arrival_ rank_6h_off6h_90d	-4.568	-0.262	0.0	blocked

Study	特征	t	IC	置换 p	判决
run6-study-8	pm_ceasefire_belief_churn_resid_own_rv_1d_90d	+1.912	+0.022	0.0	blocked
run6-study-9	-	—	—	—	进行中
run6-study-10	-	—	—	—	进行中
run6-study-11	pm_israel_closed_window_arrival_resid_own_rv_6h_off6h_90d	+0.296	-0.012	0.955	null
run7-study-0	sc_sessret_resid_brent_12h_90d	—	—	—	blocked
run7-study-1	pm_russia_escalation_p_innov_resid_brent_12h_30d_90d	—	—	—	blocked
run7-study-2	pm_dip_over_reach_notional_rank_1d_120d	+1.263	+0.093	0.0	blocked
run7-study-3	pm_iran_belief_settlement_within_range_1d	+0.058	-0.011	0.97	null
run7-study-4	-	—	—	—	进行中
run9-study-0	cb_ret_1d_minus_prior_13d_rank_diff_90d	-1.179	-0.021	0.02	blocked
run9-study-1	pm_ceasefire_terminal_drift_over_churn_rank_12h_90d	-1.961	-0.086	0.09	blocked
run9-study-2	pm_iran_closed_minus_open_belief_range_rank_6h_90d	+0.659	+0.063	0.705	null
run9-study-3	pm_iran_active_hour_share_1d_over_prior_30d_rank_90d	-0.521	-0.033	0.61	null
run9-study-4	pm_reach_over_dip_breach_odds_tilt_rank_12h_90d	+1.454	+0.263	0.13	null
run9-study-5	pm_ukraine_over_russia_notional_tilt_rank_1d_120d	+1.261	+0.033	0.17	null
run9-study-6	sc_terminal_signed_impulse_rank_30m_120d	—	—	—	underpowered
run9-study-7	pm_ceasefire_over_israel_belief_churn_rank_1d_90d	+0.325	+0.007	0.795	null
run9-study-8	pm_ukraine_strike_p_innov_closed_6h_z_30d_90d	-1.112	-0.062	0.445	null
run9-study-9	pm_iran_arrival_accel_same_phase_6h_vs_1d_rank_90d	+0.611	+0.054	0.58	null
run9-study-10	pm_iran_p_innov_x_own_vol_state_over_belief_churn_12h_30d	+2.261	+0.043	0.0	blocked
run9-study-11	-	—	—	—	进行中


Study	特征	t	IC	置换 p	判决
run10-study-0	pm_ceasefire_arrival_innov_ resid_own_rv_12h_30d_90d	+0.947	-0.034	0.48	null
run10-study-1	pm_iran_p_innov_closed_6h_resid_ brent_30d_90d	—	—	—	blocked
run10-study-2	pm_iran_avg_ticket_closed_6h_ resid_own_rv_90d	-2.156	-0.080	0.225	null
run10-study-3	pm_iran_minus_ceasefire_net_ escalation_resid_brent_12h_30d_ 90d	—	—	—	blocked
run10-study-4	pm_iran_intrasession_belief_ drift_resid_brent_6h_90d	—	—	—	blocked
run10-study-5	-	—	—	—	进行中
run11-study-0	pm_iran_money_concentration_max_ hour_share_resid_own_rv_1d_90d	-1.333	-0.084	0.18	null
run11-study-1	pm_iran_belief_floor_ratchet_ wow_resid_brent_7d_90d	+0.066	+0.008	0.965	null
run11-study-2	pm_iran_closed_money_share_ resid_own_rv_6h_over_1d_90d	-0.317	-0.011	0.755	null
run11-study-3	pm_iran_hazard_level_30d_resid_ own_rv_90d	+2.416	+0.086	0.05	blocked
run11-study-4	pm_ceasefire_over_iran_money_ tilt_resid_own_rv_1d_90d	-0.302	+0.100	0.915	null
run11-study-5	pm_ceasefire_over_iran_avg_ ticket_resid_brent_1d_90d	+1.084	+0.040	0.285	null
run11-study-6	pm_up_direction_belief_ dispersion_resid_own_rv_12h_90d	-1.818	-0.119	0.125	null
run12-study-0	-	—	—	—	进行中
run13-study-0	pm_launch_over_be_speculative_ demand_resid_own_rv_1d_90d	+nan	+0.027	0.0	blocked
run13-study-1	pm_dip_barrier_pricing_closed_ 6h_over_norm_resid_own_rv_90d	+3.170	+0.721	0.02	underpowered
run13-study-2	pm_iran_belief_churn_term_ structure_7d_over_30d_resid_ own_rv_90d	+1.436	+0.014	0.03	blocked
run13-study-3	-	—	—	—	进行中
run14-study-0	pm_ceasefire_closed_minus_open_ arrival_coverage_resid_own_rv_ 6h_90d	-0.516	+0.032	0.6	null


Study	特征	t	IC	置换 p	判决
run14-study-1	pm_out_policy_turnover_belief_ range_closed_6h_resid_own_rv_90d	+1.461	+0.047	0.08	blocked
run14-study-2	pm_iran_closed_window_belief_ range_resid_own_rv_6h_off6h_90d	+0.086	-0.102	0.905	null
run14-study-3	-	—	—	—	进行中
run15-study-0	pm_a_postseason_arrival_innov_ resid_own_rv_12h_30d_90d_placebo	+1.219	+0.050	0.45	null
run15-study-1	pm_iran_avg_ticket_closed_over_ open_resid_own_rv_6h_90d	+2.081	+0.023	0.0	blocked
run15-study-2	pm_ceasefire_p_innov_accel_same_ phase_resid_own_rv_12h_30d_90d	—	—	—	进行中
run16-study-0	pm_iran_p_innov_sq_over_churn_ resid_own_rv_12h_30d_90d	+0.929	+0.038	0.37	null
run16-study-1	pm_ukraine_minus_russia_belief_ range_closed_6h_resid_own_rv_90d	+1.732	+0.043	0.0	blocked
run16-study-2	pm_a_clinch_closed_window_ belief_range_resid_own_rv_6h_ off6h_90d_control	-2.314	-0.071	0.025	blocked
run16-study-3	pm_iran_outstanding_resolution_ mass_resid_own_rv_12h_90d	+4.393	+0.085	0.0	blocked
run16-study-4	pm_ukraine_belief_occupancy_ share_resid_own_rv_1d_90d	+2.727	+0.109	0.0	blocked
run16-study-5	pm_iran_over_israel_money_share_ resid_own_rv_1d_90d	-1.671	-0.021	0.635	blocked
run16-study-6	pm_reach_minus_dip_terminal_ drift_resid_brent_12h_90d	-0.430	+0.183	0.83	underpowered
run16-study-7	pm_iran_belief_jump_studentised_ range_resid_own_rv_7d_90d	+3.246	+0.159	0.005	blocked
run16-study-8	pm_iran_closed_minus_open_ belief_drift_resid_brent_6h_90d	-1.995	-0.143	0.05	blocked
run16-study-9	pm_reach_plus_dip_corridor_exit_ innov_resid_own_rv_12h_30d_90d	+1.182	+0.086	0.035	blocked
run16-study-10	-	—	—	—	进行中
run16-study-11	pm_iran_peak_hour_ticket_ premium_resid_own_rv_1d_90d	-0.567	-0.039	0.585	null
run16-study-12	pm_iran_over_dip_unabsorbed_ risk_dev_ratio_resid_own_rv_12h_ 30d_90d	-0.719	-0.094	0.32	null

Study	特征	<i>t</i>	IC	置换 <i>p</i>	判决
run16-study-13	pm_iran_active_hour_coverage_expansion_wow_resid_own_rv_7d_90d	-0.080	-0.019	0.92	null
run16-study-14	pm_israel_closed_share_of_day_belief_range_resid_own_rv_6h_over_1d_90d	+0.070	+0.004	0.93	null
run16-study-15	pm_geo_escalation_breadth_zsum_3theatre_resid_own_rv_12h_30d_90d	+0.848	+0.054	0.49	null
run16-study-16	pm_iran_over_out_arrival_share_dev_resid_own_rv_1d_30d_90d	-1.241	-0.109	0.22	null
run16-study-17	pm_up_closed_window_ticket_premium_over_30d_norm_resid_own_rv_6h_90d	-2.031	-0.082	0.0	blocked
run16-study-18	pm_iran_belief_drift_agreement_prod_resid_own_rv_12h_adj_90d	+0.396	+0.009	0.54	null
run16-study-19	pm_iran_arrival_intensity_per_active_hour_over_30d_norm_resid_own_rv_1d_90d	-0.266	-0.033	0.68	null


B 全部信号图（信号：蓝，左轴；SC 收盘价：红，右轴）

面板 universe 的 Study 亦在 SC 决策网络上重算并以 SC 为代表绘制。「有定义点数」少于总点数的部分为窗口未满或控制序列缺失，按纪律返回无定义而非零。







auto-study-1: pm_iran_notional_innovation_z。有定义 506/1040 点。




auto-study-2: pm_geo_attention_share_z_iran_over_be_1d。有定义 520/1040 点。




auto-study-3: pm_iran_attention_share_z。有定义 520/1040 点。




auto-study-4: pm_iran_closure_p_innovation。有定义 498/1040 点。



auto-study-5: rv_innovation_z_1d_vs_14d。有定义 835/1040 点。




auto-study-6: pm_iran_belief_churn_innov_z。有定义 476/1040 点。




auto-study-7: cb_rv_short_over_base_z。有定义 879/1040 点。




run3-study-0: sc_directional_efficiency_rank_v1。有定义 395/1040 点。




run3-study-1: rv_dispersion_ratio_rank_10d。有定义 786/1040 点。




run3-study-2: sc_sessret_scaled_by_baseline_vol_rankpct. 有定义 768/1040 点。




run3-study-3: sc_vol_scaled_session_reversal_v1. 有定义 567/1040 点。




run3-study-4: sc_vol_scaled_daily_displacement_v1. 有定义 910/1040 点。




run3-study-5: sc_vol_scaled_session_return_rankpct_v1。有定义 808/1040 点。




run3-study-6: sc_signed_shock_norm_rank_2d。有定义 495/1040 点。




run3-study-7: pm_iran_notional_innov_rank_90d。有定义 506/1040 点。




run3-study-8: `sc_signed_ret_1d_z`。有定义 635/1040 点。




run4-study-0: `sc_upside_share_rank_5d`。有定义 901/1040 点。




run4-study-1: `sc_cumret_7d_rank`。有定义 868/1040 点。



run4-study-2: `sc_prev_day_return_rank_pct_2d_over_90d`。有定义 823/1040 点。




run4-study-3: `sc_session_return_rank_3d_120d`。有定义 867/1040 点。




run4-study-4: `pm_ceasefire_p_state_innovation_12h_30d`。有定义 683/1040 点。




run4-study-5: sc_studentised_range_6h_rankpct_120d. 有定义 0/1040 点。




run4-study-6: sc_vol_scaled_drawdown_pct_v1. 有定义 878/1040 点。




run4-study-7: pm_iran_attention_rank_24h_60d. 有定义 509/1040 点。




run4-study-8: `sc_cum_ret_5d_rank_pct`。有定义 942/1040 点。



run4-study-9: `sc_vol_normalised_drift_rank_3d`。有定义 887/1040 点。




run4-study-10: `pm_iran_p_churn_over_sc_rv_1d_rank`。有定义 423/1040 点。




run4-study-11: pm_russia_avg_ticket_rank_1d_120d。有定义 722/1040 点。




run5-study-0: pm_up_arrival_concentration_6h_over_24h_rank。有定义 134/1040 点。




run5-study-1: pm_iran_belief_impact_per_notional_rank_1d。有定义 489/1040 点。




run5-study-2: sc_lowfreq_over_highfreq_vol_rank_2d_180d。有定义 630/1040 点。




run6-study-0: sc_rv_close_concentration_rank_3h_180d。有定义 0/1040 点。




run6-study-1: cb_rv_acceleration_1d_rank_180d。有定义 545/1040 点。




run6-study-2: pm_iran_minus_israel_p_innov_z_12h_60d。有定义 478/1040 点。




run6-study-3: pm_russia_arrival_burstiness_rank_1d_120d。有定义 646/1040 点。



run6-study-4: sc_downside_jump_severity_rank_5d_120d。有定义 870/1040 点。




run6-study-5: cb_terminal_rv_concentration_rank_30m_over_1d_120d. 有定义 0/1040 点。




run6-study-6: pm_ukraine_arrival_minus_own_rv_innov_rank_1d_90d. 有定义 610/1040 点。




run6-study-7: pm_up_closed_window_arrival_rank_6h_off6h_90d. 有定义 84/1040 点。




run6-study-8: pm_ceasefire_belief_churn_resid_own_rv_1d_90d。有定义 626/1040 点。




run6-study-11: pm_israel_closed_window_arrival_resid_own_rv_6h_off6h_90d。有定义 503/1040 点。




run7-study-0: sc_sessret_resid_brent_12h_90d。有定义 825/1040 点。




run7-study-1: pm_russia_escalation_p_innov_resid_brent_12h_30d_90d。有定义 656/1040 点。




run7-study-2: pm_dip_over_reach_notional_rank_1d_120d。有定义 72/1040 点。




run7-study-3: pm_iran_belief_settlement_within_range_1d。有定义 556/1040 点。




run9-study-0: cb_ret_1d_minus_prior_13d_rank_diff_90d。有定义 808/1040 点。



run9-study-1: pm_ceasefire_terminal_drift_over_churn_rank_12h_90d。有定义 527/1040 点。




run9-study-2: pm_iran_closed_minus_open_belief_range_rank_6h_90d。有定义 281/1040 点。




run9-study-3: pm_iran_active_hour_share_1d_over_prior_30d_rank_90d。有定义 504/1040 点。




run9-study-4: pm_reach_over_dip_breach_odds_tilt_rank_12h_90d。有定义 54/1040 点。




run9-study-5: pm_ukraine_over_russia_notional_tilt_rank_1d_120d。有定义 679/1040 点。






run9-study-6: sc_terminal_signed_impulse_rank_30m_120d. 有定义 0/1040 点。








run9-study-7: pm_ceasefire_over_israel_belief_churn_rank_1d_90d. 有定义 530/1040 点。




run9-study-8: pm_ukraine_strike_p_innov_closed_6h_z_30d_90d. 有定义 539/1040 点。









run10-study-4: pm_iran_intrasession_belief_drift_resid_brent_6h_90d。有定义 350/1040 点。




run11-study-0: pm_iran_money_concentration_max_hour_share_resid_own_rv_1d_90d。有定义 469/1040 点。




run11-study-1: pm_iran_belief_floor_ratchet_wow_resid_brent_7d_90d。有定义 495/1040 点。




run11-study-2: pm_iran_closed_money_share_resid_own_rv_6h_over_1d_90d。有定义 378/1040 点。




run11-study-3: pm_iran_hazard_level_30d_resid_own_rv_90d。有定义 616/1040 点。




run11-study-4: pm_ceasefire_over_iran_money_tilt_resid_own_rv_1d_90d。有定义 469/1040 点。




run11-study-5: pm_ceasefire_over_iran_avg_ticket_resid_brent_1d_90d。有定义 468/1040 点。




run11-study-6: pm_up_direction_belief_dispersion_resid_own_rv_12h_90d。有定义 151/1040 点。




run13-study-0: pm_launch_over_be_speculative_demand_resid_own_rv_1d_90d。有定义 435/1040 点。




run13-study-1: pm_dip_barrier_pricing_closed_6h_over_norm_resid_own_rv_90d。有定义 10/1040 点。




run13-study-2: pm_iran_belief_churn_term_structure_7d_over_30d_resid_own_rv_90d。有定义 509/1040 点。




run14-study-0: pm_ceasefire_closed_minus_open_arrival_coverage_resid_own_rv_6h_90d。有定义 487/1040 点。




run14-study-1: pm_out_policy_turnover_belief_range_closed_6h_resid_own_rv_90d。有定义 793/1040 点。




run14-study-2: pm_iran_closed_window_belief_range_resid_own_rv_6h_off6h_90d。有定义 378/1040 点。




run15-study-0: pm_a_postseason_arrival_innov_resid_own_rv_12h_30d_90d_placebo。有定义 792/1040 点。




run15-study-1: pm_iran_avg_ticket_closed_over_open_resid_own_rv_6h_90d。有定义 294/1040 点。




run15-study-2: pm_ceasefire_p_innov_accel_same_phase_resid_own_rv_12h_30d_90d。有定义 527/1040 点。




run16-study-0: pm_iran_p_innov_sq_over_churn_resid_own_rv_12h_30d_90d。有定义 419/1040 点。




run16-study-1: pm_ukraine_minus_russia_belief_range_closed_6h_resid_own_rv_90d。有定义 298/1040 点。




run16-study-2: pm_a_clinch_closed_window_belief_range_resid_own_rv_6h_off6h_90d_control。有定义 752/1040 点。




run16-study-3: pm_iran_outstanding_resolution_mass_resid_own_rv_12h_90d。有定义 420/1040 点。







run16-study-4: pm_ukraine_belief_occupancy_share_resid_own_rv_1d_90d。有定义 632/1040 点。




run16-study-5: pm_iran_over_israel_money_share_resid_own_rv_1d_90d。有定义 469/1040 点。




run16-study-6: pm_reach_minus_dip_terminal_drift_resid_brent_12h_90d。有定义 9/1040 点。







run16-study-11: pm_iran_peak_hour_ticket_premium_resid_own_rv_1d_90d。有定义 469/1040 点。




run16-study-12: pm_iran_over_dip_unabsorbed_risk_dev_ratio_resid_own_rv_12h_30d_90d。有定义 11/1040 点。




run16-study-13: pm_iran_active_hour_coverage_expansion_wow_resid_own_rv_7d_90d。有定义 501/1040 点。




run16-study-14: pm_israel_closed_share_of_day_belief_range_resid_own_rv_6h_over_1d_90d。有定义 501/1040 点。



run16-study-15: pm_geo_escalation_breadth_zsum_3theatre_resid_own_rv_12h_30d_90d。有定义 353/1040 点。



run16-study-16: pm_iran_over_out_arrival_share_dev_resid_own_rv_1d_30d_90d。有定义 469/1040 点。



账本冻结点：事件 seq 1455（2026-08-08T08:55:11，run16 当时仍在进行）；事件 1455 条，哈希链完整。叙述由人撰写且不含数字；数字一律由快照渲染，二者不会不一致。