

Threat hunting report

ID	Name	IP address	Version	Manager	Operating system	Registration date	Last keep alive
004	LinuxMintUser	100.125.135.25	Wazuh v4.14.7	iviwe-HP-EliteBook-850-G1	Linux Mint 22.3	Aug 24, 2026 @ 14:28:48.000	Sep 1, 2026 @ 23:00:27.000


Group: LinuxVMs

Browse through your security alerts, identifying issues and threats in your environment.


🕒 2026-08-22T23:00:46 to 2026-09-01T23:00:46

🔍 manager.name: iviwe-HP-EliteBook-850-G1 AND agent.id: 004

Top 10 Alert groups evolution



Alerts



624

- Total -

0

- Level 12 or above alerts -


7

- Authentication failure -


49

- Authentication success -


Top 5 alerts



Top 5 rule groups



Top 5 PCI DSS Requirements



Alerts summary

Rule ID	Description	Level	Count
533	Listened ports status (netstat) changed (new port opened or closed).	7	61
5501	PAM: Login session opened.	3	49
5502	PAM: Login session closed.	3	45
5402	Successful sudo to ROOT executed.	3	34
550	Integrity checksum changed.	7	11
504	Wazuh agent disconnected.	3	9
52002	Apparmor DENIED	3	7
5503	PAM: User login failed.	5	7
40704	Systemd: Service exited due to a failure.	5	4
503	Wazuh agent started.	3	4
506	Wazuh agent stopped.	3	4
19004	SCA summary: CIS Distribution Independent Linux Benchmark v2.0.0.: Score less than 50% (45)	7	3
5404	Three failed attempts to run sudo	10	3
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Disable USB Storage.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure /etc/hosts.deny is configured.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure /tmp is configured.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure AIDE is installed.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure Avahi Server is not enabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure CUPS is not enabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure DCCP is disabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure ICMP redirects are not accepted.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure IPv6 default deny firewall policy.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure IPv6 loopback traffic is configured.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure IPv6 router advertisements are not accepted.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure RDS is disabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure Reverse Path Filtering is enabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SCTP is disabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure	7	2

Rule ID	Description	Level	Count
	SELinux is not disabled in bootloader configuration.		
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure TIPC is disabled.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure X Window System is not installed.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure access to the su command is restricted.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure at/cron is restricted to authorized users.	7	2
19007	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure audit log storage size is configured.	7	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Disable Automounting.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure DHCP Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure DNS Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure FTP Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure HTTP Proxy Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure HTTP server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure IMAP and POP3 server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure IP forwarding is disabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure LDAP client is not installed.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure LDAP server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure NFS and RPC are not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure NIS Client is not installed.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure NIS Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SELinux or AppArmor are installed.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SETroubleshoot is not installed.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SNMP Server is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure Samba is not enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure TCP SYN Cookies is enabled.	3	2
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure XD/NX support is enabled.	3	2

Rule ID	Description	Level	Count
19008	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure address space layout randomization (ASLR) is enabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure AppArmor is not disabled in bootloader configuration.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure GDM login banner is configured.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SELinux policy is configured.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH AllowTcpForwarding is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH HostbasedAuthentication is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH Idle Timeout Interval is configured.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH IgnoreRhosts is enabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH LogLevel is appropriate.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH LoginGraceTime is set to one minute or less.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH MaxAuthTries is set to 4 or less.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH MaxSessions is set to 4 or less.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH MaxStartups is configured.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH PAM is enabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH PermitEmptyPasswords is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH PermitUserEnvironment is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH X11 forwarding is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH access is limited.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH root login is disabled.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure SSH warning banner is configured.	3	2
19009	CIS Distribution Independent Linux Benchmark v2.0.0.: Ensure TCP Wrappers is installed.	3	2
501	New wazuh agent connected.	3	1
5403	First time user executed sudo.	4	1
591	Log file rotated.	3	1

Groups summary

Groups	Count
sca	383
syslog	146
pam	101
ossec	91
authentication_success	49
sudo	38
local	11
syscheck	11
syscheck_entry_modified	11
syscheck_file	11
apparmor	7
authentication_failed	7
systemd	4