

CORTORA

Standard Operating Procedure for Handling Customer Cases

Document ID	Version	Owner	Classification	Effective	Review cycle
COR-SOP-021	2.0	Customer Experience	Internal	01 September 2026	Annual

This Standard Operating Procedure describes how Support Agents and Support Managers should handle customer cases from intake through resolution, including how to use OpsPilot as part of the workflow. It applies to all cases raised through chat, email, and phone channels.

1. Case Intake

- Verify the customer's identity using the account verification method appropriate to the channel before discussing order, payment, or account details.
- Identify the order, payment, or return identifier relevant to the request; ask the customer for it if not already provided, rather than searching broadly across their account history without a reason.
- Create a case with a concise problem description, the relevant identifiers, and the initial priority.
- Set the case status to OPEN, then move it to INVESTIGATING once work begins.

2. Case Classification

Case type	Typical trigger	Primary policy reference
Order case	Order stuck, wrong status, delivery delay	Order Operations SOP
Payment case	Duplicate charge, failed payment, unexpected charge	Payment Operations SOP
Refund case	Refund not received, refund amount disputed	Refund Policy
Return case	Item to be sent back, return rejected	Return Policy
Cancellation case	Customer wants to cancel before shipment	Cancellation Policy
Risk case	Suspicious account activity, blocked order	Fraud & Risk Policy

3. Using OpsPilot During a Case

The standard workflow for using OpsPilot within a case is:

- Open or create the case and provide the problem description and identifiers.
- Ask OpsPilot to retrieve the relevant order, payment, or return evidence.
- Review the evidence OpsPilot retrieved before accepting its classification of the case.
- Review the policy or SOP reference OpsPilot cites and confirm it matches the actual situation.
- Review the proposed action, including the amount and method for any financial action.
- Approve, adjust, reject, or escalate the recommendation according to your authorization level.
- Confirm the resulting operational state (e.g. refund status, order status) before closing the case.

- Ensure the case notes reflect the final resolution and reference the evidence used.

OpsPilot's output is a recommendation, not an instruction. A Support Agent who disagrees with OpsPilot's recommendation should document why and proceed according to policy, escalating to a Support Manager if the disagreement cannot be resolved from available evidence.

4. Customer Communication Standards

- Communicate in plain, accurate language; do not promise an outcome (such as a specific refund amount or timeline) until it has been confirmed through the appropriate system.
- Do not disclose internal case identifiers, internal role names, or internal system names to the customer unless necessary for the customer to track their own request.
- When a request cannot be fulfilled, explain the applicable policy reason in customer-appropriate terms rather than simply declining without explanation.
- Do not share other customers' information, even partially, to explain a decision.

5. Handling Difficult or Escalating Customers

A customer's frustration, repeated requests, or threat to leave a negative review is not, by itself, evidence that a policy exception is warranted. Support Agents should remain professional, restate the applicable policy, and escalate to a Support Manager when the customer requests a supervisor, when the situation involves a potential legal or regulatory complaint, or when the case has been reopened multiple times without resolution.

6. Priority Levels

Priority	Definition	Target first response
P1 – Urgent	Safety issue, suspected fraud on the account, or high-value order at risk	Within 1 hour
P2 – High	Payment or refund discrepancy, delivery significantly overdue	Within 4 hours
P3 – Standard	Routine order, return, or account question	Within 1 business day
P4 – Low	General information request, non-urgent feedback	Within 2 business days

7. Case Closure Requirements

A case may be marked RESOLVED only when all of the following are true:

- The requested outcome has been executed through the appropriate service (refund, cancellation, return acceptance, etc.), where applicable.
- The resulting operational state has been verified, not merely assumed from a successful-looking tool call.
- The case notes summarise the issue, the evidence reviewed, the policy applied, and the final outcome.
- The customer has been informed of the outcome in the channel the case originated from.

If any of these conditions cannot be met, the case should remain in INVESTIGATING, WAITING_FOR_CUSTOMER, WAITING_FOR_APPROVAL, or ESCALATED as appropriate, rather than being closed prematurely.

8. Escalation Triggers

- The requested action exceeds the agent's authorization level.
- The case involves conflicting or missing evidence that cannot be resolved through available tools.
- The case involves a suspected fraud or risk indicator.
- The customer disputes a policy outcome and requests a supervisor.
- OpsPilot flags the case as outside documented policy or reports a tool failure it cannot resolve.

9. Related Documents

- Order Operations SOP, Payment Operations SOP, Refund Policy, Return Policy, Cancellation Policy — case-type-specific procedures.
- Escalation Procedures — detailed escalation routing.
- Employee Authorization Matrix — role-based action limits.
- Privacy & Data Handling Policy — rules for handling customer information during a case.

Synthetic environment notice: Cortora, its employees, customers, policies, and operational records are fictional and created solely for the OpsPilot engineering project.