

CORTORA

Company Overview & Operating Model

Document ID	COR-OV-001	Version	2.0
Owner	Operations & Technology	Classification	Internal
Effective	01 September 2026	Review cycle	Annual

1. Executive Overview

Cortora is a fictional European e-commerce company headquartered in Milan, Italy, serving customers across the European Economic Area and the United Kingdom. The company operates a digital marketplace focused on consumer electronics, home-office equipment, smart-home accessories, and everyday technology products.

Cortora combines a direct online storefront with a network of logistics and fulfillment partners. Its internal teams coordinate customer support, order operations, payments, returns, risk management, and technology through a set of internal systems.

This document defines the fictional business context used by OpsPilot. It is intentionally detailed so that an AI operations system can reason over realistic organizational concepts, roles, terminology, workflows, and relationships.

2. Company Profile

Document ID	COR-OV-001	Version	2.0
Owner	Corporate Operations	Classification	Internal
Effective	01 September 2026	Review cycle	Annual

Attribute	Cortora
Industry	E-commerce / Digital Commerce
Headquarters	Milan, Italy
Primary market	European Economic Area + United Kingdom
Business model	Online retail with fulfillment partners
Core products	Consumer electronics, accessories, home-office products
Support model	Internal support teams with operational escalation
Internal AI system	OpsPilot

3. Business Units

Customer Experience

Customer Experience owns customer-facing support operations. It handles questions about orders, deliveries, returns, refunds, product issues, and account problems. Support agents are expected to resolve routine cases without unnecessary escalation while respecting access and financial authorization limits.

Order Operations

Order Operations monitors the lifecycle of orders from creation through fulfillment, shipment, delivery, cancellation, and return. The team investigates exceptions such as stalled orders, incorrect status transitions, address problems, and fulfillment discrepancies.

Payments Operations

Payments Operations investigates payment failures, duplicate charges, authorization issues, captured-but-cancelled orders, refunds, and payment reconciliation exceptions. Financial actions are subject to role-based authorization and, for selected scenarios, human approval.

Risk & Trust

Risk & Trust handles suspicious transaction patterns, account abuse, policy exceptions, and cases where normal operational procedures may expose Cortora to financial or fraud risk. Risk analysts can place cases into escalation workflows.

Technology & Data

Technology & Data maintains Cortora's applications, APIs, databases, observability systems, internal tools, and AI capabilities. The team owns OpsPilot from a technical perspective and works with operations teams to define safe tool access.

4. Internal Roles

- **Support Agent:** investigates routine customer cases and performs actions permitted by the support role.
- **Support Manager:** supervises support operations and can approve selected actions above normal agent limits.
- **Operations Specialist:** handles complex order and fulfillment investigations.
- **Payments Specialist:** handles payment-specific investigations and authorized financial operations.
- **Risk Analyst:** reviews suspicious or high-risk activity and policy exceptions.
- **Operations Administrator:** manages operational configuration and has elevated permissions subject to audit.
- **Technology Engineer:** maintains systems and does not receive operational financial authority merely by virtue of technical access.

5. Cortora Operational Data Model

Cortora's internal systems distinguish between business entities and operational work. A customer is a person or organization purchasing from Cortora. An order represents a purchase. A payment records a financial transaction associated with an order. A refund records money returned to a customer. A return records the physical or operational return process. A case represents a problem or request that an employee is actively investigating or resolving.

Entity	Purpose	Typical examples
Customer	Party purchasing from Cortora	CUST-1024
Order	Commercial purchase	ORD-4821
Order Item	Product within an order	SKU-KEY-104
Payment	Financial transaction	PAY-8821
Refund	Money returned against a payment/order	REF-10021
Return	Returned-product workflow	RET-5001
Case	Internal problem-resolution work item	CASE-10001
Employee	Internal user of company systems	EMP-001

6. Order Lifecycle

A normal order moves through a controlled lifecycle. The most common sequence is **PENDING** → **PROCESSING** → **SHIPPED** → **DELIVERED**. An order may instead become **CANCELLED** before fulfillment or **RETURNED** after delivery. Status transitions are recorded by Cortora's operational systems and should not be inferred solely from customer messages.

Examples of exceptions include a payment that fails while an order remains pending, a shipment that remains in transit longer than expected, a delivered order followed by a return request, or a refund that remains pending after the return is accepted.

7. Operational Cases

A case is created when an employee needs to investigate or resolve an issue. Cases are not customers, orders, or payments. They are work items that may reference those entities.

- **Payment case:** customer reports a duplicate charge.
- **Refund case:** eligible refund has not appeared in the customer's account.
- **Order case:** an order appears stuck in processing.
- **Return case:** customer reports a damaged item and requests a return.
- **Risk case:** multiple transactions suggest potentially suspicious activity.

A case normally moves through states such as OPEN, INVESTIGATING, WAITING_FOR_CUSTOMER, WAITING_FOR_APPROVAL, RESOLVED, or ESCALATED.

8. OpsPilot Operating Model

OpsPilot is an internal AI operations assistant. It receives a case from an authorized employee, interprets the request, retrieves relevant internal knowledge, gathers operational evidence through approved tools, and produces a structured recommendation. Depending on the action and the employee's permissions, OpsPilot may request human approval before execution.

OpsPilot is not the system of record. PostgreSQL-backed operational services remain authoritative for customer, order, payment, refund, and return state. Company policies and procedures remain the authoritative source for operational rules. OpsPilot assists with reasoning and orchestration but does not override authorization controls.

The intended control model is: **LLM proposes** → **deterministic services validate** → **authorization is checked** → **human approval is obtained when required** → **action executes** → **result is verified** → **audit event is recorded**.

9. Internal Knowledge Sources

- Company overview and organizational information.
- Employee handbook and responsible-use guidance.
- Refund and return policies.
- Cancellation and payment procedures.
- Customer-support standard operating procedures.
- Fraud and risk procedures.
- Employee authorization matrix.
- Escalation procedures and operational runbooks.

10. Example End-to-End Case

Case: CASE-10001. Customer CUST-1024 reports two €249.99 charges for ORD-4821.

- OpsPilot classifies the case as a payment issue.
- A payment tool retrieves transactions associated with ORD-4821.
- The system finds two captured transactions with the same amount.
- RAG retrieves the duplicate-payment procedure.
- OpsPilot recommends refunding the duplicate transaction.
- Authorization rules determine whether the employee can execute the refund.
- If approval is required, an authorized approver reviews the evidence.
- The refund service executes the approved action.
- A verification call confirms the resulting payment/refund state.
- The case is resolved and the action is written to the audit trail.

11. Data and AI Safety Principles

- Synthetic customer and transaction records are used in the development environment.
- Operational tools expose only the minimum capability required by the workflow.
- LLM output is treated as untrusted input and validated before sensitive actions.
- Policies retrieved from documents do not automatically grant permission to execute an action.
- Every sensitive action should be attributable to an employee, system workflow, and timestamp.
- Failed or ambiguous operations should be surfaced rather than silently treated as successful.

12. Document Governance

Policies and procedures are versioned internal knowledge sources. When multiple versions exist, the current approved version should be treated as authoritative according to Cortora's document-control process. Historical documents may be retained for audit purposes but should not silently override current policy.

Synthetic environment notice: Cortora, its employees, customers, policies, and operational records are fictional and created solely for the OpsPilot engineering project.