


# Développement Mobile



## Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).  
Required fields are marked with an asterisk (\*).

### 1 General

Owner \* lyedderbeli / Repository name \* SmartShop  
SmartShop is available.

Great repository names are short and memorable. How about [potential-octo-umbrella?](#)

Description  
0 / 350 characters

### 2 Configuration

Choose visibility \* Public  
Choose who can see and commit to this repository


Add README Off  
READMEs can be used as longer descriptions. [About READMEs](#)

Add .gitignore No .gitignore  
.gitignore tells git which files not to track. [About ignoring files](#)


Add license No license  
Licenses explain how others can use your code. [About licenses](#)

Create repository

```
PS D:\Users\MSI\AndroidStudioProjects\Project> git remote add origin https://github.com/iyedderbeli/SmartShop.git
PS D:\Users\MSI\AndroidStudioProjects\Project> git branch -M main
PS D:\Users\MSI\AndroidStudioProjects\Project> git push -u origin main
Enumerating objects: 78, done.
Counting objects: 100% (78/78), done.
Delta compression using up to 12 threads
Compressing objects: 100% (63/63), done.
```

 **SmartShop** Public Pin Watch 0

main 1 Branch 0 Tags  Add file Code

 **iyedderbeli** Initial Commit b9f03b3 · 4 minutes ago 1 Commit

📁 .idea	Initial Commit	4 minutes ago
📁 app	Initial Commit	4 minutes ago
📁 gradle	Initial Commit	4 minutes ago
📄 .gitignore	Initial Commit	4 minutes ago
📄 build.gradle.kts	Initial Commit	4 minutes ago
📄 gradle.properties	Initial Commit	4 minutes ago
📄 gradlew	Initial Commit	4 minutes ago
📄 gradlew.bat	Initial Commit	4 minutes ago
📄 settings.gradle.kts	Initial Commit	4 minutes ago

📁 app

📁 src

📁 androidTest

📁 main

📁 java

📁 com

📁 example

📁 project

📁 auth

📁 navigation

📁 ui

SmartShop


Spark plan


+ Add app


# Hello, Iyed


## Welcome to your Firebase project!


Gemini can give you suggestions for Firebase services and solutions for your app


▼  **app**


▼  **src**


  >  **androidTest**


  >  **main**

  >  **test**


 **.gitignore**

 **build.gradle.kts**

 **google-services.json**

 **proguard-rules.pro**

## Authentication


Users Sign-in method Templates Usage Settings  Extensions


Sign-in providers

Add new provider

Provider



Status


 Email/Password

 Enabled

# Authentication


[Users](#) | [Sign-in method](#) | [Templates](#) | [Usage](#) | [Settings](#) | [Extensions](#)

 The following Authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps. 

 Search by email address, phone number, or user UID

[Add user](#)



Identifier	Providers	Created ↓	Signed In	User UID
derbaliyyed@gmail.com		Dec 4, 2025		YqHmROCcZ7VrEY637MlxvAr...

Rows per page: 50 ▾ 1 – 1 of 1 < >

## LoginScreen.kt :

```
package com.example.project.auth

import androidx.compose.foundation.layout.Column
import androidx.compose.foundation.layout.Spacer
import androidx.compose.foundation.layout.fillMaxSize
import androidx.compose.foundation.layout.fillMaxWidth
import androidx.compose.foundation.layout.height
import androidx.compose.foundation.layout.padding
import androidx.compose.foundation.layout.Arrangement
import androidx.compose.material3.Button
import androidx.compose.material3.Text
import androidx.compose.material3.TextField
import androidx.compose.material3.MaterialTheme
import androidx.compose.runtime.Composable
import androidx.compose.runtime.collectAsState
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.text.input.PasswordVisualTransformation
import androidx.compose.ui.unit.dp

@Composable
fun LoginScreen(
    viewModel: LoginViewModel,
    onLoginSuccess: () -> Unit
) {
    val emailState = viewModel.email.collectAsState()
    val passwordState = viewModel.password.collectAsState()
    val errorState = viewModel.error.collectAsState()
    val loadingState = viewModel.loading.collectAsState()

    Column(
        modifier = Modifier
            .fillMaxSize()
            .padding(16.dp),
        verticalArrangement = Arrangement.Center
    ) {

        TextField(
            value = emailState.value,
            onChange = { viewModel.updateEmail(it) },
            label = { Text("Email") },

```

```

        modifier = Modifier.fillMaxWidth()
    )

    Spacer(modifier = Modifier.height(16.dp))

    TextField(
        value = passwordState.value,
        onChange = { viewModel.updatePassword(it) },
        label = { Text("Password") },
        visualTransformation = PasswordVisualTransformation(),
        modifier = Modifier.fillMaxWidth()
    )

    Spacer(modifier = Modifier.height(16.dp))

    Button(
        onClick = { viewModel.login(onLoginSuccess) },
        enabled = !loadingState.value,
        modifier = Modifier.fillMaxWidth()
    ) {
        Text(if (loadingState.value) "Loading..." else "Login")
    }

    errorState.value?.let { errorMsg ->
        Spacer(modifier = Modifier.height(8.dp))
        Text(text = errorMsg, color = Color.Red, style =
MaterialTheme.typography.bodyMedium)
    }
}

```

## LoginViewModel.kt :

```

package com.example.project.auth

import androidx.lifecycle.ViewModel
import com.google.firebase.auth.FirebaseAuth
import kotlinx.coroutines.flow.MutableStateFlow
import kotlinx.coroutines.flow.StateFlow

class LoginViewModel : ViewModel() {

    private val auth: FirebaseAuth = FirebaseAuth.getInstance()

    private val _email = MutableStateFlow("")
    val email: StateFlow<String> = _email

    private val _password = MutableStateFlow("")
    val password: StateFlow<String> = _password

    private val _error = MutableStateFlow<String?>(null)
    val error: StateFlow<String?> = _error

    private val _loading = MutableStateFlow(false)
    val loading: StateFlow<Boolean> = _loading

    fun updateEmail(value: String) {
        _email.value = value
    }

    fun updatePassword(value: String) {
        _password.value = value
    }

    fun login(onSuccess: () -> Unit) {

```

```

        _loading.value = true
        _error.value = null

        auth.signInWithEmailAndPassword(_email.value, _password.value)
            .addOnCompleteListener { task ->
                _loading.value = false
                if (task.isSuccessful) {
                    onSuccess()
                } else {
                    _error.value = task.exception?.message ?: "Login failed"
                }
            }
    }
}

```

## AppNav.kt :

```

package com.example.project.navigation


import androidx.compose.runtime.Composable
import androidx.compose.material3.Text
import androidx.navigation.compose.NavHost
import androidx.navigation.compose.composable
import androidx.navigation.compose.rememberNavController
import com.example.project.auth.LoginScreen
import com.example.project.auth.LoginViewModel

@Composable
fun AppNav() {
    val navController = rememberNavController()

    NavHost(
        navController = navController,
        startDestination = "login"
    ) {
        composable("login") {
            LoginScreen(
                viewModel = LoginViewModel(),
                onLoginSuccess = { navController.navigate("home") }
            )
        }

        composable("home") {
            Text("Welcome!")
        }
    }
}

```



```
PS D:\Users\MSI\AndroidStudioProjects\Project> git add .
warning: in the working copy of 'app/build.gradle.kts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'app/src/main/java/com/example/project/MainActivity.kt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'build.gradle.kts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.kotlin/errors/errors-1764881807704.log', LF will be replaced by CRLF the next time Git touches it
PS D:\Users\MSI\AndroidStudioProjects\Project> git commit -m "Login + Navigation"
[main a02be2b] Login + Navigation
 8 files changed, 192 insertions(+), 22 deletions(-)
 create mode 100644 .kotlin/errors/errors-1764881807704.log
 create mode 100644 app/google-services.json
 create mode 100644 app/src/main/java/com/example/project/auth/LoginScreen.kt
 create mode 100644 app/src/main/java/com/example/project/auth/LoginViewModel.kt
 create mode 100644 app/src/main/java/com/example/project/navigation/AppNav.kt
PS D:\Users\MSI\AndroidStudioProjects\Project> git push
Enumerating objects: 31, done.
Counting objects: 100% (31/31), done.
Delta compression using up to 12 threads
Compressing objects: 100% (16/16), done.
Writing objects: 100% (21/21), 3.65 KiB | 746.00 KiB/s, done.
Total 21 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
remote: This repository moved. Please use the new location:
remote:   https://github.com/Iyedderbeli/SmartShop.git
To https://github.com/Iyedderbeli/SmartShop.git
 b9f03b3..a02be2b  main -> main
```

# PART 2:

## Cloud Firestore

Realtime updates, powerful queries, automatic scaling, and MongoDB compatibility

Create database

Ask Gemini



### × Create a database

#### 3 Configure

After you define your data structure, you will need to write rules to secure your data. [Learn more](#)

##### ☐ Start in production mode

Your data is private by default. Client read/write access will only be granted as specified by your security rules.

##### ☒ Start in test mode

Your data is open by default to enable quick setup. However, you must update your security rules within 30 days to enable long-term client read/write access.

```
rules_version = '2';

service cloud.firestore {
  match /databases/{database}/documents {
    match /{document=**} {
      allow read, write: if
        request.time < timestamp.date(2026, 1, 4);
    }
  }
}
```

**!** The default security rules for test mode allow anyone with your database reference to view, edit and delete all data in your database for the next 30 days

Cancel

Create



Database

Add database

Ask Gemini about the core concepts to use Firestore

- Data
- Rules
- Indexes
- Disaster Recovery
- Usage
- Extensions

Protect your Cloud Firestore resources from abuse, such as billing fraud or phishing

Configure App Check

Panel view

Query builder

More in Google Cloud



(default)

+ Start collection



Your database is ready to go. Just add data.

2:53

Product name

Quantity

Price

Add product

Statistics

Total products: 2

Total stock value: 1016.00

Products

Book

Qty: 12 units

Price: 33.0dt

Shoes

Qty: 31 units

Price: 20.0dt

2:54

Product name

Sobz

Quantity

200

Price

0.2

Add product

Statistics

Total products: 2

Total stock value: 1016.00

Products

Book

Qty: 12 units

Price: 33.0dt

Shoes

Qty: 31 units

Price: 20.0dt

2:55

Product name

Quantity

Price

Add product

Statistics

Total products: 3

Total stock value: 1056.00

Products

Sobz

Qty: 200 units

Price: 0.2dt

Book


Qty: 12 units

Price: 33.0dt

Shoes



Qty: 31 units

Price: 20.0dt




```
PS D:\Users\MSI\AndroidStudioProjects\Project> git push
Enumerating objects: 40, done.
Counting objects: 100% (40/40), done.
Delta compression using up to 12 threads
Compressing objects: 100% (21/21), done.
Writing objects: 100% (26/26), 5.25 KiB | 1.05 MiB/s, done.
Total 26 (delta 7), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (7/7), completed with 7 local objects.
remote: This repository moved. Please use the new location:
remote: https://github.com/Iyedderbeli/SmartShop.git
To https://github.com/Iyedderbeli/SmartShop.git
    a02be2b..f718573  main -> main
PS D:\Users\MSI\AndroidStudioProjects\Project>
```

## Adding Images to products




```
PS D:\Users\MSI\AndroidStudioProjects\Project> git add .
warning: in the working copy of 'app/build.gradle.kts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'app/src/main/java/com/example/project/MainActivity.kt', LF will be replaced by CRLF the next time Git touches it
PS D:\Users\MSI\AndroidStudioProjects\Project> git commit -m "Added Images"
[main 30cf98b] Added Images
 9 files changed, 112 insertions(+), 91 deletions(-)
PS D:\Users\MSI\AndroidStudioProjects\Project> git push
Enumerating objects: 43, done.
Counting objects: 100% (43/43), done.
Delta compression using up to 12 threads
Compressing objects: 100% (17/17), done.
Writing objects: 100% (22/22), 2.87 KiB | 734.00 KiB/s, done.
Total 22 (delta 11), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (11/11), completed with 11 local objects.
remote: This repository moved. Please use the new location:
remote: https://github.com/Iyedderbeli/SmartShop.git
To https://github.com/Iyedderbeli/SmartShop.git
 f718573..30cf98b  main -> main
PS D:\Users\MSI\AndroidStudioProjects\Project>
```

# Modifying + Deleting Products



# Cart + Checkout




```

PS D:\Users\MSI\AndroidStudioProjects\Project> git add .
warning: in the working copy of 'app/build.gradle.kts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of '.idea/inspectionProfiles/Project_Default.xml', LF will be replaced by CRLF the next time Git touches it
PS D:\Users\MSI\AndroidStudioProjects\Project> git commit -m "Cart + Checkout"
[main 5422909] Cart + Checkout
14 files changed, 434 insertions(+), 9 deletions(-)
create mode 100644 .idea/inspectionProfiles/Project_Default.xml
create mode 100644 Report.pdf
create mode 100644 app/src/main/java/com/example/project/data/local/CartDao.kt
create mode 100644 app/src/main/java/com/example/project/data/local/CartItemEntity.kt
create mode 100644 app/src/main/java/com/example/project/data/local/OrderDao.kt
create mode 100644 app/src/main/java/com/example/project/data/local/OrderEntity.kt
create mode 100644 app/src/main/java/com/example/project/data/local/OrderItemEntity.kt
create mode 100644 app/src/main/java/com/example/project/orders/CartOrderRepository.kt
create mode 100644 app/src/main/java/com/example/project/orders/CartScreen.kt
create mode 100644 app/src/main/java/com/example/project/orders/CartViewModel.kt
PS D:\Users\MSI\AndroidStudioProjects\Project> git push

```

## Dashboard



```

PS D:\Users\MSI\AndroidStudioProjects\Project> git add .
warning: in the working copy of 'app/build.gradle.kts', LF will be replaced by CRLF the next time Git touches it
PS D:\Users\MSI\AndroidStudioProjects\Project> git commit -m "Dashboard"
[main 74ee263] Dashboard
20 files changed, 1157 insertions(+), 409 deletions(-)
create mode 100644 app/src/main/java/com/example/project/dashboard/DashboardScreen.kt
create mode 100644 app/src/main/java/com/example/project/dashboard/DashboardViewModel.kt
create mode 100644 app/src/main/java/com/example/project/orders/OrderDetailsScreen.kt
create mode 100644 app/src/main/java/com/example/project/orders/OrderHistoryScreen.kt
create mode 100644 app/src/main/java/com/example/project/orders/OrdersRepository.kt
create mode 100644 app/src/main/java/com/example/project/orders/OrdersViewModel.kt
PS D:\Users\MSI\AndroidStudioProjects\Project> git push

```

