Firewall policy review

External-FW · 13 Oct 2026, 02:00 UTC

99/100	20	not conformant	4
OPTIMIZER SCORE	RULES ANALYSED	COMPLIANCE	CHECKS FAILED

20 rules were analysed across 1 inline layer(s). 2 of 6 compliance checks passed. No rule changed since the previous run, though 2 could not be compared and so cannot be reported as unchanged.

What needs a decision

FAIL **Telnet (TCP/23) is never permitted**

HOUSE-NO-TELNET · severity high

3 rule(s) match a condition this profile forbids.

Rule	Layer	Source	Destination	Service
1	External-FW Network	CP-MGMT-01 (10.40.31.180), MailServer_10.40.31.139 (10.40.31.139)	Any	Any
3	External-FW Network	Internal-GW01 (10.40.31.176)	Any	Any
4 Music-VPN	External-FW Network	VPN-GW (10.40.33.179)	Any	Any

House rule — no external standard cited

FAIL Every rule carries a comment explaining why it exists

HOUSE-DOCUMENTED · severity medium

16 rule(s) have no comments.

Rule	Layer	Source	Destination	Service
1	External-FW Network	CP-MGMT-01 (10.40.31.180), MailServer_10.40.31.139 (10.40.31.139)	Any	Any
2 Allow-VLAN30	External-FW Network	LAB-VLAN30 (192.168.30.0/24)	Any	Any
3	External-FW Network	Internal-GW01 (10.40.31.176)	Any	Any
4 Music-VPN	External-FW Network	VPN-GW (10.40.33.179)	Any	Any
5 Admin-Access	External-FW Network	Any	External-Cluster (10.40.34.179), External-GW01 (10.40.31.177), External-GW02 (10.40.31.178), Internal-GW01 (10.40.31.176)	https (TCP/443), http (TCP/80), ssh (TCP/22), icmp-requests
6 Lab-Device-Mgmt	External-FW Network	Admin-Networks	ESXi-NUC_192.168.10.2 (192.168.10.2), VDX-LAB_10.40.31.199 (10.40.31.199)	https (TCP/443), ssh (TCP/22)
7 VLAN20-to-AD	External-FW Network	LAB-VLAN20 (192.168.20.0/24), Net-Corp-10.40.10.0 (10.40.10.0/23), Vlan33_Devsec (10.40.33.0/24), LAB-VLAN30 (192.168.30.0/24)	AD-Server_192.168.10.10 (192.168.10.10), AD-Server_10.40.31.60 (10.40.31.60)	AD-Services
8 Access-to-RDP	External-FW Network	LAB-VLAN10 (192.168.10.0/24), Net-Corp-10.40.10.0 (10.40.10.0/23), LAB-VLAN30 (192.168.30.0/24), Net-Corp-10.40.0.0 (10.40.0.0/16)	RDP-Server_192.168.20.100 (192.168.20.100), NAT-RDP-34-180 (10.40.34.180), RDP_Server_10.40.34.183 (10.40.34.183)	Remote_Desktop_Protocol (TCP/3389), ssh (TCP/22)
… and 8 more, in the application				

House rule — no external standard cited

FAIL No disabled rules left in the package

HOUSE-NO-DISABLED · severity low

1 disabled rule(s) remain in the package.

Rule	Layer	Source	Destination	Service
2 Allow-VLAN30	External-FW Network	LAB-VLAN30 (192.168.30.0/24)	Any	Any

House rule — no external standard cited

FAIL Every rule has a name

HOUSE-NAMED · severity low

2 rule(s) have no name.

Rule	Layer	Source	Destination	Service
1	External-FW Network	CP-MGMT-01 (10.40.31.180), MailServer_10.40.31.139 (10.40.31.139)	Any	Any
3	External-FW Network	Internal-GW01 (10.40.31.176)	Any	Any

House rule — no external standard cited

What changed since the previous review

Compared against the review of 12 Oct 2026, 02:00 UTC.

0	0	0	0	18
ADDED	REMOVED	MODIFIED	MOVED	UNCHANGED

2 rule(s) could not be compared. Their reach could not be resolved in one of the two reviews, so this comparison cannot state that they are unchanged. That is not the same as a change, and it is not the same as no change.

What this review does not cover

This tool reads configuration. The list below is not a caveat added for safety — it is the set of questions a configuration reader cannot answer, and a decision taken from the pages above should be taken knowing they are open.

Also true of every review this tool produces:

- Traffic paths are simulated from configuration. No packet is sent, and a live gateway log can still differ.
- A rule this tool cannot model statically is reported as unknown, never as safe and never as a violation.
- There is no compliance percentage. A single number would have to price an unverifiable check, and every available price misleads.
- Hit counts come from the Management API as running totals; this tool does not interpolate between readings.

Generated by Firewall Insight 4.43.1 from review External-FW-20261013T020005, which took 27.49s. The evidence behind every figure is stored locally and can be re-read.