

















$$a_{1}^{(0)} \qquad w_{1,1}$$

$$a_{1}^{(1)} = \sigma \left( w_{1,0} a_{0}^{(0)} + w_{1,1} a_{1}^{(0)} + \dots + w_{1,n} a_{n}^{(0)} + b_{1}^{(0)} \right)$$

$$a_{2}^{(0)} \qquad w_{1,3}$$

$$a_{2}^{(1)} = \sigma \left( \sum_{i=1}^{n} w_{1,i} a_{i}^{(0)} + b_{1}^{(0)} \right)$$

$$a_{3}^{(0)} \qquad w_{1,4}$$

$$a_{3}^{(1)} = \sigma \left[ \begin{pmatrix} w_{1,0} & w_{1,1} & \dots & w_{1,n} \\ w_{2,0} & w_{2,1} & \dots & w_{2,n} \\ \vdots & \vdots & \ddots & \vdots \\ w_{m,0} & w_{m,1} & \dots & w_{m,n} \end{pmatrix} \begin{pmatrix} a_{1}^{(0)} \\ a_{2}^{(0)} \\ \vdots \\ a_{n}^{(0)} \end{pmatrix} + \begin{pmatrix} b_{1}^{(0)} \\ b_{2}^{(0)} \\ \vdots \\ b_{m}^{(0)} \end{pmatrix} \right]$$

$$\vdots$$

$$a^{(1)} = \sigma \left( \mathbf{W}^{(0)} a^{(0)} + \mathbf{b}^{(0)} \right)$$