

Consulta #1

The screenshot shows the Postman interface for a GET request to `https://portal.cdp.coinbase.com/evm/smart-accounts`. The response is a 200 OK status with a response time of 280 ms and a size of 2.81 KB. The response body is displayed in JSON format, showing a successful response with a status of 'OK' and a message 'Smart account created successfully'.

Consulta #3

The screenshot displays a REST client interface within a web browser. The address bar shows the URL `https://portal.cdp.coinbase.com/solana/accounts`. The interface includes tabs for 'Docs', 'Params', 'Authorization', 'Headers 9', 'Body', 'Scripts', and 'Settings'. The 'Headers' tab is currently selected, showing a table with the following headers: 'Key', 'Value', 'Description', 'Bulk Edit', and 'Presets'. Two headers are listed: 'Authorization' with value '108f0ef1-2a95-4e18-8336-70aaae252a5a' and 'Content-Type' with value 'application/json'. Below the headers, the 'Body' tab is visible, showing the response in JSON format. The response status is '200 OK' with a response time of 341 ms and a size of 2.81 KB. The JSON response is partially visible, showing the start of an HTML document: `<!doctypehtml><html><html><en-US><head><title>Coinbase</title><meta charset="UTF-8" /><script defer="defer" src="/static/27764.acddb7b48f0f6a458c8f.js"></script><script defer="defer" src="/static/main.e12c473e8261861c8828.js"></script><link href="/static/styles.c6803f6be73a32d8b810.css" rel="stylesheet"><link href="/static/styles.0628fdab8c6b36c669ee.css" rel="stylesheet"></head><body><div id="root"></div></body></html>`

Dia 5 RETO

Consulta #4

The screenshot shows a REST client interface with the following details:

- Request:** GET `https://api.github.com/users/octocat`
- Headers:** 8 headers are listed, including `Authorization` and `Content-Type: application/json`.
- Response:** 200 OK, 338 ms, 1.79 KB.
- Body:** JSON response showing user information for octocat.

```
{
  "login": "octocat",
  "id": 583231,
  "node_id": "MDQ6VXNlcjU4MzIzMQ==",
  "avatar_url": "https://avatars.githubusercontent.com/u/583231?v=4",
  "gravatar_id": "",
  "url": "https://api.github.com/users/octocat",
  "html_url": "https://github.com/octocat",
  "followers_url": "https://api.github.com/users/octocat/followers",
  "following_url": "https://api.github.com/users/octocat/following{/other_user}",
  "gists_url": "https://api.github.com/users/octocat/gists{/gist_id}",
  "starred_url": "https://api.github.com/users/octocat/starred{/owner}/{/repo}",
  "subscriptions_url": "https://api.github.com/users/octocat/subscriptions",
  "organizations_url": "https://api.github.com/users/octocat/orgs",
  "repos_url": "https://api.github.com/users/octocat/repos"
}
```

Consulta #5

My Collection > New Request

GET

https://api.github.com/users/octocat/repos

Send

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

Headers

6 hidden

Key	Value	Description	Bulk Edit	Presets	
✓ Authorization					
✓ Content-Type	application/json				
Key	Value	Description			

Body

Cookies

Headers 25

Test Results

200 OK

393 ms

5.12 KB

Save Response

JSON

Preview

Visualize

```
1  [
2    {
3      "id": 132935648,
4      "node_id": "MDEwO1JlcG9zaXRvcnkxMzI5MzU2NDg=",
5      "name": "boysenberry-repo-1",
6      "full_name": "octocat/boysenberry-repo-1",
7      "private": false,
8      "owner": {
9        "login": "octocat",
10       "id": 583231,
11       "node_id": "MDQ6VXNlcjU4MzIzMQ==",
12       "avatar_url": "https://avatars.githubusercontent.com/u/583231?v=4",
13       "gravatar_id": "",
14       "url": "https://api.github.com/users/octocat",
15       "html_url": "https://github.com/octocat"
```

Consulta #6

My Collection > New Request

GET

https://api.github.com/repos/postmanlabs/newman

Send

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

Headers

6 hidden

Key	Value	Description	Bulk Edit	Presets	
✓ Authorization					
✓ Content-Type	application/json				
Key	Value	Description			

Body

Cookies

Headers 26

Test Results

200 OK

421 ms

2.78 KB

Save Response

{ } JSON

Preview

Visualize

1 {

2 "id": 17449493,

3 "node_id": "MDEwO1JlcG9zaXRvcnkxNzQ0OTQ5Mw==",

4 "name": "newman",

5 "full_name": "postmanlabs/newman",

6 "private": false,

7 "owner": {

8 "login": "postmanlabs",

9 "id": 10251060,

10 "node_id": "MDEyO0k9yZ2FuaXphdGlvbWJlbnR1bWYw",

11 "avatar_url": "https://avatars.githubusercontent.com/u/10251060?v=4",

12 "gravatar_id": "",

13 "url": "https://api.github.com/users/postmanlabs",

14 "html_url": "https://github.com/postmanlabs",

Dia 5 RETO

Consulta #7

My Collection > New Request

GET <https://api.github.com/search/repositories?q=postman> Send

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

Headers 6 hidden

Key	Value	Description	Bulk Edit	Presets	...
✓ Authorization					
✓ Content-Type	application/json				
Key	Value	Description			

Body Cookies Headers 25 Test Results 200 OK • 1.04 s • 18.15 KB Save Response

{ } JSON Preview Visualize

```

1  {
2    "total_count": 84575,
3    "incomplete_results": false,
4    "items": [
5      {
6        "id": 1924147,
7        "node_id": "MDEwOlJlcG9zaXRvcnkxOTI0MTQ3",
8        "name": "postman-app-support",
9        "full_name": "postmanlabs/postman-app-support",
10       "private": false,
11       "owner": {
12         "login": "postmanlabs",
13         "id": 10251060,
14         "node_id": "MDEyOk9yZ2FuaXphdGlvbjEwMjUxMDYw",

```

Dia 5 RETO

Consulta #8

My Collection > New Request

GET <https://api.github.com/repos/postmanlabs/newman/contributors> Send

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

Headers 6 hidden

Key	Value	Description	Bulk Edit	Presets	...
✓ Authorization					
✓ Content-Type	application/json				
Key	Value	Description			

Body Cookies Headers 27 Test Results 200 OK 444 ms 4.26 KB Save Response

{ } JSON Preview Visualize

```

1 [
2   {
3     "login": "kunagpal",
4     "id": 7289840,
5     "node_id": "MDQ6VXNlcjcyODk4NDA=",
6     "avatar_url": "https://avatars.githubusercontent.com/u/7289840?v=4",
7     "gravatar_id": "",
8     "url": "https://api.github.com/users/kunagpal",
9     "html_url": "https://github.com/kunagpal",
10    "followers_url": "https://api.github.com/users/kunagpal/followers",
11    "following_url": "https://api.github.com/users/kunagpal/following{/other_user}",
12    "gists_url": "https://api.github.com/users/kunagpal/gists{/gist_id}",
13    "starred_url": "https://api.github.com/users/kunagpal/starred{/owner}/{/repo}",
14    "subscriptions_url": "https://api.github.com/users/kunagpal/subscriptions",
  }
]
```

Dia 5 RETO

Consulta #9

The screenshot shows a Postman interface with a new request configured. The URL is `https://api.github.com/repos/postmanlabs/newman/contributors` and the method is `GET`. The 'Headers' tab is active, showing two headers: `Authorization` and `Content-Type: application/json`. The 'Body' tab is also active, showing a JSON response with the following structure:

```

1  {
2    "JavaScript": 337443,
3    "Dockerfile": 3597,
4    "Shell": 1912
5  }

```

The status bar at the bottom indicates a `200 OK` response with a time of `343 ms` and a size of `1.37 KB`.

Consulta #10

My Collection > New Request

GEThttps://api.github.com/rate_limitSend

DocsParamsAuthorizationHeaders 8BodyScriptsSettingsCookies

Headers 6 hidden

Key	Value	Description	Bulk Edit	Presets	
✓ Authorization					
✓ Content-Type	application/json				
Key	Value	Description			

BodyCookiesHeaders 24Test Results200 OK563 ms1.48 KBSave Response

JSONPreviewVisualize

```
1 {
2   "resources": {
3     "core": {
4       "limit": 60,
5       "used": 5,
6       "remaining": 55,
7       "reset": 1788803866
8     },
9     "search": {
10      "limit": 10,
11      "used": 0,
12      "remaining": 10,
13      "reset": 1788800739
14    }
15  }
16 }
```

Dia 5 RETO

METODO POST

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** https://dummyjson.com/products/add
- Body Type:** raw (selected), with JSON syntax highlighting.
- Request Body (JSON):**

```
1 {
2   "title": "BMW Pencil",
3   "description": "Lapiz de edicion limitada",
4   "price": 15.99,
5   "stock": 40,
6   "brand": "BMW",
7   "category": "stationery"
8 }
```
- Response:** 201 Created, 128 ms, 1.07 KB.
- Response Body (JSON):**

```
1 {
2   "id": 195,
3   "title": "BMW Pencil",
4   "price": 15.99,
5   "stock": 40,
6   "description": "Lapiz de edicion limitada",
7   "brand": "BMW",
8   "category": "stationery"
9 }
```

Dia 5 RETO

The screenshot displays the Inetum REST client interface. At the top, there's a search bar and a 'Join Teams' button. Below the navigation bar, the request details are shown: a POST request to `https://dummyjson.com/users/add`. The 'Body' tab is selected, showing a JSON payload in raw format:

```
1 {
2   "firstName": "Alberto",
3   "lastName": "Garcia",
4   "age": 28,
5   "email": "alberto@ejemplo.com",
6   "username": "albertog",
7   "gender": "male"
8 }
```

The response status is **201 Created**, with a response time of 70 ms and a size of 1.72 KB. The response body is shown in JSON format:

```
1 {
2   "id": 209,
3   "firstName": "Alberto",
4   "lastName": "Garcia",
5   "maidenName": "",
6   "age": 28,
7   "gender": "male",
8   "email": "alberto@ejemplo.com",
9   "phone": "",
10  "username": "albertog",
11  "password": "",
12  "birthDate": "",
13  "image": "",
14  "bloodGroup": "",
15  "height": null
}
```

The screenshot displays a REST client interface with a POST request to `https://dummyjson.com/carts/add`. The request body is a JSON object with the following structure:

```
1 {
2   "userId": 1,
3   "products": [
4     { "id": 144, "quantity": 4 },
5     { "id": 98, "quantity": 1 }
6   ]
7 }
```

The response is a JSON object with the following structure:

```
1 {
2   "id": 209,
3   "products": [
4     {
5       "id": 98,
6       "title": "Rolex Submariner Watch",
7       "price": 13999.99,
8       "quantity": 4,
9       "total": 55999.96,
10      "discountPercentage": 5.05,
11      "discountedPrice": 53172,
12      "thumbnail": "https://cdn.dummyjson.com/product-images/mens-watches/rolex-submariner-watch/thumbnail.
13      webp"
14    }
15  ]
16 }
```

The response status is **201 Created**, with a response time of 128 ms and a size of 1.51 KB. The response is displayed in JSON format, with options for Preview and Visualize.

The screenshot shows the Postman interface for a POST request to `https://dummyjson.com/posts/add`. The request body is a JSON object:

```
1 {
2   "title": "Mi primer post desde Postman",
3   "body": "Contenido de prueba para la practica",
4   "userId": 5,
5   "tags": ["postman", "api"]
6 }
```

The response is a `201 Created` status with a response time of 66 ms and a size of 1.06 KB. The response body is a JSON object:

```
1 {
2   "id": 252,
3   "title": "Mi primer post desde Postman",
4   "body": "Contenido de prueba para la practica",
5   "userId": 5,
6   "tags": [
7     "postman",
8     "api"
9   ]
10 }
```

Dia 5 RETO

My Collection > New Request Copy

POST <https://dummyjson.com/comments/add> Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {
2   "body": "Muy buen post, gracias",
3   "postId": 3,
4   "userId": 5
5 }
```

Body Cookies Headers 21 Test Results 201 Created • 63 ms • 1.05 KB Save Response

{} JSON Preview Visualize

```
1 {
2   "id": 341,
3   "body": "Muy buen post, gracias",
4   "postId": 3,
5   "user": {
6     "id": 5,
7     "username": "emmaj",
8     "fullName": "Emma Miller"
9   }
10 }
```

POST <https://dummyjson.com/todos/add> Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {
2   "todo": "Terminar la practica de Postman",
3   "completed": false,
4   "userId": 5
5 }
```

Body Cookies Headers 21 Test Results 201 Created • 69 ms • 1.01 KB Save Response

{} JSON Preview Visualize

```
1 {
2   "id": 255,
3   "todo": "Terminar la practica de Postman",
4   "completed": false,
5   "userId": 5
6 }
```

The screenshot shows a REST client interface with the following details:


- Request:**
 - Method: **POST**
 - URL: `https://dummyjson.com/recipes/add`
 - Body Type: **raw** (selected)
 - Body Content (JSON):

```
1 {
2   "name": "Tortilla de patatas",
3   "ingredients": ["patatas", "huevos", "cebolla"],
4   "prepTimeMinutes": 15,
5   "cookTimeMinutes": 25,
6   "servings": 4,
7   "difficulty": "Easy",
8   "cuisine": "Spanish"
9 }
```
- Response:**
 - Status: **200 OK** (66 ms)
 - Body Type: **JSON** (selected)
 - Body Content (JSON):

```
1 {
2   "id": 51,
3   "name": "Tortilla de patatas",
4   "ingredients": [
5     "patatas",
6     "huevos",
7     "cebolla"
8   ],
9   "prepTimeMinutes": 15,
10  "cookTimeMinutes": 25,
11  "servings": 4,
12  "difficulty": "Easy",
13  "cuisine": "Spanish"
14 }
```



Dia 5 RETO



METODO PUT

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** https://dummyjson.com/products/1
- Body Type:** raw
- Request Body:**

```
1 {"title": "iPhone Galaxy +1"}
```
- Status:** 200 OK
- Response Body (JSON):**

```
1 {
2   "id": 1,
3   "title": "iPhone Galaxy +1",
4   "price": 9.99,
5   "discountPercentage": 10.48,
6   "stock": 99,
7   "rating": 2.56,
8   "images": [
9     "https://cdn.dummyjson.com/product-images/beauty/essence-mascara-lash-princess/1.webp"
10  ],
11  "thumbnail": "https://cdn.dummyjson.com/product-images/beauty/essence-mascara-lash-princess/thumbnail.webp",
12  "description": "The Essence Mascara Lash Princess is a popular mascara known for its volumizing and
13    lengthening effects. Achieve dramatic lashes with this long-lasting and cruelty-free formula.",
14  "brand": "Essence",
15  "category": "beauty"
16 }
```

The screenshot shows a REST client interface with the following details:

- Method:** PUT
- URL:** https://dummyjson.com/products/5
- Body:** `{ "price": 99.99, "stock": 12 }`
- Response:** 200 OK (67 ms)
- Response Body (JSON):**

```
1 {
2   "id": 5,
3   "title": "Red Nail Polish",
4   "price": 99.99,
5   "discountPercentage": 11.44,
6   "stock": 12,
7   "rating": 4.32,
8   "images": [
9     "https://cdn.dummyjson.com/product-images/beauty/red-nail-polish/1.webp"
10  ],
11  "thumbnail": "https://cdn.dummyjson.com/product-images/beauty/red-nail-polish/t",
12  "description": "The Red Nail Polish offers a rich and glossy red hue for vibrant
13  quick-drying formula, it provides a salon-quality finish at home.",
14  "brand": "Nail Couture",
```

The screenshot displays a REST client interface with the following details:

- Request Method:** PUT
- URL:** `https://dummyjson.com/users/1`
- Body:** `{ "lastName": "Ferrer" }`
- Response Status:** 200 OK
- Response Time:** 74 ms
- Response Size:** 1.81 KB
- Response Body (JSON):**

```
{  "id": 1,  "firstName": "Emily",  "lastName": "Ferrer",  "maidenName": "Smith",  "age": 29,  "gender": "female",  "email": "emily.johnson@x.dummyjson.com",  "phone": "+81 965-431-3024",  "username": "emilys",  "password": "emilyspass",  "birthDate": "1996-5-30",  "image": "https://dummyjson.com/icon/emilys/128",  "bloodGroup": "O-,"}
```

Dia 5 RETO

The screenshot shows a REST client interface with the following details:

- Request:**
 - Method: PUT
 - URL: `https://dummyjson.com/users/3`
 - Body: `{ "age": 35, "email": "nuevo@ejemplo.com" }`
- Response:**
 - Status: 200 OK
 - Time: 67 ms
 - Size: 1.75 KB
 - Body (JSON):

```
1 {
2   "id": 3,
3   "firstName": "Sophia",
4   "lastName": "Brown",
5   "maidenName": "",
6   "age": 35,
7   "gender": "female",
8   "email": "nuevo@ejemplo.com",
9   "phone": "+81 210-652-2785",
10  "username": "sophiab",
11  "password": "sophiabpass",
12  "birthDate": "1982-11-6",
13  "image": "https://dummyjson.com/icon/sophiab/128",
14  "bloodGroup": "0-",
```

The screenshot shows a REST client interface with a PUT request to `https://dummyjson.com/carts/1`. The request body is a JSON object: `{ "merge": true, "products": [ { "id": 1, "quantity": 3 } ] }`. The response is a 200 OK status with a response time of 73 ms and a size of 1.38 KB. The response body is a JSON object: `{ "id": 1, "products": [ { "id": 162, "title": "Blue Frock", "price": 29.99, "quantity": 4, "total": 119.96, "discountPercentage": 12.13, "discountedPrice": 105, "thumbnail": "https://cdn.dummyjson.com/product-images/tops/blue-frock/thumbnail.webp" } ] }`.

```
PUT https://dummyjson.com/carts/1

{ "merge": true, "products": [ { "id": 1, "quantity": 3 } ] }
```

200 OK • 73 ms • 1.38 KB • Save Response

```
{
  "id": 1,
  "products": [
    {
      "id": 162,
      "title": "Blue Frock",
      "price": 29.99,
      "quantity": 4,
      "total": 119.96,
      "discountPercentage": 12.13,
      "discountedPrice": 105,
      "thumbnail": "https://cdn.dummyjson.com/product-images/tops/blue-frock/thumbnail.webp"
    }
  ]
}
```

The screenshot shows a REST client interface with the following details:

- Request:**
 - Method: PUT
 - URL: `https://dummyjson.com/posts/1`
 - Body: `{ "title": "Titulo actualizado" }`
- Response:**
 - Status: 200 OK
 - Time: 66 ms
 - Size: 1.25 KB
 - Body (JSON):

```
1 {
2   "id": 1,
3   "title": "Titulo actualizado",
4   "body": "His mother had always taught him not to ever think of himself as better than others. He'd tried to
           live by this motto. He never looked down on those who were less fortunate or who had less money than him.
           But the stupidity of the group of people he was talking to made him change his mind.",
5   "userId": 121,
6   "tags": [
7     "history",
8     "american",
9     "crime"
10  ],
11  "reactions": {
12    "likes": 192,
13    "dislikes": 25
```

Dia 5 RETO

The screenshot shows a REST client interface with the following details:

- Request Method:** PUT
- URL:** https://dummyjson.com/comments/1
- Body Type:** raw
- Request Body:**

```
{ "body": "Comentario editado" }
```
- Response Status:** 200 OK
- Response Time:** 69 ms
- Response Size:** 1.06 KB
- Response Body (JSON):**

```
{  "id": 1,  "body": "Comentario editado",  "postId": 242,  "likes": 3,  "user": {    "id": 105,    "username": "emmac",    "fullName": "Emma Wilson"  }}
```

Dia 5 RETO

My Collection > New Request Copy

PUT <https://dummyjson.com/todos/1> Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {"completed": true}
```

Body Cookies 2 Headers 22 Test Results 200 OK • 68 ms • 1.03 KB Save Response

{ } JSON Preview Visualize

```
1 {
2   "id": 1,
3   "todo": "Do something nice for someone you care about",
4   "completed": true,
5   "userId": 152
6 }
```

My Collection > New Request Copy

PUT <https://dummyjson.com/recipes/1> Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {"servings": 6, "difficulty": "Medium"}
```

Body Cookies 2 Headers 22 Test Results 200 OK • 72 ms • 1.43 KB Save Response

{ } JSON Preview Visualize

```
1 {
2   "id": 1,
3   "name": "Classic Margherita Pizza",
4   "ingredients": [
5     "Pizza dough",
6     "Tomato sauce",
7     "Fresh mozzarella cheese",
8     "Fresh basil leaves",
9     "Olive oil",
10    "Salt and pepper to taste"
11  ],
12   "instructions": [
13     "Preheat the oven to 475°F (245°C).",
14     "Roll out the pizza dough and spread tomato sauce evenly.",
```

Dia 5 RETO

The screenshot shows the Postman interface for a PUT request. The URL is `https://dummyjson.com/todos/5`. The request body is a JSON object: `{ "todo": "Entregar la practica de Postman", "completed": true }`. The response is a 200 OK status with a response time of 147 ms and a size of 1.03 KB. The response body is a JSON object: `{ "id": 5, "todo": "Entregar la practica de Postman", "completed": true, "userId": 163 }`.

My Collection > New Request Copy

PUT `https://dummyjson.com/todos/5` Send

Docs Params Authorization Headers 11 Body Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Schema Beautify

```
1 {
2   "todo": "Entregar la practica de Postman",
3   "completed": true
4 }
```

Body Cookies 2 Headers 22 Test Results 200 OK • 147 ms • 1.03 KB Save Response

{ } JSON Preview Visualize

```
1 {
2   "id": 5,
3   "todo": "Entregar la practica de Postman",
4   "completed": true,
5   "userId": 163
6 }
```

Dia 5 RETO

METODO DELETE

The screenshot shows a REST client interface with the following details:

- Method:** DELETE
- URL:** https://dummyjson.com/products/1
- Body:** none (selected). The interface indicates "This request does not have a body".
- Response:** 200 OK, 70 ms, 1.66 KB.
- Response Body (JSON):**

```
{  "id": 1,  "title": "Essence Mascara Lash Princess",  "description": "The Essence Mascara Lash Princess is a popular mascara known for its volumizing and lengthening effects. Achieve dramatic lashes with this long-lasting and cruelty-free formula.",  "category": "beauty",  "price": 9.99,  "discountPercentage": 10.48,  "rating": 2.56,  "stock": 99,  "tags": [    "beauty",    "mascara"  ]}
```

Dia 5 RETO

My Collection > New Request Copy

DELETE <https://dummyjson.com/products/25> Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

☒ none
 ☐ form-data
 ☐ x-www-form-urlencoded
 ☐ raw
 ☐ binary
 ☐ GraphQL

This request does not have a body

Body Cookies 2 Headers 22 Test Results 200 OK • 68 ms • 1.62 KB Save Response

{ } JSON Preview Visualize

```

1  {
2    "id": 25,
3    "title": "Green Bell Pepper",
4    "description": "Fresh and vibrant green bell pepper, perfect for adding color and flavor to your dishes.",
5    "category": "groceries",
6    "price": 1.29,
7    "discountPercentage": 0.16,
8    "rating": 3.25,
9    "stock": 33,
10   "tags": [
11     "vegetables"
12   ],
13   "sku": "GR0-BRD-GRE-025",
14   "weight": 2,

```

The screenshot shows a REST client interface with the following details:

- Request:** Method **DELETE**, URL **https://dummyjson.com/users/1**. The **Body** tab is selected, showing "none" with the note "This request does not have a body".
- Response:** Status **200 OK**, time **69 ms**, size **1.84 KB**. The **Body** tab is selected, showing a JSON response.

```
1 {
2   "id": 1,
3   "firstName": "Emily",
4   "lastName": "Johnson",
5   "maidenName": "Smith",
6   "age": 29,
7   "gender": "female",
8   "email": "emily.johnson@x.dummyjson.com",
9   "phone": "+81 965-431-3024",
10  "username": "emilys",
11  "password": "emilypass",
12  "birthDate": "1996-5-30",
13  "image": "https://dummyjson.com/icon/emilys/128",
14  "bloodGroup": "O-",
```

The screenshot shows a REST client interface with the following details:

- Request:**
 - Method: DELETE
 - URL: <https://dummyjson.com/users/8>
 - Body: none (selected)
- Response:**
 - Status: 200 OK
 - Time: 67 ms
 - Size: 1.83 KB
 - Body (JSON):

```
{  "id": 8,  "firstName": "Ava",  "lastName": "Taylor",  "maidenName": "",  "age": 28,  "gender": "female",  "email": "ava.taylor@x.dummyjson.com",  "phone": "+1 458-853-7877",  "username": "avat",  "password": "avatpass",  "birthDate": "1997-8-25",  "image": "https://dummyjson.com/icon/avat/128",  "bloodGroup": "AB-",  "height": 168.47}
```

The screenshot shows a REST client interface with the following details:

- Request:**
 - Method: DELETE
 - URL: `https://dummyjson.com/carts/1`
 - Body: none (selected)
- Response:**
 - Status: 200 OK
 - Time: 67 ms
 - Size: 1.36 KB
 - Body Type: JSON
- JSON Response Body:**

```
1 {
2   "id": 1,
3   "products": [
4     {
5       "id": 162,
6       "title": "Blue Frock",
7       "price": 29.99,
8       "quantity": 4,
9       "total": 119.96,
10      "discountPercentage": 12.13,
11      "discountedTotal": 105.41,
12      "thumbnail": "https://cdn.dummyjson.com/product-images/tops/blue-frock/thumbnail.webp"
13    },
14    {
```

The screenshot shows a REST client interface with the following details:

- URL:** `https://dummyjson.com/posts/1`
- Method:** `DELETE`
- Body:** `none` (selected). The text below indicates "This request does not have a body".
- Response:** `200 OK` with a status bar showing `69 ms` and `1.29 KB`. The response body is a JSON object:

```
1 {
2   "id": 1,
3   "title": "His mother had always taught him",
4   "body": "His mother had always taught him not to ever think of himself as better than others. He'd tried to
           live by this motto. He never looked down on those who were less fortunate or who had less money than him.
           But the stupidity of the group of people he was talking to made him change his mind.",
5   "tags": [
6     "history",
7     "american",
8     "crime"
9   ],
10  "reactions": {
11    "likes": 192,
12    "dislikes": 25
13  }
```

The screenshot shows a REST client interface with the following details:

- Request:**
 - Method: DELETE
 - URL: `https://dummyjson.com/comments/1`
 - Body: none (selected). Other options: form-data, x-www-form-urlencoded, raw, binary, GraphQL.
 - Message: "This request does not have a body"
- Response:**
 - Status: 200 OK
 - Time: 66 ms
 - Size: 1.1 KB
 - Content-Type: application/json
 - Buttons: Save Response, ...
- JSON Body:**

```
1 {
2   "id": 1,
3   "body": "This is some awesome thinking!",
4   "postId": 242,
5   "likes": 3,
6   "user": {
7     "id": 105,
8     "username": "emmac",
9     "fullName": "Emma Wilson"
10  },
11   "isDeleted": true,
12   "deletedOn": "2026-09-07T17:33:26.066Z"
13 }
```

The screenshot displays the Inetum REST client interface. At the top, the URL bar shows a **DELETE** request to `https://dummyjson.com/todos/1`. Below the URL bar, the **Body** tab is selected, showing that the request does not have a body. The response section at the bottom shows a **200 OK** status with a response time of 67 ms and a size of 1.07 KB. The response body is displayed in JSON format:

```
1 {
2   "id": 1,
3   "todo": "Do something nice for someone you care about",
4   "completed": false,
5   "userId": 152,
6   "isDeleted": true,
7   "deletedOn": "2026-09-07T17:33:52.793Z"
8 }
```

Dia 5 RETO

The image displays two screenshots of the Inetum REST client interface, showing a DELETE request and its response.

Top Screenshot:

- Request:** Method: DELETE, URL: `https://dummyjson.com/recipes/1`. The request body is empty (selected: none).
- Response:** Status: 200 OK, Time: 69 ms, Size: 1.47 KB. The response body is JSON:

```
1 {
2   "id": 1,
3   "name": "Classic Margherita Pizza",
4   "ingredients": [
5     "Pizza dough",
6     "Tomato sauce",
7     "Fresh mozzarella cheese",
8     "Fresh basil leaves",
9     "Olive oil",
10    "Salt and pepper to taste"
11  ],
12  "instructions": [
13    "Preheat the oven to 475°F (245°C).",
14    "Roll out the pizza dough and spread tomato sauce evenly.",
```

Bottom Screenshot:

- Request:** Method: DELETE, URL: `https://dummyjson.com/test`. The request body is empty (selected: none).
- Response:** Status: 200 OK, Time: 67 ms, Size: 984 B. The response body is JSON:

```
1 {
2   "status": "ok",
3   "method": "DELETE"
4 }
```