| / | NO- |
|-----|--|
| | |
| | |
| | Name: Danesh Muthu Krishan |
| | Motric Number: 823C50034 |
| | Subject: Database |
| | Sec. 1 Definions |
| | LAB 3 (SQL 3-DML 2 Part 1) |
| | |
| | Part 1 |
| | |
| 6 | 1. SELECT * FROM Customers. |
| • | |
| | 2. SELECT * FROM teams; |
| | |
| | 3. SELECT * FROM items; |
| | |
| | Part 2 |
| | |
| | 1. SELECT customer_number, first_name, last_name, email, prone_number |
| | FROM Customers; |
| -0- | 2. SELECT (name, num-of-players FROM teams; |
| | 2. SELECT (Same / Lance / Lanc |
| | 3. SELECT name, description, cotegary FROM items; |
| | S. SELLC! THIR ! LOUD ! |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | NO: |
|----------|---|
| 7 | DATE |
| | |
| | Name: Danesh Muthu Krisnan |
| | Matric Number: B23C50034 |
| | CIAR |
| | LAB 3 (5QL 3-PDML 2 Part 2) |
| | |
| | PART I |
| | |
| | 1) SELECT first_name, last_name, Current_Balance, Current_Balance/12 FROM |
| | Customers; |
| (| |
| | 2) SELECT first_name, last_name, customer_number, current_bollone |
| | - 6.00 FROM Customers; |
| | |
| | 3) The values of current balance can go to below a which con cause |
| | negative value/balance |
| | |
| | Part 2 |
| | |
| | 1) SELECT fix |
| -(6 | fis first_name "First, Name", |
| | last_name "Last Name", |
| | Current_balance "Balance", |
| | Current_balance/12 "Monthly Repayment" |
| | VVHERE FROM Customers; |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | NO: DATE |
|---|---|
| | UATE |
| | |
| | |
| | Part 3 |
| | |
| | |
| | 1. SELECT 'The' 11 team_name 11 'team nas" 11 number_of_players 11 'players |
| | |
| | and receive a discount of II discount II 'percent.' |
| | As "Team Formation" |
| | FROM teams; |
| | |
| | The Make to Mills |
| | 2. The value is NULL. |
| | |
| | |
| | |
| | , |
| | |
| | |
| | |
| | ' |
| | |
| | |
| | |
| | |
| | |
| - | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| - | NO: DATE |
|----|---|
| | |
| | Name i panesh Muthu Krisnan |
| | Matric M Number: B23C50034 |
| | Subject : Database |
| | Source Conditions |
| | LAB 3 (SQL 3 - DML 2 Part 3) |
| | LAB S (SULS - DML) PART SI |
| | Part I |
| | Part I |
| | 1) SELECT * FROM CUStomer 5 as "Maria Galant" WHERE |
| | CHI-Dumber customer-Dumber = 'A20BC'; |
| | CAFEANMON COSTOME - DOMDER - 12000 J |
| | 2) SELECT first_name, last_name, customer_number FROM customers |
| | WHERE Customer_balance > 100; |
| | |
| | 3) SELECT order-id, date, time From orders WHERE date (128-mg |
| | 201915 |
| | |
| | Part 2 |
| | 10112 |
| W. | +> SELECT Inventory_id , cost, number_of_unit |
| | 1) SELECT inventory id "Inventory ID", cost "Cost", And "Number of upit "Number |
| | of Unit" to From inventory_table |
| | WHERE COST BETWEEN 3.00 AND 15.00; |
| | |
| | Part 3 |
| | |
| | 1) SELECT inventory_id "Inventory ID", cost "cost", number_of_unit "Number |
| | of Unit" FROM inventory-table WHERE Number_of-units IN ('60,'100', |
| | 160′, \200′); |
| | |
| | |
| | |
| | POP bazic™ |

| and does not receive a discount." As "Team Information" From teams where discount is New Null; 2) SELECT 'The' II name II "team has' II number af players II 'player and receives a discount N of 'II discount II 'percent' As "Team Information" where discount is NOT NULL; Part 2 1) SELECT Customer number "Customer Number", address line = 1 "Street Address", postal cade "Postal cade" From customers table tuners where address line = "Starford" AND City = Liverpool'; Part 3. 1) SELECT Customer number "customer Number", address line = 1 "Starford" Part 3. | NO: | DATE |
|---|-----|--|
| Matric Number: B23cs0034 Subject: Patabage LAB 3 (SQL3-DML2 Rort H) Part ! 1) SELECT 'The "II name II " taam has' I! Oumber-of-players II' played does not receive a discount.' As "Team Information" FROM teams WHERE discount is New Null; 2) SELECT 'The 'II name II' team has' II oumber-of-players II' played and receives a discount N of 'II discount II' percent' As "Team Information" where discount is NOT NULL; Part 2 1) SELECT customer_number "customer Number", address_line_I "Street Address", postal_cade "Bostal code" from customers_table turbers where address_line_I = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_I "s | | |
| Matric Number: B23cs0034 Subject: Patobage LAB 3 (SQL3-DML2 Port 4) Part! 1) SELECT 'The "II name II "" toam has "I! Oumber_of=players II' played does not receive a discount." As "Team Information" FROM teams WHERE discount is New Null; 2) SELECT 'The "II name II" team has "II number_of=players II' played and receives a discount N of "II discount II' percent" As "Team Information" where discount is NOT NULL; Part 2 1) SELECT Oustomer_number "Customer Number", address_line_I "Street Address", postal_cade "Rostal Code" from Customers_table turbers where address_line_I = "Starford" AND City = "Liverpool"; Part 3. 1) SELECT Customer_number "Customer Number", address_line_I "Starford" AND City = "Liverpool"; | | |
| Subject: Patabage LAB 3 (SQL 3 - DML 2 Part H) Part 1 (1) SELECT 'The "II name II "taam has II number of players II' play and does not receive a discount." As "Team Information" FROM teams WHERE discount is NEW NULL; 2) SELECT 'The 'II name II "team has 'II number of players II 'Plays and receives a discount N of 'II discount II 'percent' As "Team Information" WHERE discount is NOT NULL; Part 2 1) SELECT oustomer number "Customer Number", address line I "Streen Address", postal cade "Postal cade" fRom customers table tuners where address line I = "Starford" AND City = Liverpoal; Part 3 1) SELECT Customer number "Customer Number", address line I "Starford" AND City = Liverpoal; | | Name : Danesh Muthu Krisnan |
| Part 1 Part 1 | | |
| Part 1 1) SELECT 'The "Il name II " toam has' Il number_of_players II' pland does not receive a discount.' As "Team Information" From teams WHERE discount is New NULL; 2) SELECT 'The 'Il name II " team has' II number_of_players II' plays and receives a discount N of 'Il discount II' percent' As "Team Information" WHERE discount is NOT NULL; Part 2 1) SELECT customer_number "customer Number", address_line_I "Street Address", pasial_cade "Rostal Cade" from customers_table_turners WHERE address_line_I = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_I"s | | Subject: Patabase |
| 1) SELECT 'The "II name II "town has I number of players II' plant does not receive a discount.' As "Team Information" FROM teams WHERE discount is NEW NULL; 2) SELECT 'The II name II "team has II number of players II' player and receives a discount N of II discount II 'percent' As "Team Information" WHERE discount is NOT NULL; Part 2 1) SELECT customer number "Customer Number", address_line_I "Street Address", postal_cade "Rostal cade" FROM customers table tutners wHERE address_line_I = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_I "s | | LAB 3 (SQL 3 - DML 2 Part 4) |
| 1) SELECT 'The "II name II "town has I number of players II' plant does not receive a discount.' As "Team Information" FROM teams WHERE discount is NEW NULL; 2) SELECT 'The II name II "team has II number of players II' player and receives a discount N of II discount II 'percent' As "Team Information" where discount is NOT NULL; Part 2 1) SELECT customer number "Customer Number", address_line_I "Street Address", postal_cade "Rostal cade" from customers table tutners where address_line_I = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_I "S | | |
| and does not receive a discount." As "Team Information" From teams where discount is New Null; 2) SELECT 'The' II name II "team has' II number af players II 'player and receives a discount N of 'II discount II 'percent' As "Team Information" where discount is NOT NULL; Part 2 1) SELECT Customer number "Customer Number", address line = 1 "Street Address", postal cade "Postal cade" From customers table tuners where address line = "Starford" AND City = Liverpool'; Part 3. 1) SELECT Customer number "customer Number", address line = 1 "Starford" Part 3. | | Part 1 |
| 2) SELECT 'The' II name II "team bas' II number of players II 'player and receives a discount' N of 'Il discount II 'percent' As "Team Information" where discount is NOT NULL; Part 2 1) SELECT customer number "customer Number", address_line_I "Street Address", postal_cade "Rostal_cade" from customers_table_tuthers where address_line_I = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_I "s | | |
| 1) SELECT customer_number "Customer Number", address_line_1 "Street Address", postal_cade "Postal cade" from customers_table twhere where address_line_1 = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_1 "s | | 2) SELECT 'The' 11 name 11 "team has' 11 number_of_players 11 'players and receives a discaunt" N of ' 11 discaunt 11 'percent' As "Team Information" WHERE discaunt is NOT NULL; |
| Address", postal_cade "Postal cade" from customers_table twhere where oddress_line_1 = "Starford" AND City = 'Liverpool'; Part 3. 1) SELECT customer_number "customer Number", address_line_1 "s | | Part 2 |
| 1) SELECT customer_number "customer Number", address_line_1 "s | | 1) SELECT customer_number "Customer Number", address_line_1 "Street Address", postal_cade "Postal cade" FROM customers_table twhere WHERE address_line_1 = "Starford" AND City = Liverpool"; |
| | | Part 3 |
| address_line_al = 'Starfor' AND OR City = 'Liverpool'; | L. | Address", postal_code "Postal Code" FROM customers-table WHERE |



| | | - |
|---|---|---|
| | | |
| | NO: DATE: | |
| / | | |
| | | |
| | | |
| | II) CELECE | |
| | 4) SELECT Customer_number "Customer Number", address_line_1 "Street Address", | |
| | Postal_code "Postal Code" FROM customer_table WHERE City NOT IN | 1 |
| | ('Liverpool-); | H |
| | | |
| | | - |
| | | - |
| | | |
| | | |
| | | |
| | | |
| | | 1 |
| | | 1 |
| | | 1 |
| | | 1 |
| | | I |
| | | Ì |
| | | - |
| | | 1 |
| | | 1 |
| | | 1 |
| | | - |
| | | 1 |
| | | |
| | | |
| | | - |
| | | - |
| | | - |
| | | - |
| | | - |
| | | - |
| | | - |
| | | |
| | | |



| | NO: |
|-----------------|--|
| | |
| | |
| | b. |
| | Name: Danesh Muthu Krisoan |
| | Matric Number: B23C60034 |
| | Subject : Database |
| | |
| | LAB 3 (SQL 3 - DML 2 Port 5) |
| | |
| | Part 1 |
| | |
| | 1) SELECT name "Team Name", number_of_players "Number Of Players" FROM |
| | Leams ORDER By name; |
| | |
| | 2) SELECT name "Team Name", number_of_players "Number Of Players" FROM |
| | teams ORDER By Number-of-players DESC. |
| | · J |
| | 3) SELECT name "Team Name", Number - of-players "Number Of Players" FROM |
| | teams ORDER BY A name DESC. |
| | Commy Orders of |
| | |
| | |
| $ \bigcirc$ $-$ | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | NO: DATE |
|---|---|
| | |
| | |
| | Name: Danesh Muthu Krisoan |
| | Matric Number: 823 CS0034 |
| | Subject : Patabase |
| | |
| | LAB 3 (59L 3 - DML 2 Part 6) |
| | |
| | PART I |
| | |
| | 1) SELECT fis first_name II ' ' last_name as "Customer Nam |
| , | FROM CUSTOMERS ORDER BY EI CUSTOMER NUMBER FETCH FIRST |
| | 3 ROWS ORIU; |
| | , |
| | |
| | Part 2 |
| | |
| | 1) ACCEPT commission prate NUMBER prompt "Enter sales |
| | commission Rate" SELECT first_name "Fist Name", last_name "Last |
| | Name " FROM Sales_top rep-table WHERE commission_rate = |
| | commision_rata orper by last_name; |
| , | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

