DmL Part 1

Part 1

- There is no error occurs when running

Part 2

(1) INSERT INTO teams (id, nome, number_of_players, discount)
VALUES ('t004', 'Jets', '10', '5');

(2) INSERT INTO customers (ctr_number, email, first_name, last_name,
phone_number, current_balance, sre_id, tem_id, loyalty-card-number)
VALUES ('c02001', 'brianrog@hootech.com', 'Brian', 'Rogers',
'0165456 4898', '-5', '1c4587', NULL, NULL);

(3) UPDATE customers
SET current_balance = '50'
WHERE ~~curre~~ ctr_number = 'c02001';

DML   Part 2

Part 1

(1)

START_DATE	TO_CHAR(START_TIME, 'H24:MI:SS')	PRICE
17-JUN-17	09:00:00	4.99
25-NOV-16	09:00:00	14.99
25-JAN-17	17:01:00	8.99
26-JAN-17	09:00:00	15.99
12-FEB-17	12:30:00	7.99
25-APR-17	10:10:10	24.99
31-MAY-17	16:35:30	14.9

END_DATE	TO_CHAR (END_TIME , 'H24:MI:SS')
-	-
25-JAN-17	17:00
25-JAN-17	19:00
-	-
-	-
-	-
-	-

(2) UPDATE price_history
SET end_date = ~~CURRENT~~ SYSDATE,
end_time = SYSDATE
WHERE itm_number = 'im 011010 48' AND end_time is NULL;

(3) SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'),
price, end_date, TO_CHAR (end_time, 'HH24:MI')
FROM price_history;

START_DATE	TO_CHAR (START_TIME, 'HH24:MI:SS')	PRICE
17-JUN-17	09:00:00	4.99
25-NOV-16	09:00:00	14.99
25 JAN-17	17:01:00	8.99
26-JAN-17	09:00:00	15.99
12-FEB-17	12:30:00	7.99
25-APR-17	10:10:10	24.99
31-MAY-17	16:35:30	14.9

END_DATE	TO_CHAR (END_TIME, 'HH24:MI')
-	-
25-JAN-17	17:00
28-JAN-17	19:00
-	-
-	-
-	-
09-NOV-23	7.50

(A) INSERT INTO price_history (start_date, start_time, price, itm_number)

VALUES (SYSDATE, SYSDATE, 99.99, 'im01101048');