

- 1) INVENTORY_LIST
- 2) ITEMS
- 3) PRICE_HISTORY
- 4) SALES_REPRESENTATIVES
- 5) SALES_REP_ADDRESSES
- 6) TEAMS
- 7) CUSTOMERS
- 8) CUSTOMERS_ADDRESSES
- 9) ORDERS
- 10) ORDERS_ITEMS

2) Yes, the list matched

The pictures above shows the script ran successfully

4) There is no error

Part 2

1) INSERT INTO teams(id, name, number_of_players, discount)
VALUES ('t004', 'Jets', 10, 5);

```

Language: SQL Rows: 10
182 VALUES(5, 5, 'or0101250', 'im01101044');
183
184 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
185 VALUES(5, 5, 'or0101350', 'im01101044');
186
187 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
188 VALUES(5, 5, 'or0101350', 'im01101044');
189
190 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
191 VALUES(18, 18, 'or0101425', 'im01101047');
192
193 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
194 VALUES(10, 10, 'or0101681', 'im01101047');
195
196 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
197 VALUES(1, 1, 'or0101750', 'im01101048');
198
199 INSERT INTO teams(id, name, number_of_players, discount)
200 VALUES ('t004', 'Jets', 10, 5);

```

```

284 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
285 VALUES(5, 5, 'or0101250', 'im01101046');
286
287 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
288 VALUES(5, 5, 'or0101350', 'im01101044');
289
290 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
291 VALUES(18, 18, 'or0101425', 'im01101047');
292
293 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
294 VALUES(10, 10, 'or0101681', 'im01101047');
295
296 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
297 VALUES(1, 1, 'or0101750', 'im01101048');
298
299 INSERT INTO teams(id, name, number_of_players, discount)
300 VALUES ('t004', 'Jets', 10, 5);
301
302 select * from teams;

```

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT
t003	Rovers	8	-
t001	Rockets	25	10
t004	Jets	10	5
t002	Celtics	42	20

4 rows returned in 0.01 seconds [Download](#)

2) INSERT INTO customers(ctr-number, email, first-name, last-name, phone-number,
current-balance, loyalty-card-number)
VALUES ('c02001', 'brianrog@hooitech.com', 'Brain', 'Rogers',
'01654564898', -5, 'lc4587');

```

SQL Commands Schema: WKSP_WEISIAN001
Language: SQL Rows: 10
297 VALUES('or0101750', TO_DATE('18-JUN-2017', 'DD-MM-YYYY'), TO_DATE('18-JUN-2017 09:05:00',
298 'DD-MM-YYYY hh24:mi:ss'), 1, 'c01986');
299
300 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
301 VALUES(5, 5, 'or0101250', 'im01101044');
302
303 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
304 VALUES(5, 5, 'or0101250', 'im01101046');
305
306 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
307 VALUES(5, 5, 'or0101350', 'im01101044');
308
309 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
310 VALUES(18, 18, 'or0101425', 'im01101047');
311
312 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
313 VALUES(10, 10, 'or0101681', 'im01101047');
314
315 INSERT INTO ordered_items (quantity_ordered, quantity_shipped, odr_id, itm_number)
316 VALUES(1, 1, 'or0101750', 'im01101048');
317
318 INSERT INTO teams(id, name, number_of_players, discount)
319 VALUES ('t004', 'Jets', 10, 5);
320
321 select * from teams;
322
323 INSERT INTO customers(ctr-number, email, first-name, last-name, phone-number, current-balance, loyalt
324 VALUES ('c02001', 'brianrog@hooitech.com', 'Brain', 'Rogers', '01654564898', -5, 'lc4587');
325

```

ORA-02290: check constraint (WKSP_WEISIAN001.CHECK_BALANCE) violated

3) INSERT INTO customers (ctr_number, email, first_name, last_name, phone_number, current_balance, loyalty_card_number)
VALUES ('c02001', 'brianng@hooitech.com', 'Brain', 'Rogers',
'01654564898', 50, '1c4587');
select * from customers;

The screenshot shows the Oracle APEX SQL Workshop interface. The top bar includes the APEX logo and navigation tabs: App Builder, SQL Workshop (selected), Team Development, and Gallery. A search bar and user profile (Cui Wei Sun) are also visible. The main area displays a list of SQL commands for inserting data into the 'customers' and 'teams' tables. The 'customers' table has columns: ctr_number, email, first_name, last_name, phone_number, current_balance, and loyalty_card_number. The 'teams' table has columns: id, name, number_of_players, and discount. The results section shows 1 row(s) inserted. Below the screenshot, a table represents the data inserted into the 'customers' table.

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SHR_ID	TEAM_ID	LOYALTY_CARD_NUMBER
C02001	brianng@hooitech.com	Brain	Rogers	01654564898	50	-	-	1C4587